



ADDENDUM #3

SILVERTON SHORES PARK AND WINGFIELD TRAIL

BID #17/18-006 / PWP #WA-2017-244

BIDS DUE NO LATER THAN: 1:45 PM ON AUGUST 9, 2017 - REVISED

PUBLIC BID OPENING: 2:00 PM ON AUGUST 9, 2017 - REVISED

This addendum is to notify all potential proposers of clarifications made to the Bid documents as stated below.

PLAYGROUND SAFETY SURFACING:

SofSURFACES DuraSAFE tile is now designated as an approved equal for the Silverton Shores Park Project.

Maximum fall height 8'

Size: 24 1/8" x 24 1/8" Nominal

Installed Size: 24" x 24"

Series: Premium Series

Description: Resilient, interlocking, playground safety surfacing tiles.

Compliance: Meet or exceed CPSC guidelines for impact attenuation.

Material: Compression-molded, recycled rubber and binding agents.

Tile Locking: U-shaped male/female configuration on all 4 sides to lock tiles to adjacent tiles.

Wear Layer: Premium Series-Virgin TPV Rubber Granules. Minimum 0.250 inch thick.

Color: Sandylane

The Contractor will need to follow Manufacturers recommendations for Delivery, Storage, Handling, Environmental Requirements, Examination, Installation requirements on a Concrete Subsurface, Adhesion, Quality Control, and Testing. Warranty shall meet or exceed specifications as listed on sheet L10 of the plans.

Please note and adjust your bid according to the revisions, additions, deletions, clarifications or modifications as presented on this Addendum #3, which are made a part of this bid. NOTE: To avoid disqualification, this Addendum 3 (and any other addenda) must be signed by an authorized representative of the bidding firm in the space provided and must be submitted with your firm's sealed proposal. Failure to return this addendum, duly signed, may be cause for rejection of the bid. ALL ADDENDA SHOULD BE SIGNED AND PLACED IN SEQUENTIAL ORDER AND ATTACHED TO THE FRONT OF THE BID PACKAGE, COMPLETE WITH ALL REQUIRED DOCUMENTS.

CONTRACTOR BUSINESS NAME

Dan Marran, C.P.M., CPPO
Contracts and Risk Manager

X _____
Authorized Signature

August 3, 2017

Printed Name of Person Signing