


S-2 8:30

SALES & SERVICE



EQUIPMENT ESTIMATE

- THERMO KING
- MORGAN TRUCK BODIES
- ALUMINUM & FRP
- AUTO CRANE

- STAHL SERVIS BODIES
- HOISTS & BODIES
- COMPLETE TRAILER RE-BUILDING
- LIFT GATES

355 SAGE STREET PHONE (775) 786-6534 (800) 748-6950 FAX (775) 322-6918 P.O. BOX 1575 RENO, NEVADA 89505

Customer: 3570
 CITY OF SPARKS
 431 PRATER WAY
 SPARKS NV 89431

Quote No. 1591
 05/01/12: Quote Date
 06/30/12: Expire Date

ATTEN: RON Phone: 702-356-2216 Est by: MONTE

HENDERSON MARK-TI 14-36

BODY SIZE
 TYPE
 CAPACITY
 CAB SHIELD
 SIDES
 FLOOR
 TAILGATE
 HEADSHEET
 HOIST
 REAR PIVOT
 AIR TAILGATE
 LIGHT
 SAFTEY STRUT
 BACKUP ALARM
 PAINT
 SANDER
 SNOW PLOW
 PRE-WET SYSEM
 INSTALLION
 SPECIAL EQUIP:

14' 15'
 STEEL DUMP
 36" SIDES
 1/2
 3/16" AR400
 3/16" AR400
 3/16" AR400
 3/16" AR400
 M-130-5.5-3
 GREASELESS
 STD
 FMVSS108
 DUAL
 STD
 SAME COLOR AS TRUCK
 FSH-II
 RSP 11-42-ST-FTHD
 PWS-HDY DUAL75 GAL
 YES
 SEE ATTACH SHEET

EACH

SUBTOTAL \$71029.00
 F.E.T
 FREIGHT
 SALE TAX

*** CONTINUED NEXT PAGE ***

Henderson Truck Equipment-IOWA
916 S. 10th Street
Manchester, IA 52057

Toll Free: 888-360-7483
Phone: 563-927-7000
Fax: 563-927-7001



Quotation

Date: 4/30/12
To: Monte Jordan / Jordan's Truck & Trailer
By: Glenn Beck
Re: Installation for City of Sparks

Henderson Truck Equipment-IOWA is pleased to quote the following equipment:

- Install and paint a Henderson Mark E ^{15'} 14 Dump Body & Cab Sshield Painted Specified Color
- Install a Henderson Plow Hitch with Cheekplates and provide and install plow lights / fender mounted
- Install Henderson V-Box Spreader
- Install Henderson Pre-wet System
- Provide and install Whelen DOT3106A Light System
- Provide and Install Certified Power Hydraulic System with Ground Speed Control
- Provide and install Spinner Worklight
- Provide and install front flap with anti-sail brackets and rear mudflaps
- Provide and install back-up alarm, hoses, fittings, QDs, hydraulic oil and installation supplies

Options offered and requested by Sparks from Certified Power:

- Road Watch Sensor - Installed - Add - \$555 +
- DMEC-7M-C1 Eyedot 1 Camera System Installed - Add - \$1228 +
- DMEC-7M-C1 Eyedot 2 Camera System Installed - Add - \$1766
- Camera Wash Kit - 1 camera - Installed - Add - \$408 +
- Camera Wash Kit - 2 cameras - Installed - Add - \$718

Back of Spande

Jordan's providing pick-up and delivery of the trucks

Price per Unit:	\$32,580.92
Number of Units	1
Extended Price	\$32,580.92
Tax	NA
Total Quote Price	\$32,580.92
	+ 2191.00
FOB Manchester, Iowa	

RWS 555.00
 DMBC-7M 1228.00 Add
 WASH KIT 408.00

 2191.00

Please note the following regarding installation quotes:

A clean truck frame without obstruction is assumed in the pricing of our quote. Re-positioning of air tanks, fuel tanks or other obstacles to the ease of installation may require additional charges. Henderson will notify you before modification if this occurs.

To:



HENDERSON

PRODUCTS, INC.

1085 SOUTH THIRD STREET
PO BOX 40, MANCHESTER, IA 52057-0040
PHONE: 563-927-2828

SALES QUOTATION

DATE	PAGE
3/14/2012	1

CUSTOMER: JORDAN'S TRUCK & TRAILER EQ.
CONTACT:
ADDRESS:

PO BOX 1575
RENO, NV 89505
RENO, NV USA 89515
PHONE: 775-786-6534
FAX: 775-322-6918
EMAIL:

QUOTE ID: 33072-5
QUOTE DATE: 3/14/2012
VALID UNTIL: 4/13/2012

SALESPERSON: Jeremy Trenkamp
PHONE: 563-927-2828
FAX: 563-927-2521
EMAIL: jtrenkamp@henderson-mfg.com

QUANTITY	DESCRIPTION	UNIT PRICE	TOTAL PRICE
1	<p>QUOTE 33072-5: FSH-II 13-68-GR50 - City of Sparks CONFIGURATION 1-2: FSH salt / sand spreader</p> <p>25% Discount: Dealer Cost: DESCRIPTION: FSH-II 13-68-GR50 - City of Sparks Model Spreader Model: FSH-II Salt/Sand Spreader</p> <p>Hopper Hopper length: 13' Hopper material: GR50 - 10 GA sides/ends; 7 GA sills/floor Capacity: FSH-II 68" (12.4 CY) w/ formed chain shields standard</p> <p>Conveyor Conveyor: Pintle chain, 1/4" x 1 1/2" crossbars Gearcase: 50:1 ratio, 1.5" shaft, 8 tooth sprockets</p> <p>Spinner and chute options Chute type: Standard Dump Over Chute Same Material as Hopper Spinner disk: Standard disk with Stainless Vanes</p> <p>Inverted vee Inverted vee: Inverted vee, GR50 Install inverted vee: Install at factory</p> <p>Top grate screens Screen type: Std. top grate screens Install top grate screens: Install at factory</p> <p>Optional equipment Hold down kits: Dump body kit Trunnion latch for tailgate: None <i>add</i> Paint: Highway orange paint</p> <p>Custom Options Option 1: HSS - US spreader stand installed (120973)</p>		



HENDERSON

PRODUCTS, INC.

1085 SOUTH THIRD STREET
 PO BOX 40, MANCHESTER, IA 52057-0040
 PHONE: 563-927-2828

SALES QUOTATION

DATE	PAGE
3/14/2012	1

CUSTOMER: JORDAN'S TRUCK & TRAILER EQ.
 CONTACT:
 ADDRESS:

PO BOX 1575
 RENO, NV 89505
 RENO, NV USA 89515

PHONE: 775-786-6534
 FAX: 775-322-6918
 EMAIL:

QUOTE ID: 33076-4
 QUOTE DATE: 3/14/2012
 VALID UNTIL: 4/13/2012

SALESPERSON: Jeremy Trenkamp
 PHONE: 563-927-2828
 FAX: 563-927-2521
 EMAIL: jtrenkamp@henderson-mfg.com

QUANTITY	DESCRIPTION	UNIT PRICE	EXT. PRICE
1	<p>QUOTE 33076-4: RSP 11-42-ST-FTHD - City of Sparks CONFIGURATION 1-1: Reversible snow plow</p> <p>25% Discount: Dealer Cost: DESCRIPTION: RSP 11-42-ST-FTHD - City of Sparks</p> <p>Flow Size/Shape Plow Length: 11' length Moldboard Trip: Full trip with 2 external compression springs Pushframe Type: Standard Circle Frame with Top Mount Cylinders Moldboard Height: 42" height Moldboard Shield: Standard shield</p> <p>Moldboard Options Moldboard Sheet Material: 10 GA GR50 steel (standard) Moldboard Cut-Out / Ears: None Adjustable Trip Spring: None Hydraulic Cylinders: 3" x 1 1/2" x 10" reversing nitrided cylinders</p> <p>Running Gear Skid Shoes, Pair Installed: None Wheels / Tires, Pair Installed: None</p> <p>Options/Accessories Cutting Edge: 3/4" x 6" Carbide cutting edge with cover blade</p> <p>Hitches Hitch, Plow Portion: Quick hitch Plow Portion Installed on Plow: Yes Hitch, Truck Portion: Quick hitch, low profile Quick Hitch Width: 30.5" center-to-center width Hydraulic Lift Cylinders, Truck Portion: 4" x 2" x 10" Nitrided Lift Cylinder</p>		



HENDERSON

PRODUCTS, INC.

1085 SOUTH THIRD STREET
PO BOX 40, MANCHESTER, IA 52057-0040
PHONE: 563-927-2828

SALES QUOTATION

DATE	PAGE
3/14/2012	1

CUSTOMER: JORDAN'S TRUCK & TRAILER EQ.
 CONTACT:
 ADDRESS:

PO BOX 1575
 RENO, NV 89505
 RENO, NV USA 89515
 PHONE: 775-786-6534
 FAX: 775-322-6918
 EMAIL:

QUOTE ID: 33075-4
 QUOTE DATE: 3/14/2012
 VALID UNTIL: 4/13/2012

SALESPERSON: Jeremy Trenkamp
 PHONE: 563-927-2828
 FAX: 563-927-2521
 EMAIL: jtrenkamp@henderson-mfg.com

QUANTITY	DESCRIPTION	UNIT PRICE	TOTAL PRICE
1	QUOTE 33075-4: PWS-HYD Dual 75gallon - City of Sparks CONFIGURATION 1-1: PWS liquid pre-wetting system 25% Discount: Dealer Cost: DESCRIPTION: PWS-HYD Dual 75gallon, City of Sparks Power Source Power Source: Hydrualic Powered Pump Application Application: V-box spreader Product Size: Full Size V-Box 10-13FT Long Control Box Control Box: Std Manual Control Valve uses Conveyor Exhaust Oil Pump: Standard 4.1 GPM Bronze Gear Pump In Cab Console Console: Std PWSH On/Off, Hi/Low Liquid Pressure Light Tank(s) Capacity Tank Size: Dual 75 Gal Poly Tanks w/plumbing & hardware Applicators/Nozzles Spray Assembly: Std Variable Displacement Nozzle Assem Optional Equipment Prewet Installed: Installation on FSH Mounting Hardware: Std Powder Coated Carbon Steel Mount Hardware Flush Kit: None		



HENDERSON

PRODUCTS, INC.

1085 SOUTH THIRD STREET
 PO BOX 40, MANCHESTER, IA 52057-0040
 PHONE: 563-927-2828

SALES QUOTATION

DATE	PAGE
3/14/2012	1

CUSTOMER: JORDAN'S TRUCK & TRAILER EQ.
 CONTACT:
 ADDRESS:

PO BOX 1575
 RENO, NV 89505
 RENO, NV USA 89515
 PHONE: 775-786-6534
 FAX: 775-322-6918
 EMAIL:

QUOTE ID: 33071-4
 QUOTE DATE: 3/14/2012
 VALID UNTIL: 4/13/2012

SALESPERSON: Jeremy Trenkamp
 PHONE: 563-927-2828
 FAX: 563-927-2521
 EMAIL: jtrenkamp@henderson-mfg.com

QUANTITY	DESCRIPTION	UNIT PRICE EACH	EXT. TOTAL PRICE
1	<p>QUOTE 33071-4: Mark E-ti ^{15'}14-36 - City of Sparks CONFIGURATION 1-1: MarkE dump body</p> <p>25% Discount: Dealer Cost: DESCRIPTION: Mark E-ti 14-36 - City of Sparks Body Size/Shape Body Length: 14' body length Side Style: Straight sides Side Height (from floor): 36" height Rear Body Design: Standard vertical tailgate style Rear Corner Posts: 8" above rear side height Board Pockets: 2" wide Headsheet Style: Vertical</p> <p>Hoist/Hydraulics Hoist Style: Trunnion mount tele hoist with internal doghouse Cylinder Type: Trunnion mount single acting hoist (M-130-5.5-3) Cylinder Cradle Style: Standard Hydraulic Reservoir: None Hydraulic Pump: None</p> <p>Materials/Construction Floor Material: 3/16" AR 400 Longsill Material: 8" I-Beam Side and Headsheet Material: 3/16" AR 400 Side Bracing Type: Single weld-on side brace Side Brace Material: 10 ga. grade 50 Top Rail Style: Sloped Top Rail Material: 10 ga. grade 50 Rub Rail Material: 10 ga. grade 50 Contoured Front Corner Posts: 10 ga. grade 50 Rear Corner Post Material: 7 ga. grade 50</p> <p>Tailgate Options Tailgate Sheet Material: 3/16" AR 400</p>		



HENDERSON

PRODUCTS, INC.

1085 SOUTH THIRD STREET
PO BOX 40, MANCHESTER, IA 52057-0040
PHONE: 563-927-2828

SALES QUOTATION

DATE	PAGE
3/14/2012	2

CUSTOMER: JORDAN'S TRUCK & TRAILER EQ.
CONTACT:
ADDRESS:

PO BOX 1575
RENO, NV 89505
RENO, NV USA 89515

PHONE: 775-786-6534
FAX: 775-322-6918
EMAIL:

QUOTE ID: 33071-4
QUOTE DATE: 3/14/2012
VALID UNTIL: 4/13/2012

SALESPERSON: Jeremy Trenkamp
PHONE: 563-927-2828
FAX: 563-927-2521
EMAIL: jtrenkamp@henderson-mfg.com

QUANTITY	DESCRIPTION	UNIT PRICE	TOTAL PRICE
	<p>Tailgate Style: Standard Tailgate Bracing: Double horizontal Tailgate Brace Material: 10 ga. grade 50 Tailgate Top Pivot Hardware: 1-1/4" pins, 1" plate, non-greaseable Tailgate Latch Type: Pancake style air trip, stainless steel bushing Tailgate Release Valve: Manual air over air Latch Jaws: Non-greasable Coal Chute: None Asphalt Lip: None</p> <p>Lighting Rear Light Holes: One obround Rear Side Marker Lights: Standard 2" Exterior Light Boxes Installed: None Lighting Package: LED</p> <p>Body Hinge Body Hinge Type: Greaseless bushing, 2" 303 stainless steel pin Body Hinge Construction: 8" X 6" X 1/2"</p> <p>Paint Paint Preparation: Sandblast, phosphate etch and 2 part urethane primer</p> <p>Options/Accessories Cabshield: Standard cabshield Cabshield Material: 10 ga. with 7 ga. endplates, grade 50 Cabshield Size: 22" X 78" (1/2' cab) Cabshield Mounted Lights: None Cabshield Installed: No, shipped loose Walk Rail: None Tarp Rail: None Vibrator Mount: None Step Options: None</p>		



HENDERSON

PRODUCTS, INC.

1085 SOUTH THIRD STREET
 PO BOX 40, MANCHESTER, IA 52057-0040
 PHONE: 563-927-2828

SALES QUOTATION

DATE	PAGE
5/2/2012	1

CUSTOMER: JORDAN'S TRUCK & TRAILER EQ.
 CONTACT:
 ADDRESS:

PO BOX 1575
 RENO, NV 89505
 RENO, NV USA 89515

PHONE: 775-786-6534
 FAX: 775-322-6918
 EMAIL:


QUOTE ID: 34482-2
 QUOTE DATE: 5/2/2012
 VALID UNTIL: 6/1/2012

SALESPERSON: Jeremy Trenkamp
 PHONE: 563-927-2828
 FAX: 563-927-2521
 EMAIL: jtrenkamp@henderson-mfg.com

QUANTITY	DESCRIPTION	LIST PRICE EACH	EST. LIST PRICE
	QUOTE 34482-2: LAS 2000 gallon - City of Sparks CONFIGURATION 1-1: Liquid anti-icing system 25% Discount: Dealer Cost: DESCRIPTION: LAS 2000 gallon Tank Size Tank Capacity / Hoop Kit: 1800 gallon std. wall ta: (dual 900 gal.), paint hoop kit Boom Options Boom: Std 3 Lane Boom Nozzle Tips: 32 gal. per lane brass nozzle tips, no extra charge Frame Options Main Frame Material: Painted steel, standard Hoop Kit: Standard Hoop Kit Wheel Guide Kit: Painted steel Leg Kit (supports empty unit only): Painted steel Lift Frame Kit: Painted steel Miscellaneous Options Baffling Surgebusters (1 Unit per 30 gallon): Yes, 1800 gallon tank capacity Custom Options Option 1: LAS standard light kit & low sensor kit } INC Option 2: 2000 gallon tank ILO 1800 gallon } INC Option 3: VDO spray system ILO std nozzle booms } INC		

RACH

TOTAL \$ 24,764.00
 RES INC



Fax

FACSIMILE

Date: 5/4/2012

To:
From: Trenkamp, Jeremy

Subject:

Monty,

Here is the freight quote from shipping on the 2 LAS units

\$4,500.00

Thanks,

Jeremy Trenkamp

Henderson Products Inc

1085 S. 3rd Street

Manchester IA 52057

Phone: (563) 927-7234

Fax: (563) 927-7034

Email: jtrenkamp@hendersonproducts.com