



# 2020 Product MSRP



Awarded Contract # 022217-EJW

Rel 01.01.2020



Products are not to scale.

# IMPORTANT NOTICE

Starting in 2020, E.J. Ward Inc. will be moving to a twice annual price book update with a planned 2nd release on or about the 1st of August. Global demands with technology have led to a volatile market in the electronic sub-components space, not only have dramatic price swings occurred but extended lead times and the general availability of materials have forced such a change.

As in the past, E.J. Ward, Inc. will make every effort possible to control its costs and whenever possible hold price increases to the minimum levels that ensure your getting the industry leading technology you desire with the highest return on your investment.

## COPYRIGHT/TRADEMARK INFORMATION

© 2020 by E.J. Ward, Inc. All rights reserved.

The information disclosed herein is proprietary information owned by E.J. Ward, Inc. Reproduction without permission is prohibited.

Trademarks W4 CANceiver™, W4 FCT™, IoT FCT™, W4 Fuel View™, VIT™ and the Ward logo are registered Trademarks of E.J. Ward, Inc.

E.J. Ward, Inc.  
8620 N New Braunfels, 200N  
San Antonio, Texas 78217

[www.ejward.com](http://www.ejward.com)



# CONTENTS

|   |    |
|---|----|
| IMPORTANT NOTICE.....                           | ii |
| Terms and Conditions.....                       | 1  |
| End User License.....                           | 2  |
| Product End-of-Life Policy.....                 | 6  |
| Product Warranty.....                           | 7  |
| Product And Platform Sole Source Statement..... | 9  |
| CANceiver™ Disclaimer .....                     | 10 |
| Environmental Policy .....                      | 11 |
| Labor .....                                     | 12 |
| Software and Training.....                      | 13 |
| IoT Fuel Control Terminal .....                 | 14 |
| W4 Fuel Control Terminal .....                  | 16 |
| CANceiver™ .....                                | 19 |
| Reader-Card/FOB/Key.....                        | 21 |
| Antenna Tags.....                               | 22 |
| Wi-Fi Cellular .....                            | 23 |
| Hose Module.....                                | 24 |
| WPI - JettScan .....                            | 25 |
| Pulser Relay Kits .....                         | 26 |
| Miscellaneous Parts.....                        | 27 |
| GPS – Passive.....                              | 28 |
| GPS – Geotab .....                              | 29 |
| Tank Level Management - Omntec.....             | 33 |
| TLS Interface .....                             | 52 |
| EV Chargers .....                               | 53 |
| W3 Fuel Control Terminal .....                  | 55 |
| XT.....   | 56 |
| Contact Ward .....                              | 57 |



# TERMS AND CONDITIONS

## Shipping

E.J. Ward, Inc.'s (Ward) method of shipping is by standard ground with a designation "FOB Destination Freight Prepay & Add".

- This method ensures Ward is liable for goods during shipment until received by the customer.
- Shipping & Handling is additional and will be charged on final invoice.
- A customer may request expedited shipments such as "next day" or "two day" for an additional fee.

### Return Merchandise Authorization Procedure

All materials requiring return shipment to Ward for defects, normal replacement, or any other reason must be returned through the Return Merchandise Authorization (RMA) process. The request for an RMA number can be made by emailing Ward at [returns@ejward.com](mailto:returns@ejward.com) or by calling 210.824.7383.

- Returns made outside this process may cause an account to not be credited correctly, which may result in invoicing errors and/or delays in getting the correct materials back to our customers.
- Returns older than 30 days from the invoice date will be subject to a 20% restocking fee. Only products that are in current production will be accepted, and the customer must obtain an RMA in advance using Ward's RMA process. No refunds will be given. Ward will issue an account credit that can be used toward future purchases.
- Ward reserves the right to deny any returns that are outside of the product warranty period or past the 30 day invoice date.

## Mileage and Other Surcharges

All distances are verified using "Google Maps" routing and calculated on a round trip basis.

- Mileage charge is 75¢ per mile
- Technician travel time costs are based on the current daily or hourly rates within this price book

## Service and Support Plan Pricing

Single and multi-year plans are available. Contact your local sales person or Ward office for a quote.

Plans are priced and scoped to meet individual customer business requirements. These prepackaged and custom-tailored plans include some of our most popular options such as:

- On-site, labor and parts included
- 10% off list price for items not covered in relation to labor, software and hardware (for Platinum level or higher)
- On-line software training sessions
- 24x7 Call Center support line access

## Registered Contracts

Ward offers the following contracts to purchase a fuel management or telematics solutions:

Sourcewell: 022217-EJW ([ejward.com/about-us/sourcewell-awarded-contract-022217-ejw/](http://ejward.com/about-us/sourcewell-awarded-contract-022217-ejw/))

GSA Schedule 70: GS-35F-0141Y

Customers wishing to utilize these contracts for potential savings may contact Ward via email with our convenient Inquiry form: [ejward.com/forms/general-sales-inquiry-form/](http://ejward.com/forms/general-sales-inquiry-form/) or call 210.824.7383 for more information on this process.

# END USER LICENSE

THIS END USER LICENSE (“License”) is between E.J. Ward, Inc. (“Licensor” or “Contractor”), a Nevada corporation with its principal place of business located at 8620 N New Braunfels Suite 200N, San Antonio, Texas, 78217, and “Licensee” or “Client”, and shall be effective as of the date of initial installation or Licensee uses the Software or Hardware for its intended purpose whichever comes first. (the “Effective Date”).

## RECITALS

WHEREAS, Licensor owns all rights, title and interest to the Hardware, Firmware and Proprietary Software (as defined herein); and

WHEREAS, Licensor desires to convey, and Licensee desires to receive, certain limited rights in the use of the Hardware and Software pursuant to the terms and conditions contained in this License.

NOW THEREFORE, in consideration of the mutual promises set forth below in this License and for other good and valuable consideration, the sufficiency of which is hereby acknowledged, Licensor and Licensee agree as follows:

### 1. Definitions

- A. “Software” means Computer Applications consisting of; but not limited to, mathematical, machine or compiled codes, executable programs, routines, embedded software, firmware, updates, modifications, revisions, other functions and documentation that control, analyze, report on the functions and operation of Licensor Products, as well as any archival copies of such computer programs and documentation permitted by this End User License.
- B. “Computer Applications” means Software designed to perform a group of coordinated functions, tasks, or activities for the benefit of the user.
- C. “Products” means Commercially distributed goods that are an idea, method, information, object or service created as a result of a process and serves a need or satisfies a want. It has a combination of tangible and intangible attributes, benefits, features, functions and uses that Licensor desires to convey, and Licensee desires to receive, certain limited rights in the use of pursuant to the terms and conditions contained in this License.
- D. “Hardware” means a physically tangible electrical or electro-mechanical system or sub-system and associated documentation such as but not limited to Fuel Control Terminals, CANceiver OBDII Vehicle Telematic Devices, Passive GPS Antennas, Hose Modules, EM-Tags, EV Charger retrofit modules.
- E. “Use” means: (i) executing or loading the Software or Applications onto a computer, into RAM or other primary memory; (ii) engaging the Software or Applications for its intended purposes; or (iii) copying the Software and Applications for archival or emergency restart purposes.
- F. “Initial Installation” as described in Section 5 (A) and (B).
- G. “Integrated Firmware” refers to any software or programmable code that is embedded or integrated in the Hardware and enables the functionality of the Hardware.

### 2. Grant of License

Licensor grants to Licensee a revocable, non-exclusive, non-transferable, limited right to install and use the Software. Licensee may make one (1) archival copy of the Software Application per licensed instance in non-printed, machine readable form, in whole or in part, provided that such copy is for Licensee’s own use only for archival, emergency restart or staging environment. Licensee will make no other copies of the Software except as authorized herein. All rights, title and interest to the Software will remain vested in Licensor, and nothing in this License will give or convey any right, title or interest therein to Licensee except

as a licensee under the terms of this License.

### 3. Limitations on Use

- A. Licensee agrees that it will use the Software only in its own business, and not directly or indirectly for the use or benefit of anyone other than Licensee, and only pursuant to the scope of the grant of the License set forth herein.
- B. Licensee agrees that it shall not, directly or indirectly:
  - (i.) use (including make any copies of) the Software beyond the scope of this License; (ii.) permit any other Person (other than its own users) to use the Software;
  - (ii.) modify, translate, adapt or otherwise create derivative works or improvements, whether or not patentable, of the Software or any part thereof;
  - (iii.) reverse engineer, disassemble, decompile, decode or otherwise attempt to derive or gain access to the source code of the Software or any part thereof;
  - (iv.) remove, delete, alter or obscure any trademarks or any copyright, trademark, patent or other intellectual property rights notices from the Software, including any copy thereof;
    - a. except as contemplated by this License, copy the Software, in whole or in part;
    - b. use the Software or Documentation in the operation of a service bureau

### 4. Limitations on Transfer

This License may not be conveyed in any way without the prior written consent of Licensor, which Licensor's consent may be withheld for any reason. Notwithstanding the preceding sentence, Licensee shall be permitted, upon notice to Licensor, to assign this License in connection with any merger, consolidation, sale of stock, or re-organization of substantially all of the business or assets or equity securities, or otherwise of Licensee. Any purported sale, assignment, transfer, conveyance, license or sublicense without such consent will be null and void ab initio, and will automatically terminate this License

### 5. Installation

Licensor hereby permits Licensee to install the following onto the appropriate environment, which Licensee shall perform at any time after the Effective Date:

- A. A single software installation for the production environment
- B. As applicable Licensee hereby permits Licensor to install the following with the assistance of Licensor after the Effective Date:
  - (i.) One (1) additional licensed instance for use in:
    - a. Staging or pre-production testing environment

Sections 5 (A) and (B) shall be collectively hereafter be referred to as the "Initial Installation".

### 6. Term and Termination

- A. The License commences as of the Initial Installation or Licensee uses the Software for its intended purpose whichever comes first, and will remain in force until either party terminates this License pursuant to the terms herein. Upon proper termination of this License, Licensee will: (i) return all copies of the Software to Licensor without demand or notice; or (ii) permanently delete or destroy all copies of the Software in its possession and submit to Licensor a sworn affidavit signed by Licensee attesting to such destruction.
- B. Except as set forth in the provisions of this License that provide for automatic termination in the event of breach of confidentiality or unauthorized use or transfer, if Licensee breaches any other provision of this



License, Licensor may terminate this License, provided, however, that Licensor has given Licensee at least fourteen (14) business days written notice of and the opportunity to cure the breach. Termination for breach shall not alter or affect Licensor's right to exercise any other remedies for breach.

## **7. Confidentiality**

Except where required by applicable law and applicable federal and local public records laws, Licensee agrees to observe complete confidentiality with respect to the Software, Hardware defined herein and will not copy, reproduce, publicize or otherwise disseminate it to third parties. Licensee shall not make Software and Hardware available in any form to any person other than its employees, or whose job performance requires access and who are under obligations of confidentiality. Licensee shall take appropriate action to protect the confidentiality of licensed products and ensure that any person permitted access does not disclose or use them except as permitted by this agreement. Licensee shall give immediate written notice of any unauthorized disclosure or use of the licensed products as soon as Licensee learns or becomes aware of such unauthorized disclosure or use. Any breach of confidentiality by Licensee will automatically terminate this License. Licensee agrees that Licensor's remedies at law for breach of confidentiality are inadequate and that Licensor will be entitled to equitable relief, including without limitation, injunctive relief, specific performance and/or other remedies to the extent permissible by law.

## **8. Licensee's Obligation to Notify of Infringement**

Licensee will immediately notify Licensor of any infringement or attempted infringement of Licensor's rights in the Software or Hardware of which it becomes aware. Licensee will affirmatively cooperate with Licensor in any legal or equitable action that Licensor may undertake to protect any of its rights in connection with the Software or Hardware defined in this License

## **9. Warranty of Title**

Licensor warrants that it is the lawful owner of the Software and Hardware and that it has the complete authority to grant the License specified herein.

## **10. Software Warranty and Disclaimer**

Licensor warrants that the Software has been developed in a workman like manner, and in conformity with generally prevailing industry standards. Licensee must report any material deficiencies in the Software to Licensor in writing within thirty (30) days of initial installation of the Software. Licensee's exclusive remedy for the breach of the above warranties will be the correction of the material deficiency within a commercially reasonable time. THIS WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND ANY ORAL OR WRITTEN REPRESENTATIONS, PROPOSALS OR STATEMENTS MADE ON OR PRIOR TO THE EFFECTIVE DATE OF THIS AGREEMENT. LICENSOR EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES

## **11. Limitation of Liability, Indemnification**

EXCEPT AS OTHERWISE PROVIDED BY ANY PORTION OF THE AGREEMENT NEITHER PARTY WILL BE LIABLE TO THE OTHER FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES INCURRED OR SUFFERED BY THE OTHER ARISING AS A RESULT OF OR RELATED TO THE USE OF THE SOFTWARE OR HARDWARE, WHETHER IN CONTRACT, TORT OR OTHERWISE, EVEN IF THE OTHER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES.

## **12. Maintenance**

No additional software maintenance is included under the terms of this License. However, Licensor is responsible for any patches or repairs to the current version of the Software during the initial one (1) year Warranty commencing on the initial installation date. Licensor's obligations with respect to maintenance and support after initial warranty period, including updates or upgrades, if any, will be set forth in a separate written agreement between the parties.

## **13. Relation of Parties**

Nothing in this License will create or imply an agency relationship between Licensor and Licensee, nor will this License be deemed to constitute a joint venture or partnership between the parties.

## **14. Severability**

If any term of this License is found to be unenforceable or contrary to law, it will be modified to the least extent necessary to



make it enforceable, and the remaining portions of this License will remain in full force and effect.

#### **15. Force Majeure**

Neither party will be held responsible for any delay or failure in performance of any part of this License to the extent that such delay is caused by events or circumstances beyond the delayed party's reasonable control.

#### **16. No Waiver**

The waiver by any party of any breach of covenant will not be construed to be a waiver of any succeeding breach or any other covenant. All waivers must be in writing, and signed by the party waiving its rights. This License may be modified only by a written instrument executed by authorized representatives of the parties hereto.

This License shall be governed by and construed in accordance with the internal laws of the State of Texas without giving effect to any choice or conflict of law provision or rule (whether of the State of Texas or any other jurisdiction) that would cause the application of laws of any jurisdiction other than those of the State of Texas. Any legal suit, action or proceeding arising out of or related to this Agreement or the matters contemplated hereunder shall be instituted exclusively in the courts within the State of Texas, county of Bexar county, Texas, and each party irrevocably submits to the exclusive jurisdiction of such courts in any such suit, action or proceeding and waives any objection based on improper venue or forum non conveniens.

If any term or provision of this License is invalid, illegal or unenforceable in any jurisdiction, such invalidity, illegality or unenforceability shall not affect any other term or provision of this Agreement or invalidate or render unenforceable such term or provision in any other jurisdiction..

#### **17. Notice**

All notices and correspondence to the parties must be delivered by hand, emailed, sent by registered or certified mail (RRR), or by Federal Express, Express Mail or other reliable overnight mail service that provides a receipt to the sender. Receipt of a notice by the party to whom the notice is transmitted will be considered to have occurred upon receipt, if hand- delivered or emailed; five (5) business days from the date of mailing, if mailed; or the next business day after transmittal by Federal Express, Express Mail or other reliable overnight delivery service that provides a receipt to the sender. All notices and correspondences shall be delivered to the respective addresses below, or to any other address as a party may notify the other party in writing from time to time:

If to E.J. Ward, Inc.:  
Robert E. Kettyle  
Chief Operating Officer

[rkettyle@ejward.com](mailto:rkettyle@ejward.com)

E.J. Ward, Inc  
8620 N New Braunfels Suite 200N  
San Antonio, Texas 78217



# PRODUCT END-OF-LIFE POLICY

An E.J. Ward, Inc., product may reach the end of its Product Life Cycle due to market demands, technology innovation and development driving changes in the product; or a product may simply mature over time and is replaced by functionally richer technology. While this is an established part of the overall product life cycle, Ward recognizes that End-of-Life milestones often prompt companies to review the way in which such end-of-sale and end-of-life milestones impact their businesses. With that in mind, we have set up a Ward End-of-Life policy to help customers better manage their end-of-life transition and to understand the role that Ward can play in helping migrate to alternative products within Ward’s Fuel Management and telematics platforms.

The End-of-Life Policy only applies to End-of-Life and End-of-Sale announcements made on or after January 1, 2015 for all Ward product lines. The policy does not apply to product that is already subject to previous End-of-Life and/or End-of-Sale announcements.

## General Policy Guidelines

1. As a general rule whenever possible, Ward will provide six months’ notice of the affected product’s end-of-sale date and/or the last day when the affected product can be ordered. This notice will appear on the Ward website at [ejward.com/product-end-of-life-list/](http://ejward.com/product-end-of-life-list/) and we encourage you to visit this site regularly as it contains useful information regarding Ward’s products.
2. Spare or replacement parts for hardware will be available for a period of one year from the end-of-sale date or until Ward cannot reasonably procure, manufacture for sale or support customers on its support contracts because of conditions not in its direct control. If applicable we will provide spares and replacement parts in accordance with our Return Materials Authorization (RMA) process (see Terms and Conditions). Notwithstanding the foregoing all “End of Life” parts or products are being sold as Non- Refundable, Non-Returnable and while supplies last.
3. Software support will be as follows
  - a. For the first year, following the end-of-sale date, Ward will provide bug fixes, workarounds, or patches for critical bugs reported via the Ward Call Center or via e-mail at [support@ejward.com](mailto:support@ejward.com).
  - b. After the first year, Ward will provide software bug fixes, workarounds or patches only for customers with a Service and Support Agreement but not more than two years from that date. NOTE: It may be necessary to upgrade certain software to its current release to correct a reported problem (e.g. SQL 2008 to 2016). Software updates are at customer’s expense.
4. Service and Support Agreements
  - a. Service and Support Agreements that have lapsed and have not been renewed within three months (90 days) of end-of-sale date are not renewable.

## Explanation of Terms in this Notice

|                          |  |
|--------------------------|--|
| <b>End-of-Life Cycle</b> | A process that guides the final business operations associated with the product life cycle. The end-of-life process consists of a series of technical and business milestones and activities that, once completed, make a product obsolete. Once obsolete, the product is not sold, manufactured, improved, repaired, maintained, or supported |
| <b>End-of-Sale Date</b>  | The last date to order the product through Ward. The product is no longer for sale.  |
| <b>Hardware</b>          | The physical product and its components.   |
| <b>Software</b>          | The software that runs the Fuel Management or Telematics solution.   |

**DISCLAIMER:** While we strive to provide a reasonable end-of-life, end-of-sale date, there may be times that this is not possible due to lack of prior notice from third party suppliers



# PRODUCT WARRANTY

The terms and conditions listed below supersede all other terms, unless otherwise agreed to by E.J. Ward, Inc. (Ward), in writing.

## Warranty Start Date

The Warranty start date, as indicated in this policy, is subject to one of the following:

- The date a product is shipped from Ward.
- A date mutually agreed to in writing.
- The terms defined in a customer's contract.

## Limited Hardware Warranty

Ward provides a one year limited product hardware warranty to purchasers of its products. Ward warrants that the products will be free from defects in materials and workmanship that result in a material deviation from the applicable published Ward technical specifications.

- Hardware Failure - Upon a hardware failure, Ward will repair or replace such products within three working days of its receipt of the failed hardware, if in advance of its receipt, such hardware was evaluated by a Ward Technician, or Ward Technical Support person via telephone.
- Customer will receive an RMA number from Ward. The RMA number must be clearly indicated on the shipping box and paperwork (see Terms and Conditions, RMA section).

## Hardware Repair Service

In the event of a hardware failure past the first 30 days, but within the first year of ownership from the Warranty start date, the unit will be either repaired, or at Ward's option, replaced with a new or reconditioned unit of equal or greater value.

- Customer will receive an RMA number from Ward. The RMA number must be clearly indicated on the shipping box and paperwork.
- A repaired or replacement unit will be shipped at Ward's expense within five business days after receipt of the failed unit.

## Limited Software Warranty

Ward provides a one year limited software warranty to licensees of Ward software accompanying Ward hardware. Ward warrants that the software delivered will be free of defects in material and workmanship for a period of one year following delivery to licensee. Ward warrants that the software, when used in accordance with the terms of the Ward Software License, will operate substantially as set forth in the applicable Ward software documentation for a period of one year following delivery of the software to licensee.



## Software Updates

During the warranty period, updates for software are available by contacting Ward. System software updates include applicable minor releases (e.g. Release 4.0 to 4.1) to the customer's specific family of products as well as repairs, patches and feature releases within that family of software. Customer must grant Ward server access and have access to the Internet for FTP downloads as directed by a Ward Technical Support team member. Software updates released after the initial one year warranty period not deployed as a repair, patch, or global enhancement within the same family of software are available as an upgraded product for the price available in the then current published price book.

## Technical Support Access

During the warranty period, toll free support is offered 7 days per week, 24 hours per day at:  
1.800.580.WARD (9273)  
[support@ejward.com](mailto:support@ejward.com)

**NOTE: Access to Technical Support after the warranty period is on a commercially reasonable basis with rates available upon request; unless a Service and Support Agreement has been purchased.**

## Limitation and Disclaimer of Warranties

"Buyer" acknowledges and agrees that the products, including all software components thereof, purchased or supplied under this agreement from Ward are "Goods" within the meaning of Article 2 of the Uniform Commercial Code. EXCEPT AS SET FORTH HEREIN, WARD MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AS TO THE PRODUCTS SOLD OR PROVIDED UNDER THE TERMS OF THIS AGREEMENT TO "BUYER", AND EXPRESSLY DISCLAIMS THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Limitation of Liability; Once products sold or provided under this agreement by Ward are delivered to "Buyer", "Buyer" shall be solely responsible for the use of such products, including any and all results caused by the use or misuse of the products, and including using such products in compliance with all applicable local, state, federal, and international laws. In no event shall Ward or its directors, officers, employees, agents, or affiliates, be liable to the "Buyer" or to any third party for

(i) any lost profits, any data loss, any loss of business, or any indirect, consequential, exemplary, incidental or special losses or damages of any kind or nature whatsoever in connection with or arising out of the use or sale of products to "Buyer" by Ward; or (ii), any losses or damages of any kind or whatsoever, including personal injury or death, arising out of "Buyer's" or a third party's installation, misuse, use, whether such use is proper or improper, or modifications of the products sold to "Buyer" by Ward, not even in the case where Ward has been advised of the possibility of such loss or damage. The sole and exclusive remedy of "Buyer" or any third party for any claim, loss, or damage not excluded under clauses (i) or (ii) of the preceding sentence and that in any way relates to, or arises out of, the products sold to "Buyer" by Ward shall be limited to repair or replacement of such products sold or provided under the terms of this agreement to "Buyer" by Ward during the initial first calendar year placed into service.

## Indemnification

EXCEPT AS OTHERWISE PROVIDED BY ANY PORTION OF THE AGREEMENT NEITHER PARTY WILL BE LIABLE TO THE OTHER FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES INCURRED OR SUFFERED BY THE OTHER ARISING AS A RESULT OF OR RELATED TO THE USE OF THE HARDWARE or SOFTWARE, WHETHER IN CONTRACT, TORT OR OTHERWISE, EVEN IF THE OTHER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES.



# PRODUCT AND PLATFORM SOLE SOURCE STATEMENT

January 1, 2020

As the original equipment manufacturer (OEM) of the Ward Fuel View Automated Fuel Management System™ (AFMS), and the Ward Fleet View GPS Asset Tracking System™ (ATS), E.J. Ward, Inc., owns the intellectual property and distribution rights to its AFMS, Telematics GPS/AVL solutions, Integrated EV Charging and Tank Level Gauging Platforms along with the related Fuel View and Fleet View software programs, communication systems and documentation.

Ward is the sole platform supplier and provides support for its products, systems and platform solutions, either direct or through authorized service and support agents. All design, manufacturing, assembly, and quality control checks are performed by Ward or its authorized subcontract manufacturing partners for all of its hardware and software products.

At this time, Ward has not certified any other fuel management company's technology, vehicle installed devices OBDII or otherwise, or GPS hardware other than those offered directly by Ward or its authorized manufacture partners, to be installed in conjunction with or plugged into the vehicle's engine control module (ECM) port (e.g. OBDII etc.) in series or parallel with the Ward CANceiver™.

Only Ward supplied telematic devices are certified to operate simultaneously with the Ward AFMS and CANceiver while plugged into the vehicle's ECM/OBDII port. Installing non-certified or Ward approved devices may affect operation of the Automated Fuel Management System (AFMS) and or the CANceiver, and have a potentially negative affect on a vehicle's functionality.

If you have any questions, please do not hesitate to give me a call.

Regards,

A handwritten signature in blue ink that reads "Robert E. Kettyle". The signature is fluid and cursive.

Robert E. Kettyle  
Chief Operating Officer  
E.J. Ward Inc.



## CANCEIVER™ DISCLAIMER

By definition, the E.J. Ward, Inc.(Ward), CANceiver is an automotive telematics product used in commercial fleets to control fueling and collect vehicle and driver behavior data. CANceiver models are designed for specific OEM vehicle OBDII networks to include light, medium, and heavy duty applications.

CANceiver selection assistance is provided as a service to our customers to aid in the proper selection and ordering of OBDII and other Ward telematics devices. Ward endeavors to maintain an accurate and current listing of the most common fleet vehicles and its compatible devices; this list DOES NOT take into consideration customization, modification by customer, or 3rd party hardware that is plugged into, or co-habituates on the OBDII or vehicle ECM network.

The products compatibility IS NOT inclusive of every vehicle manufacturer, make or model or year.

The design of the CANceiver was based upon automotive electronic industry practices set forth by the Society of Automotive Engineers (SAE) and International Organization for Standardization (ISO). Specific standards used in compliance with these practices were: SAE J1587; SAE J1708; SAE J1850; SAE J1939; SAE J1962; SAE J1978; SAE J2284; ISO 7498; ISO 11898; and ISO 15765. Ward adheres to the Open Systems Interconnection Basic Reference Model (OSI). The devices functions are confined within the OSI reference model which is the design basis for hardware and software components at all the major OEM automotive manufacturers.

CANceiver operations are restricted and do not interfere or modify any OEM vehicle functions.

As industry standards, technology advancements are made, vehicle OEMs and 3rd-party up-fitters frequently and without notice modify or change parameters within the embedded code on the on-board computers and Electronic Control Modules (ECM). They may also modify the vehicle filler neck configuration, therefore affecting the recommended antenna or EM-Tag placement. Ward has no control over these changes, if a vehicle device fails to perform or collect data as expected, we will work with our customers to resolve the issue. Ward cannot guarantee time to resolution when OEM changes occur.

Ward products must be installed and maintained in accordance with our specified installation procedures and by a trained, certified technician or installer. Failure to follow Ward's installation procedures shall void the Warranty. Should a recommended Ward product not work as intended, Ward will replace the product only. Ward is not responsible for re-installation or labor charges associated with improper device installation or selection.

At this time, **Ward has not certified any other fuel management company's technology, vehicle installed devices OBDII or otherwise, global positioning systems (GPS) other than those offered directly by Ward or its authorized agents to be installed in conjunction with or plugged into the vehicle Engine Control Module (ECM) port (e.g. OBD II etc.) in series or parallel with the CANceiver. Only Ward supplied devices are certified to operate simultaneously with the Ward fuel management system or CANceiver while plugged into the vehicle ECM/OBDII port.**

**Installing non-certified devices may affect operation of the Ward AFMS, the CANceiver, as well as have a potential negative impact on vehicle functionality.**

Ward offers a toll free phone number 1.800.580.Ward (9273) for product selection, technical support or installation questions.



# ENVIRONMENTAL POLICY

## Introduction

Ward is committed to the implementation of progressive environmental practices as a matter of corporate and design philosophy. Environmental efforts focus on two fundamental areas: business practices and product design.

Our efforts as a “good corporate citizen” align with ISO 14001, the internationally recognized environmental management standard which ensures that every environmental impact stemming from business practices has been identified and that initiatives have been put in place to reduce those impacts.

## Environmental Policy

Our Environmental Policy demonstrates Ward’s commitment to:

- Compliance with relevant environmental laws and regulations
- Prevention of pollution

Continual Improvement of our environmental performance Management directs the effective implementation of this policy through:

- Communication to all employees, visitors and contractors
- Employee participation
- Goals and targets

We make every reasonable effort to put these practices in place because we believe it’s the right thing to do.

Regards,

A handwritten signature in blue ink that reads "Robert E. Kettyle".

Robert E. Kettyle  
Chief Operating Officer  
E.J. Ward Inc.

# Labor

| Part  | Part Number        | Description   | Units    | MSRP       | Less 20%   |
|-------|--------------------|---|----------|------------|------------|
| Labor | CGTRAIN - SOFT     | GPS Training - Software   | Per Day  | \$1,800.00 | \$1,440.00 |
| Labor | CASTART-FCT        | Ward Tech Install, Startup & Testing w/FCT Use; Train On-Site * | Per Day  | \$1,800.00 | \$1,440.00 |
| Labor | CGTRAIN - HARD     | GPS Training - Hardware   | Per Day  | \$1,800.00 | \$1,440.00 |
| Labor | LABORDIRVP         | Director/VP   | Per Hour | \$350.00   | \$280.00   |
| Labor | CVR-INSTALL-PTO    | CANceiver Install - with PTO***                                 | Each     | \$325.00   | \$260.00   |
| Labor | LABORSOFTMGR       | Software Manager  | Per Hour | \$250.00   | \$200.00   |
| Labor | LABORHARDMGR       | Hardware Manager  | Per Hour | \$250.00   | \$200.00   |
| Labor | LABORHARDENG       | Hardware Engineer   | Per Hour | \$250.00   | \$200.00   |
| Labor | LABORDATABASEARCHI | Database Architect  | Per Hour | \$250.00   | \$200.00   |
| Labor | LABORCONSULT       | Consultant  | Per Hour | \$250.00   | \$200.00   |
| Labor | LABORQCENG         | Quality Engineer  | Per Hour | \$235.00   | \$188.00   |
| Labor | LABORSOFTPGM       | Software Programmer   | Per Hour | \$235.00   | \$188.00   |
| Labor | FOB-PROGRAM        | Encoding Fee Per Hour   | Per Hour | \$225.00   | \$180.00   |
| Labor | LABORFIELDTECH     | Field Technician (4-hour minimum) **/****                       | Per Hour | \$225.00   | \$180.00   |
| Labor | LABORSOFTIMP       | Software Implementation   | Per Hour | \$225.00   | \$180.00   |
| Labor | CVR-INSTALL-NPTO   | CANceiver Install - without PTO***                              | Each     | \$225.00   | \$180.00   |
| Labor | CASTARTUP-ASSIST   | Additional Technical Phone Support                              | Per Hour | \$225.00   | \$180.00   |
| Labor | LABORPGMMGR        | Program Manager   | Per Hour | \$225.00   | \$180.00   |
| Labor | TECH-SUPPORT-REP   | Call Center Tech Support Representative (AFMS/GPS) †            | Per Hour | \$225.00   | \$180.00   |
| Labor | LABORWEBPGM        | Web Programmer  | Per Hour | \$225.00   | \$180.00   |
| Labor | LABORDATABASEANA   | Database Analyst  | Per Hour | \$225.00   | \$180.00   |
| Labor | LABORPM            | Project Manager   | Per Hour | \$200.00   | \$160.00   |
| Labor | LABORTRAIN         | Trainer   | Per Hour | \$180.00   | \$144.00   |
| Labor | CGINSTALL-ACT      | GPS Installation - Active                                       | Each     | \$125.00   | \$100.00   |
| Labor | CGINSTALL-PAS      | GPS Installation - Passive                                      | Each     | \$100.00   | \$80.00    |
| Labor | CARD-PROGRAM       | Encoding Fee Per Card   | Each     | \$16.98    | \$13.58    |

**\* Pull and Replace FCT by Ward Technicians**

- For use of existing mechanical and electrical wiring, piping and other related connections they must meet existing local, state, and national codes; or if a licensed electrician and permits are required additional charges will apply.
- Customer is responsible for Network and CAT5 wiring to FCT unless noted in quote.

**\*\* Four hour minimum for on-site service. After hours and overtime Labor are billed at time and a half of the normal hourly rate. Holiday Labor hours are billed at double time for the hourly rate.**

**\*\*\* Mileage and travel time are additional.**

**† One hour minimum, billed at one hour increments.**

# Software and Training

| Part         | Part Number       | Description   | Units   | MSRP        | Less 20%    |
|--------------|-------------------|---|---------|-------------|-------------|
| Software GPS | CGSOFT-IOT-GPS    | Fleet View Software as a Service - Cloud Hosted - SaaS ‡    |         |             |             |
| Software     | CASOFT - IOT-SaaS | Fuel View IOT Software as a Service - Cloud Hosted - SaaS ‡ |         |             |             |
| Software     | CASOFT - IOT SQL  | Fuel View IOT SQL Version                                   | Each    | \$98,995.00 | \$79,196.00 |
| Software     | CASOFT - IOT ORA  | Fuel View IOT Oracle Version - <i>Discontinued</i>          | Each    |             |             |
| Training     | EJW-TRAIN-OFFSITE | Training Class***   | Each    | \$11,500.00 | \$9,200.00  |
| Training     | EJW-TRAIN-SA      | Training Class  | Each    | \$10,000.00 | \$8,000.00  |
| Training     | CVR-TRAIN         | CANceiver Installation Training (with or without CANceiver) | Per Day | \$1,800.00  | \$1,440.00  |
| Training     | CASOFTRAIN-SITE   | User and Admin Training - On-Site ***                       | Per Day | \$1,800.00  | \$1,440.00  |
| Training     | CASOFTRAIN-ON     | User and Admin Training - Online                            | Per Day | \$1,800.00  | \$1,440.00  |
| Servers      | SERVER-RACK       | Server Rack-UPS-Network Router ‡                            | Each    |             |             |
| Servers      | SERVER-DB         | Database Server ‡   | Each    |             |             |
| Servers      | SERVER-COM        | Communication Server ‡                                      | Each    |             |             |
| Servers      | SERVER-WEB        | Web Server ‡  | Each    |             |             |

‡ Contact factory for pricing.

\*\*\* Mileage and travel time are additional.



# IoT Fuel Control Terminal

| Part          | Part Number       | Description   | Units | MSRP        | Less 20%    |
|---------------|-------------------|---|-------|-------------|-------------|
| IOT FCT       | FCT-IOT-10H       | 10-hose IOT Terminal  | Each  | \$13,586.96 | \$10,869.57 |
| IOT FCT       | FCT-IOT-TT        | Truck Terminal Cellular                                       | Each  | \$13,586.96 | \$10,869.57 |
| IOT FCT       | FCT-IOT-5H        | 5-hose IOT Terminal   | Each  | \$12,737.78 | \$10,190.22 |
| IOT FCT       | FCT-IOT-WALL-10H  | 10-hose IOT Wall Mount Terminal                               | Each  | \$12,737.78 | \$10,190.22 |
| IOT FCT       | FCT-IOT-WALL- 5H  | 5-hose IOT Wall Mount Terminal                                | Each  | \$11,988.49 | \$9,590.80  |
| IOT FCT       | KIT-W4/IOT UPG    | Terminal upgrade kit for W4 to IOT                            | Each  | \$5,000.00  | \$4,000.00  |
| IOT FCT PARTS | RT-MPB-W4NXT      | Windows IOT SBC Gen 2   | Each  | \$2,145.31  | \$1,716.24  |
| IOT FCT PARTS | EN-W4IOT-TOP      | 3 Piece IoT enclosure   | Each  | \$1,780.47  | \$1,424.38  |
| IOT FCT PARTS | EN-W4IOT-BASE     | 3 Piece IoT enclosure   | Each  | \$1,548.47  | \$1,238.78  |
| IOT FCT PARTS | PCBA-5HOSE-IOT    | 5 Hose Dispenser Interface Board, IOT                         | Each  | \$1,487.41  | \$1,189.93  |
| IOT FCT PARTS | ROUTER-NTWK-IOT   | IOT Router 3131-US-T (N)                                      | Each  | \$1,253.63  | \$1,002.91  |
| IOT FCT PARTS | EN-W4IOT-TOP      | FCT top enclosure, IOT  | Each  | \$1,250.36  | \$1,000.29  |
| IOT FCT PARTS | PCBA-SBC-IOTR2    | Main processor board, Rev 2, IOT                              | Each  | \$1,157.89  | \$926.32    |
| IOT FCT PARTS | MDM-CELL-IOT      | Cell/Wi-Fi Modem, IOT   | Each  | \$1,154.51  | \$923.61    |
| IOT FCT PARTS | EN-W4IOT-BASE     | FCT 2 piece base, IOT   | Each  | \$1,087.44  | \$869.95    |
| IOT FCT PARTS | UPS-IOT           | Power supply and UPS, IOT                                     | Each  | \$858.13    | \$686.50    |
| IOT FCT PARTS | PC-FPI-IOT        | 3 in 1 Front Panel Interface Board                            | Each  | \$750.00    | \$600.00    |
| IOT FCT PARTS | FLTR-IOT-STFV150  | Sola STFV150-10N Power Line Filter IOT                        | Each  | \$691.58    | \$553.26    |
| IOT FCT PARTS | FAN-HEATER-IOT    | Enclosure Heater w/built in Thermostat, IOT                   | Each  | \$612.13    | \$489.70    |
| IOT FCT PARTS | SWITCH-NTWK-IOT   | Industrial 5 Port 10/100 Ethernet Switch, IOT                 | Each  | \$503.35    | \$402.68    |
| IOT FCT PARTS | PCBA-FCTI-IOT3    | FCTI board, Rev 3, IOT  | Each  | \$500.00    | \$400.00    |
| IOT FCT PARTS | FP-IOT-QWERTY     | Front Panel Keyboard QWERTY style                             | Each  | \$407.61    | \$326.09    |
| IOT FCT PARTS | DISP-W4-IOT1      | IOT QWERTY Key Pad Gen 2                                      | Each  | \$407.61    | \$326.09    |
| IOT FCT PARTS | CBL-TLS-IOT       | Serial to Ethernet Intelligent adapter with power supply, IOT | Each  | \$289.47    | \$231.58    |
| IOT FCT PARTS | BATT-UPS-IOT      | 24 Volt UPS Battery IOT                                       | Each  | \$286.04    | \$228.83    |
| IOT FCT PARTS | DISPLAY-HDMI-IOT  | 7" HDMI Display, IOT  | Each  | \$263.16    | \$210.53    |
| IOT FCT PARTS | DISPLAY-LVDS-IOT  | 7" LVDS display, IOT  | Each  | \$263.16    | \$210.53    |
| IOT FCT PARTS | ANT09402XA2IOT    | 2.4 GHz MIMO Antenna IOT                                      | Each  | \$250.28    | \$200.23    |
| IOT FCT PARTS | ANT09402XBSIOT    | MOBIUS 2X MIMO ANTENNA IOT                                    | Each  | \$250.28    | \$200.23    |
| IOT FCT PARTS | ANT0940WH2XIOT    | Moxa island dual ant a2a2 IOT                                 | Each  | \$250.28    | \$200.23    |
| IOT FCT PARTS | FLTR-IOT-CAT5-MJ8 | Citel MJ8-CAT5 Surge protector IOT                            | Each  | \$133.95    | \$107.16    |
| IOT FCT PARTS | ACS-PLT-IOTBLNK   | Blank Front Panel Plate IOT                                   | Each  | \$78.66     | \$62.93     |
| IOT FCT PARTS | ACS-PLT-IOTMAG    | MAG Reader Mounting Plate, IOT                                | Each  | \$78.66     | \$62.93     |
| IOT FCT PARTS | ACS-PLT-IOTSMRT   | Smart Reader Mounting Plate, IOT                              | Each  | \$78.66     | \$62.93     |
| IOT FCT PARTS | SW-BYPASS-IOT     | Bypass switch, IOT  | Each  | \$47.37     | \$37.89     |
| IOT FCT PARTS | RLY-BYPASS-IOT    | Bypass relay, IOT   | Each  | \$47.37     | \$37.89     |
| IOT FCT PARTS | CBL-LVDS-IOT      | LVDSB video display cable, IOT                                | Each  | \$42.91     | \$34.32     |
| IOT FCT PARTS | CBL-AUDIO-IOT     | Audio I/O Cable, 10 Pin IOT                                   | Each  | \$42.91     | \$34.32     |
| IOT FCT PARTS | CBL-FAN-IOT       | Fan cable w/ connectors, IOT                                  | Each  | \$42.91     | \$34.32     |

# IoT Fuel Control Terminal

| Part          | Part Number     | Description                                | Units | MSRP    | Less 20% |
|---------------|-----------------|--|-------|---------|----------|
| IOT FCT PARTS | CBL-INTRU-IOT   | Intrusion switch and cable assembly, IOT   | Each  | \$42.91 | \$34.32  |
| IOT FCT PARTS | DISPLAY-FAN-IOT | Display fan, IOT                           | Each  | \$39.47 | \$31.58  |
| IOT FCT PARTS | CBL-COM2-IOT    | Com 2 14P CBL IOT                          | Each  | \$28.60 | \$22.88  |
| IOT FCT PARTS | CBL-CPU/FPI-IOT | Backlight Cable, Carrier board to FPI, IOT | Each  | \$28.60 | \$22.88  |
| IOT FCT PARTS | CBL-CPU/MPB-IOT | MPB to CPU backlight CBL, IOT              | Each  | \$28.60 | \$22.88  |
| IOT FCT PARTS | CBL-CPU/PWR-IOT | CPU Power cable, IOT                       | Each  | \$28.60 | \$22.88  |
| IOT FCT PARTS | CBL-MPB/CAR-IOT | Main Board to Carrier Board cable, IOT     | Each  | \$28.60 | \$22.88  |
| IOT FCT PARTS | DSP-LEXAN-IOT   | Front door window .375" lexan clear, IOT   | Each  | \$21.45 | \$17.16  |
| IOT FCT PARTS | SPEAKER-IOT     | Electro speaker & transducer, IOT          | Each  | \$14.31 | \$11.44  |
| IOT FCT PARTS | FP-GASKET-IOT   | Front Panel Gasket, IOT                    | Each  | \$13.16 | \$10.53  |
| IOT FCT PARTS | DSP-GSK-IOT     | Display Gasket, IOT                        | Each  | \$12.63 | \$10.11  |
| IOT FCT PARTS | ANT-GASKET-IOT  | 1/4" D/C 60-Duro Neoprene IOT              | Each  | \$7.15  | \$5.72   |
| IOT FCT PARTS | LIGHTBAR-IOT    | LED Light strip, IOT                       | Each  | \$6.84  | \$5.47   |
| IOT FCT PARTS | LB-LENS-IOT     | Lightbar Lens, IOT                         | Each  | \$5.26  | \$4.21   |
| IOT FCT PARTS | LB-MOUNT-IOT    | Lightbar mount, IOT                        | Each  | \$5.26  | \$4.21   |
| IOT FCT PARTS | LBC-HOLE-IOT    | Lightbar micro end cap with hole, IOT      | Each  | \$5.26  | \$4.21   |
| IOT FCT PARTS | LBC-W/OHOLE-IOT | Lightbar micro end cap without hole, IOT   | Each  | \$5.26  | \$4.21   |
| IOT FCT       | FCT-IOT-RTL     | Retail Terminal ‡                          | Each  |         |          |

‡ Contact factory for pricing.

## W4 Fuel Control Terminal

| Part   | Part Number     | Description                                      | Units | MSRP        | Less 20%    |
|--------|-----------------|--|-------|-------------|-------------|
| W4 FCT | FCT-W4-TRUCKTER | Truck Terminal WIFI                              | Each  | \$14,492.76 | \$11,594.21 |
| W4 FCT | FCT-W4-10H      | 10-hose Terminal                                 | Each  | \$14,492.76 | \$11,594.21 |
| W4 FCT | FCT-W4-05H      | 5-hose Terminal                                  | Each  | \$13,586.96 | \$10,869.57 |
| W4 FCT | W4-FP-ASSEMBLY  | Full Front Panel w/Boards                        | Each  | \$3,575.52  | \$2,860.42  |
| W4 FCT | KIT-W4-5HOSE-UP | 5-hose Upgrade Includes 5-hose board             | Each  | \$2,545.77  | \$2,036.62  |
| W4 FCT | RT-MPB-W4NXT    | W4 RT Main Processor BD-Windows IOT              | Each  | \$2,145.31  | \$1,716.25  |
| W4 FCT | RT-MPB-W4       | RT Main Board w/2GB                              | Each  | \$2,145.31  | \$1,716.25  |
| W4 FCT | EN-TOMBSTONE-W4 | Tombstone Stainless Steel w/Bead Blast           | Each  | \$2,145.31  | \$1,716.25  |
| W4 FCT | EN-TOMBSTONE-24 | 24" Tombstone Stainless Steel w/Bead Blast       | Each  | \$1,716.24  | \$1,372.99  |
| W4 FCT | EN-TRK-TERM-W4  | 12" RT Wall Mount/Truck Terminal                 | Each  | \$1,573.23  | \$1,258.58  |
| W4 FCT | RT-W4-5HOSE-CL  | W4 5-hose Dispenser Serial Interface             | Each  | \$1,487.41  | \$1,189.93  |
| W4 FCT | RT-W4-5HOSE-BRD | RT 5-hose Dispenser Interface Board              | Each  | \$1,487.41  | \$1,189.93  |
| W4 FCT | KIT-FCT-W4-PED  | Complete Pedestal Assembly                       | Each  | \$1,001.15  | \$800.92    |
| W4 FCT | PCB-PWR-DC-W4TT | Truck Term DC-DC Power w/Charge                  | Each  | \$929.63    | \$743.70    |
| W4 FCT | PWR-UPS-2866611 | Power Supply and UPS, 24V                        | Each  | \$858.13    | \$686.50    |
| W4 FCT | W4-FCTI/VIT-2.4 | Fuel Control Board/IT Interface                  | Each  | \$822.37    | \$657.90    |
| W4 FCT | RT-FPI-W4       | Front Panel Interface Board                      | Each  | \$822.37    | \$657.90    |
| W4 FCT | PC-CARRIER-W4   | CPU LCD Panel Carrier Board                      | Each  | \$715.11    | \$572.09    |
| W4 FCT | KIT-FCT-HEAT    | W4 FCT Heater Kit/Cold Weather Package           | Each  | \$612.13    | \$489.70    |
| W4 FCT | PWR-UPS-137005  | DC UPS 24V                                       | Each  | \$572.08    | \$457.66    |
| W4 FCT | DISPLAY-W4-RT   | 7" Display                                       | Each  | \$429.06    | \$343.25    |
| W4 FCT | FP-RT-W4        | Front Panel Stainless Steel Keypad               | Each  | \$429.06    | \$343.25    |
| W4 FCT | FP-IOT-QWERTY   | Front Panel Keyboard QWERTY style                | Each  | \$407.61    | \$326.09    |
| W4 FCT | ANT-0940-2X-E17 | FCTI/ VIT Dual Antenna for Truck Terminal (male) | Each  | \$297.21    | \$237.77    |
| W4 FCT | BATT-24V-1.3AH  | Mini Battery, 24v                                | Each  | \$286.04    | \$228.83    |
| W4 FCT | BATT-24V-1.3WM  | Mini Battery 24V for UPS                         | Each  | \$286.04    | \$228.83    |
| W4 FCT | W4-PWR-SUPPLY   | Power Supply Pro ECO 120 W 24V 5                 | Each  | \$286.04    | \$228.83    |
| W4 FCT | ANT-0894-17-TNC | PAP Antenna for Truck Terminal (single)          | Each  | \$250.28    | \$200.22    |
| W4 FCT | ANT-0940-1X-E17 | Moxa Antenna Truck Terminal (male/female)        | Each  | \$250.28    | \$200.22    |
| W4 FCT | W4-FLASH-8GB    | Compact Flash 8GB Industrial Grade Temperature   | Each  | \$250.28    | \$200.22    |
| W4 FCT | ANT-0940-2X-A2  | FCTI/ VIT Dual Antenna (male)                    | Each  | \$250.28    | \$200.22    |
| W4 FCT | SHOCK-MOUNT     | 5/32 Cable ISOL for Truck Terminal               | Each  | \$250.28    | \$200.22    |
| W4 FCT | ANT-0940-WH-2X  | MOXA Island Dual Antenna a2a2                    | Each  | \$250.28    | \$200.22    |
| W4 FCT | ANT-0940-WH-1X- | 2.4 GHZ Omni NYCWIN ant                          | Each  | \$230.26    | \$184.21    |
| W4 FCT | PCB-DATAKEYINT  | W3 Data Key Interface Board                      | Each  | \$214.53    | \$171.62    |
| W4 FCT | PC-KEYP-INTF    | FP-W4-QWERTY keypad interface                    | Each  | \$205.89    | \$164.71    |
| W4 FCT | CBL-LVDS-NXT    | LVDSB Video CBL                                  | Each  | \$178.95    | \$143.16    |
| W4 FCT | BATT-PS-1228    | Rechargeable Battery 12V 2.8A (for W4 Truck FCT) | Each  | \$107.26    | \$85.81     |
| W4 FCT | ACS-PLT-SMARTRE | Accessory Plate for Front Door                   | Each  | \$78.66     | \$62.93     |

## W4 Fuel Control Terminal

| Part   | Part Number     | Description  | Units | MSRP    | Less 20% |
|--------|-----------------|--|-------|---------|----------|
| W4 FCT | ACS-PLT-CARD    | Accessory Plate for Front Door                     | Each  | \$78.66 | \$62.93  |
| W4 FCT | ACS-PLT-BLANK   | Accessory Plate for Front Door                     | Each  | \$78.66 | \$62.93  |
| W4 FCT | ACS-PLT-CARD-2  | Accessory Plate for Mag/Swipe                      | Each  | \$78.66 | \$62.93  |
| W4 FCT | CBL-INTRU-W4    | Intrusion Switch and Cable Assembly                | Each  | \$42.91 | \$34.33  |
| W4 FCT | CBL-AUDIO-10PNX | Audio I/O Cable 10-pin Ribbon                      | Each  | \$42.91 | \$34.33  |
| W4 FCT | CBL-COM2-14PNXT | Com2 14-pin Ribbon Cables                          | Each  | \$42.91 | \$34.33  |
| W4 FCT | CBL-INTRU-NXT   | Intrusion Switch & CBL Assembly                    | Each  | \$42.91 | \$34.33  |
| W4 FCT | CBL-LVDS        | LVDS Video Cable                                   | Each  | \$42.91 | \$34.33  |
| W4 FCT | CBL-MPB-CARNXT  | Main Board to Carrier Board Cable                  | Each  | \$42.91 | \$34.33  |
| W4 FCT | DISPLAY-FAN     | 24 vdc Blower                                      | Each  | \$42.91 | \$34.33  |
| W4 FCT | FAN-MNT-BOARD   | Fan Mounting Board                                 | Each  | \$35.76 | \$28.61  |
| W4 FCT | CBL-CAT5-6FTBRT | 6' Cat 5 Right Angle - blue                        | Each  | \$32.89 | \$26.31  |
| W4 FCT | BATT-W4-SBC     | Replacement battery 3v lithium                     | Each  | \$29.45 | \$23.56  |
| W4 FCT | CBL-CPU-PWR-W4  | Power Cable, CPU/Carrier                           | Each  | \$28.60 | \$22.88  |
| W4 FCT | CBL-CPU-MPB-W4  | Back-light Cable MPB to CPU                        | Each  | \$28.60 | \$22.88  |
| W4 FCT | CBL-CPU-MPB-NXT | Back-light Cable MPB to CPU                        | Each  | \$28.60 | \$22.88  |
| W4 FCT | CBL-CPU-FPIB-W4 | Back-light Cable Carrier Board                     | Each  | \$28.60 | \$22.88  |
| W4 FCT | CBL-COM3/4-20P  | Com3/4 20-pin Ribbon Cable                         | Each  | \$28.60 | \$22.88  |
| W4 FCT | CBL-COM2-14PIN  | Com2 14-pin Ribbon Cables                          | Each  | \$28.60 | \$22.88  |
| W4 FCT | CBL-MPB-CARRIER | Main Board to Carrier Board Cable                  | Each  | \$28.60 | \$22.88  |
| W4 FCT | CBL-AUDIO-10PIN | Audio I/O Cable 10-pin Ribbon                      | Each  | \$28.60 | \$22.88  |
| W4 FCT | HW-LOCK-R24107  | FCT Lock & Key                                     | Each  | \$28.60 | \$22.88  |
| W4 FCT | CBL-CAT5-6FT    | 7' Cat 6 Ethernet Cable - blue                     | Each  | \$25.75 | \$20.60  |
| W4 FCT | LEXAN-LIGHTBAR  | Lexan Light Bar Cover                              | Each  | \$25.48 | \$20.38  |
| W4 FCT | CBL-CAT5-RT1    | 1' Cat 5 Right Angle - black                       | Each  | \$22.02 | \$17.62  |
| W4 FCT | CBL-CAT5-3      | 3' Cat 5 Ethernet Cable - black                    | Each  | \$21.45 | \$17.16  |
| W4 FCT | EN-ANTADPLTFCT  | RT Antenna Hole Plug                               | Each  | \$21.45 | \$17.16  |
| W4 FCT | DSP-LEXAN-W4    | Front Door Window .375" Lexan                      | Each  | \$21.45 | \$17.16  |
| W4 FCT | CBL-CAT5-3FTBLU | 3' Cat 5 Ethernet Cable - blue                     | Each  | \$21.45 | \$17.16  |
| W4 FCT | HW-BKT-TRUCKT   | Truck Terminal Battery Bracket                     | Each  | \$17.16 | \$13.73  |
| W4 FCT | CBL-SERIAL/OPTO | RS232 Serial Printer Cable                         | Each  | \$17.16 | \$13.73  |
| W4 FCT | CBL-LANTRONIX 1 | RS-232 DB9F-DB25M - 1' Cable                       | Each  | \$17.16 | \$13.73  |
| W4 FCT | CBL-USB-MPB/KP  | CBL Interface between MPB & Keypad interface board | Each  | \$17.16 | \$13.73  |
| W4 FCT | CBL-CAT5-1BLUE  | 1' Cat 5 Cable-blue                                | Each  | \$16.99 | \$13.59  |
| W4 FCT | W4-SPEAKER      | Electro Speaker & Transducer                       | Each  | \$14.31 | \$11.45  |
| W4 FCT | CBL-CAT5-1      | 1' Cat 5 Ethernet Cable - black                    | Each  | \$14.31 | \$11.45  |
| W4 FCT | LEXAN-CBL-COVER | Lexan Cable Cover for Light Bar                    | Each  | \$14.31 | \$11.45  |
| W4 FCT | CON-TRAILPLUG   | Trailer Plugs                                      | Each  | \$11.44 | \$9.15   |
| W4 FCT | HW-DOORHINGE    | Door Hinge for Terminal                            | Each  | \$10.74 | \$8.59   |

# W4 Fuel Control Terminal

| Part   | Part Number    | Description  | Units | MSRP   | Less 20% |
|--------|----------------|--|-------|--------|----------|
| W4 FCT | ANTBASE-GASKET | 1/4" D/C 60-Duro Neoprene  | Each  | \$7.15 | \$5.72   |
| W4 FCT | HW-TRACK-08    | 8" Din Rail  | Each  | \$7.15 | \$5.72   |
| W4 FCT | HW-TRACK-12    | 12" Din Rail   | Each  | \$7.15 | \$5.72   |
| W4 FCT | FCT-W4-WALL    | 12" or 24" 5-hose Terminal - <i>Discontinued</i>                       | Each  |        |          |
| W4 FCT | FCT-W4-DISPMT  | Dispenser Mount FCT - <i>Discontinued</i>                              | Each  |        |          |
| W4 FCT | PCB-PAP        | Portable Access Point w/Wi-Fi for Truck Terminal - <i>Discontinued</i> | Each  |        |          |

| Part          | Part Number        | Description  | Units | MSRP     | Less 20% |
|---------------|--------------------|--|-------|----------|----------|
| IOT CANceiver | KIT-CVRINT-IOT-E   | KIT-IOT CANceiver E - International (Standard & 080 II/III)    | Each  | \$366.67 | \$293.34 |
| IOT CANceiver | KIT-CVRHD-IOT-E    | KIT-IOT CANceiver E - HD (Standard & 080 II/III)               | Each  | \$333.33 | \$266.66 |
| IOT CANceiver | KIT-CVRLD-IOT -E   | KIT-IOT LD CANceiver E - WIFI - Enterprise Encryption          | Each  | \$287.50 | \$230.00 |
| IOT CANceiver | KIT-CVR-IOT-E      | KIT-IOT CANceiver E - non-OBDD                                 | Each  | \$256.25 | \$205.00 |
| IOT CANceiver | CVR-IOT-E          | IOT CANceiver E - WIFI - Enterprise Encryption                 | Each  | \$225.00 | \$180.00 |
| IOT CANceiver | KIT-WGFI           | Kit including WGFI Dongle, butt connectors and ring antenna    | Each  | \$150.00 | \$120.00 |
| IOT CANceiver | CBL-J1939-IOTIN3   | OBDDII HD CBL INT 2018   | Each  | \$138.89 | \$111.11 |
| IOT CANceiver | CBL-J1939-IOTIN2   | OBDDII 9 Pin Heavy Duty CBL INT                                | Each  | \$138.89 | \$111.11 |
| IOT CANceiver | CBL-11939-IOT-IN   | 9 pin Heavy Duty OBD Cable for International                   | Each  | \$125.00 | \$100.00 |
| IOT CANceiver | CBL-J1708-6P-IOT   | 6 pin 1708/1939 Heavy Duty CBL                                 | Each  | \$83.33  | \$66.66  |
| IOT CANceiver | CBL-J1939-9PW1OT   | OBDD II Heavy Duty CAN CBL (1939)                              | Each  | \$83.33  | \$66.66  |
| IOT CANceiver | CBL-J1708--16-IOT  | HvyDty J1708/1939 16 pin IOT CV                                | Each  | \$83.33  | \$66.66  |
| IOT CANceiver | CBL-J1939-9P-IOT   | Heavy Duty CAN CBL (1939/1708)                                 | Each  | \$75.00  | \$60.00  |
| IOT CANceiver | CBL-J1962-IOT-MV   | J1962 LD CBL Volvo Mack  | Each  | \$75.00  | \$60.00  |
| IOT CANceiver | CBL-11962-IOT-D    | Light Duty Cable for IOT CVR                                   | Each  | \$62.50  | \$50.00  |
| IOT CANceiver | CBL-J1939-CA TIOT  | J1939 to Caterpillar Adapter                                   | Each  | \$62.50  | \$50.00  |
| IOT Non OBDD  | CBL-CVRIOT-IO      | IOT Non OBDD Cable   | Each  | \$31.25  | \$25.00  |
| IOT-WGFI      | KIT-WGFI           | Kit including WGFI Dongle, butt connectors and ring antenna    | Each  | \$150.00 | \$120.00 |
| W4 CANceiver  | KIT-CVR-W4-WIFI    | CANceiver w/Wi-Fi Kit - International (Standard & OBDD II/III) | Each  | \$352.93 | \$282.34 |
| W4 CANceiver  | KIT-CVR-W4-WIFI    | CANceiver w/Wi-Fi Kit - non-OBDD                               | Each  | \$325.00 | \$260.00 |
| W4 CANceiver  | KIT-CVR-W4-WIFI    | CANceiver w/Wi-Fi Kit - HD (Standard & OBDD II/III)            | Each  | \$305.38 | \$244.30 |
| W4 CANceiver  | KIT-CVR-W4-WIFI-LD | Kit (Light Duty) CANceiver                                     | Each  | \$225.00 | \$180.00 |
| W4 CANceiver  | CVR-W4-WIFI        | W4 CANceiver Gen 1 WIFI - WPA2-PSK Encryption                  | Each  | \$225.00 | \$180.00 |
| W4 CANceiver  | CBL-J1939-W4IN2    | OBDDII 9 Pin Heavy Duty CBL INT                                | Each  | \$138.89 | \$111.11 |
| W4 CANceiver  | CBL-J1939-W4IN3    | OBDDII HD CBL INT 2018   | Each  | \$138.89 | \$111.11 |
| W4 CANceiver  | CBL-J1939-W4-IN    | 9 pin heavy duty obd cable for                                 | Each  | \$125.00 | \$100.00 |
| W4 CANceiver  | CBL-J1708-6P-W4    | 6 pin 1708/1939 Heavy Duty CBL                                 | Each  | \$83.33  | \$66.66  |
| W4 CANceiver  | CBL-J1939-9PW42    | OBDD II Heavy Duty CAN CBL (193                                | Each  | \$83.33  | \$66.66  |
| W4 CANceiver  | CBL-J1708-16-W4    | HvyDty J1708/1939 16 pin W4 CV                                 | Each  | \$83.33  | \$66.66  |
| W4 CANceiver  | CBL-J1939-9P-W4    | Heavy Duty CAN CBL (1939/1708)                                 | Each  | \$75.00  | \$60.00  |
| W4 CANceiver  | CBL-J1962-W4-MV    | J1962 LD CBL Volvo Mack  | Each  | \$75.00  | \$60.00  |
| W4 CANceiver  | CBL-J1939-CAT      | J1939 to Caterpillar Adapter                                   | Each  | \$62.50  | \$50.00  |
| W4 CANceiver  | CBL-J1962-W4-D     | Light Duty Cable for W4 CVR                                    | Each  | \$62.50  | \$50.00  |
| W4 Non OBDD   | CBL-CVRW4-IO       | W4 Non OBDD Cable  | Each  | \$31.25  | \$25.00  |
| W3 CANceiver  | KIT-CVR-J1939I     | J1939I CVR Kit with International Cable 2018 & above           | Each  | \$429.87 | \$343.90 |
| W3 CANceiver  | KIT-CVR-J1939I     | J1939I CVR Kit with International Cable 2016/2017              | Each  | \$429.87 | \$343.90 |
| W3 CANceiver  | KIT-CVR-J1939I     | J1939I CVR Kit with International Cable 2007-2015              | Each  | \$429.87 | \$343.90 |
| W3 CANceiver  | KIT-CVR-J1708-I3   | J1708 CVR Kit w/International                                  | Each  | \$429.87 | \$343.90 |
| W3 CANceiver  | KIT-CVR-J1708-I2   | J1708 CVR Kit w/International                                  | Each  | \$429.87 | \$343.90 |

| Part         | Part Number        | Description                    | Units | MSRP     | Less 20% |
|--------------|--------------------|--------------------------------|-------|----------|----------|
| W3 CANceiver | KIT-CVR-J1708-I    | J1708 CVR Kit w/International  | Each  | \$429.87 | \$343.90 |
| W3 CANceiver | KIT-CVR-J1939VM    | Volvo Mack Kit                 | Each  | \$416.67 | \$333.34 |
| W3 CANceiver | KIT-CVRJ2284LDH-II | J2284LDH-II CVR Kit            | Each  | \$395.83 | \$316.66 |
| W3 CANceiver | KIT-CVR-J1939-2    | J1850G CVR Kit                 | Each  | \$377.33 | \$301.86 |
| W3 CANceiver | KIT-CVR-J1939-6    | J1939 CVR Kit w/6-pin Cable    | Each  | \$377.33 | \$301.86 |
| W3 CANceiver | KIT-CVR-J1708-9    | J1708 CVR Kit w/9 PinCbl       | Each  | \$377.33 | \$301.86 |
| W3 CANceiver | KIT-CVR-J1708-6    | J1708 CVR Kit w/6 PinCbl       | Each  | \$377.33 | \$301.86 |
| W3 CANceiver | KIT-CVR-J1708-16   | J1708 CVR Kit w/16PinCbl       | Each  | \$377.33 | \$301.86 |
| W3 CANceiver | KIT-CVR-J1708-92   | J1708 CVR Kit w/9 PinCbl       | Each  | \$377.33 | \$301.86 |
| W3 CANceiver | KIT-CVR-J1939-9    | J1939 CVR Kit w/9-pin Cable    | Each  | \$377.33 | \$301.86 |
| W3 CANceiver | CVR-J1939-2        | CVR J1939II/J2284 LDH          | Each  | \$362.32 | \$289.86 |
| W3 CANceiver | CVR-J2284LDH-II    | J2284 LDH-II CANCeiver         | Each  | \$362.32 | \$289.86 |
| W3 CANceiver | CVR-J1708          | CANceiver J1708 Heavy Duty Veh | Each  | \$362.32 | \$289.86 |
| W3 CANceiver | CVR-J1939          | CANceiver J1939 Off/HvyDutyVeh | Each  | \$362.32 | \$289.86 |
| W3 CANceiver | CBL-SDL-OBDI       | Z059-2 SDL w/ 12V Pwr Output   | Each  | \$166.67 | \$133.34 |
| W3 CANceiver | CBL-J1939-9PIN3    | OBD II 1939 INT CBL 2018       | Each  | \$138.89 | \$111.11 |
| W3 CANceiver | CBL-J1939-9PIN2    | OBD II J1939-9P INT CBL        | Each  | \$138.89 | \$111.11 |
| W3 CANceiver | CBL-J1939-9P-IN    | Cable J1939-9P International   | Each  | \$138.89 | \$111.11 |
| W3 CANceiver | CBL-J1708-16P-D    | HvyDty J1708 16PinDual CAN Cbl | Each  | \$83.33  | \$66.66  |
| W3 CANceiver | CBL-J1962-D        | Lt Duty (J1962) Dual CAN Cable | Each  | \$83.33  | \$66.66  |
| W3 CANceiver | CBL-J1939-9P-D2    | OBD II 9-P Standard Heavy Duty | Each  | \$83.33  | \$66.66  |
| W3 CANceiver | CBL-J1708-6P-D     | HvyDty(J1708) 6PinDual CAN Cbl | Each  | \$83.33  | \$66.66  |
| W3 CANceiver | CBL-J1939-9P-D     | J1708/J1939 9Pin Dual CAN Cbl  | Each  | \$83.33  | \$66.66  |
| W3 CANceiver | CBL-J1962-W3VM     | Lt Duty (J1962) Dual CVR CBL V | Each  | \$69.44  | \$55.55  |
| W3 CANceiver | CBL-CVR-XTS        | CANceiverEnhanced Con Cbl      | Each  | \$34.72  | \$27.78  |
| W3 CANceiver | HW-BKT-OBDCBL      | OBD Connector Adapter          | Each  | \$6.94   | \$5.55   |
| W3 CANceiver | HW-BKTFORD-OBDCBL  | OBD Connector Adapter for Ford | Each  | \$6.94   | \$5.55   |

# Reader-Card/FOB/Key

| Part                     | Part Number     | Description                                       | Units | MSRP       | Less 20%   |
|--------------------------|-----------------|---|-------|------------|------------|
| Encoder                  | KIT-CARD-PRINT  | Printer/Encoder for Mag Cards                     | Each  | \$5,091.54 | \$4,073.23 |
| Encoder                  | KIT-KEY-ENCODER | Key Encoder-01 Kit                                | Each  | \$1,058.35 | \$846.68   |
| Encoder                  | KEY-ENCODE-5321 | Mifare 1434 Key Fob Encoder                       | Each  | \$715.11   | \$572.08   |
| Reader                   | READER-OTI-UNV  | OTI Universal Card Reader - Mag-HID-NFC-Retail CC | Each  | \$675.00   | \$540.00   |
| Reader                   | CDR-INSERT      | Track 2 Insert card reader                        | Each  | \$500.57   | \$400.45   |
| Reader                   | CDR-SMART-GE    | GE Model T-500W black w/pigtai                    | Each  | \$500.57   | \$400.45   |
| Reader                   | CDR-SMART-5821  | Multiclass reader 910PWNNEKE05                    | Each  | \$500.57   | \$400.45   |
| Reader                   | CDR-MIFARE-8030 | Mifare Reader 8030 HID SMART                      | Each  | \$500.57   | \$400.45   |
| Reader                   | CDR-MAGREADER   | Track 2 swipe card reader - T1                    | Each  | \$500.57   | \$400.45   |
| Reader                   | KEY-READER-01   | Keyceptacle 606-0052-015A                         | Each  | \$258.01   | \$206.41   |
| Encoder                  | CARD-PRINT-RIB  | SD260 Black Ribbon Kit 1500 im                    | Each  | \$85.81    | \$68.65    |
| Card Reader/<br>FOB/Card | KEY-FOB-1434    | Mifare Key Fob-Unprogram 1434                     | Each  | \$12.52    | \$10.01    |
| Card Reader/<br>FOB/Card | DATAKEY-BLUE    | Blue Fuel Key Datakey 611-0049                    | Each  | \$11.44    | \$9.15     |
| Card Reader/<br>FOB/Card | DATAKEY-GRAY    | Gray Fuel Key 611-0049-008A                       | Each  | \$11.44    | \$9.15     |
| Card Reader/<br>FOB/Card | DATAKEY-GREEN   | Green Fuel Key                                    | Each  | \$11.44    | \$9.15     |
| Card Reader/<br>FOB/Card | DATAKEY-RED     | Red Fuel Key                                      | Each  | \$11.44    | \$9.15     |
| Card Reader/<br>FOB/Card | DATAKEY-YELLOW  | Yellow Fuel Key 611-0049-004A                     | Each  | \$11.44    | \$9.15     |
| Card Reader/<br>FOB/Card | DATAKEY-BLACK   | Black Fuel Key Datakey611-004                     | Each  | \$11.44    | \$9.15     |
| Card Reader/<br>FOB/Card | CARD-SMART-1430 | FlexSmart Mifare card 1430NGGN                    | Each  | \$10.01    | \$8.01     |
| Card Reader/<br>FOB/Card | CARD-CLEANER    | Card reader cleaner cards                         | Each  | \$7.15     | \$5.72     |
| Card Reader/<br>FOB/Card | CARD-PLASHOLD   | Plastic Card Holder                               | Each  | \$4.29     | \$3.44     |
| Card Reader/<br>FOB/Card | CARD-EJWBLUE    | Blue EJ Ward Fuel Card                            | Each  | \$2.86     | \$2.29     |
| Card Reader/<br>FOB/Card | CARD-EJWWHITE   | White EJ Ward Fuel Card                           | Each  | \$2.86     | \$2.29     |
| Card Reader/<br>FOB/Card | CARD-GREEN      | Blank Green Mag Stripe Card                       | Each  | \$2.86     | \$2.29     |
| Card Reader/<br>FOB/Card | CARD-WHITE      | Blank White Mag Stripe Card                       | Each  | \$2.86     | \$2.29     |
| Card Reader/<br>FOB/Card | CARD-YELLOW     | Blank Yellow Mag Stripe Card                      | Each  | \$2.86     | \$2.29     |
| Card Reader/<br>FOB/Card | CARD-RED        | Blank Red Mag Stripe Card                         | Each  | \$2.86     | \$2.29     |
| Card Reader/<br>FOB/Card | CARD-PAPERHOLD  | Paper Card Holder                                 | Each  | \$1.15     | \$0.92     |



# Antenna Tags

| Part            | Part Number     | Description                     | Units | MSRP    | Less 20% |
|-----------------|-----------------|---------------------------------|-------|---------|----------|
| Antenna - Tag   | TAG-EXT-IOT     | EM-Tag Kit- External Antenna    | Each  | \$90.58 | \$72.46  |
| Antenna - Tag   | TAG-INT-IOT     | EM-Tag Kit- Internal Antenna    | Each  | \$67.93 | \$54.35  |
| Antenna         | ANT-500         | 5.5" VehEq Antenna w/20' cable  | Each  | \$35.76 | \$28.61  |
| Antenna         | ANT-200-30      | 2" Vehicle Antenna w/ 30' Cabl  | Each  | \$35.76 | \$28.61  |
| Antenna         | ANT-TAG-500     | 5.5" Tag Antenna w/con          | Each  | \$28.60 | \$22.88  |
| Antenna         | ANT-TAG-400     | 4" Tag Antenna w/con            | Each  | \$28.60 | \$22.88  |
| Antenna         | ANT-200         | 2" VehEq Antenna w/20' cable    | Each  | \$25.75 | \$20.60  |
| Antenna         | ANT-300         | 3" VehEq Antenna w/20' cable    | Each  | \$25.75 | \$20.60  |
| Antenna         | ANT-400         | 4.25" VehEq Antenna w/20' cable | Each  | \$25.75 | \$20.60  |
| Antenna         | ANT-TAG-200     | Ant 2" Tag Antenna w/con        | Each  | \$25.75 | \$20.60  |
| Antenna         | ANT-TAG-225FLAT | Flat 2.25 Tag antenna w/con     | Each  | \$25.75 | \$20.60  |
| Antenna         | ANT-TAG-300     | 3" Tag Antenna w/con            | Each  | \$25.75 | \$20.60  |
| Antenna         | ANT-FLAT-225    | Flat 2.25" VehEq Antenna        | Each  | \$25.75 | \$20.60  |
| Antenna - Misc. | HW-TAG-BKT      | Tag mounting bracket            | Each  | \$14.31 | \$11.44  |
| Antenna - Misc. | HW-TAPE-4941-1  | 1"x2" Wide Double Stick Tape    | Each  | \$7.87  | \$6.30   |
| Antenna - Misc. | HW-ALCOHOL PADS | Alcohol Prep Pads               | Each  | \$1.43  | \$1.15   |

# Wi-Fi Cellular

| Part        | Part Number     | Description   | Units | MSRP       | Less 20%   |
|-------------|-----------------|---|-------|------------|------------|
| Wi-Fi RF AP | W4-HOTSPOT-CELL | Cellular Wi-Fi Hot Spot                                 | Each  | \$4,736.84 | \$3,789.47 |
| Wi-Fi RF AP | KIT-ROUTER-4131 | AP Router AWK-4131-M12-US-T (N) includes POE            | Each  | \$1,973.68 | \$1,578.95 |
| Wi-Fi RF AP | ROUTER-3131     | Client Router AWK-3131-US-T (N)                         | Each  | \$1,253.63 | \$1,002.91 |
| Wi-Fi RF AP | CR-IBR-650LE-VZ | CradlePoint IBR650LE-VZ 4G/3G w/o Wi-Fi                 | Each  | \$1,154.51 | \$923.61   |
| Wi-Fi RF AP | SWITCH-308-FIB  | Industrial, Temperature Rated 8 port Switch (2 fiber SC | Each  | \$1,001.05 | \$800.84   |
| Wi-Fi RF AP | SWITCH-305-T    | Industrial, Temperature Rated Ethernet Switch           | Each  | \$503.35   | \$402.68   |
| Wi-Fi RF AP | ANT-0940-2X-B-S | Cradlepoint Dual Antenna 700-2700 MHz                   | Each  | \$256.06   | \$204.85   |
| Wi-Fi RF AP | POE-ROUTER4121  | Power Over Ethernet Injector                            | Each  | \$74.37    | \$59.49    |

# Hose Module

| Part        | Part Number       | Description                           | Units | MSRP     | Less 20% |
|-------------|-------------------|---------------------------------------|-------|----------|----------|
| HOSE MODULE | KIT-HOSEMOD2.4RB  | Kit-Replaceable Battery - Hose Module | Each  | \$421.05 | \$336.84 |
| HOSE MODULE | KIT-HOSE-MOD-2.4S | RF Hose Module Kit 2.4ghz with Switch | Each  | \$421.05 | \$336.84 |
| HOSE MODULE | KIT-HOSE-MOD-3V   | RF Hose Module Kit (3V)               | Each  | \$416.67 | \$333.34 |
| HOSE MODULE | RF-HOSE-MOD-3V    | RF Hose Module (3V) Rev D w/fuse      | Each  | \$395.83 | \$316.67 |
| HOSE MODULE | RF-HOSE-MOD-2.4S  | 2.4 RF HM with Switch                 | Each  | \$395.83 | \$316.67 |
| HOSE MODULE | RF-HOSEMOD2.4RB   | Replaceable Battery - Hose Module     | Each  | \$394.74 | \$315.79 |
| HOSE MODULE | EN-BKT-HOSE-MOD   | Hose Module Mounting Bracket          | Each  | \$19.74  | \$15.79  |
| HOSE MODULE | BATT-RBHM         | Battery - Tadiran TL-5955/S           | Each  | \$14.99  | \$11.99  |
| HOSE MODULE | HW-TIE-HOSE-MOD   | Hose Module Kevlar Tie Wrap           | Each  | \$6.58   | \$5.26   |

# WPI - JettScan

| Part        | Part Number      | Description   | Units   | MSRP       | Less 20%   |
|-------------|------------------|---|---------|------------|------------|
| WPI         | WPI-KIT-CELL     | Ward Programming Dongle, Cell tablet, case, cables              | Each    | \$1,639.18 | \$1,311.34 |
| WPI         | WPI-KIT-WIFI     | Ward Programming Dongle, WiFi tablet, case, cables              | Each    | \$1,536.08 | \$1,228.87 |
| WPI         | WPI-DONGLE       | Ward Programming Interface Dongle electronics and case only     | Each    | \$1,025.77 | \$820.62   |
| WPI         | WPI-KIT-DONGLE   | Ward Programming Dongle with cables                             | Each    | \$1,025.77 | \$820.62   |
| WPI         | WPI-TABLET-CELL  | 8" Galaxy Tab A, Verizon  | Each    | \$613.40   | \$490.72   |
| WPI         | WPI-TABLET-WIFI  | 8" Galaxy Tab A, WiFi only                                      | Each    | \$510.31   | \$408.25   |
| WGFI-DONGLE | WGFI-DONGLE      | Ward Go Fuel Interface  | Each    | \$150.00   | \$120.00   |
| WPI         | WPI-TABLET-CASE  | BRAECN Tablet Case  | Each    | \$61.86    | \$49.48    |
| WPI         | WPI-CELL-PLAN    | WPI Cell Plan per device per year *                             | Monthly | \$41.67    | \$33.34    |
| WPI         | CBL-WPI-USB      | USB Cable   | Each    | \$19.99    | \$15.99    |
| WPI         | CBL-WPI-SERIAL   | Serial cable  | Each    | \$19.99    | \$15.99    |
| JettScan    | BATT-JETTSCAN    | Jettscan Battery Pack - <i>Discontinued</i>                     | Each    |            |            |
| JettScan    | REP-JETTSCAN-04  | W4 Jettscan Repair - <i>Discontinued</i>                        | Each    |            |            |
| JettScan    | CBL-PGM-JETTSCVR | CANceiver Cable Programmer - <i>Discontinued</i>                | Each    |            |            |
| JettScan    | FLASH-JETTSCAN   | JettScan Flash Card with Current Software - <i>Discontinued</i> | Each    |            |            |
| JettScan    | JETT-DISCOVER    | JettScan Screen Cover - <i>Discontinued</i>                     | Each    |            |            |
| JettScan    | JETT-STYLUS-1    | Stylus - Single - <i>Discontinued</i>                           | Each    |            |            |
| JettScan    | XFMR-JETT        | JettScan Transformer 12V DC 1.2Amp - <i>Discontinued</i>        | Each    |            |            |

‡ Contact factory for pricing.

# Pulser Relay Kits

| Part             | Part Number     | Description                         | Units | MSRP     | Less 20% |
|------------------|-----------------|-------------------------------------|-------|----------|----------|
| Pulser Relay Kit | PULSER-VR1-12-S | Pulser VR1-12-SO-A 12V              | Each  | \$355.16 | \$284.13 |
| Pulser Relay Kit | PULSER-SP1-12   | 12V Pulser SP1-12V-SO-A             | Each  | \$355.16 | \$284.13 |
| Pulser Relay Kit | PULSER-SP1-110  | 110V Pulser SP1-110V-SO-A           | Each  | \$355.16 | \$284.13 |
| Pulser Relay Kit | PULSER-FR110    | 110V Pulser FR/MR110-SO-A           | Each  | \$355.16 | \$284.13 |
| Pulser Relay Kit | PULSER-800-F    | OPW Pulser 120V                     | Each  | \$352.63 | \$282.11 |
| Pulser Relay Kit | PULSER-MR1-12-S | Pulser MR1 12VDC Single             | Each  | \$295.95 | \$236.76 |
| Pulser Relay Kit | PULSER-GB1-12   | Gas Boy 12v Pulser GB1-12V-SO-A     | Each  | \$295.95 | \$236.76 |
| Pulser Relay Kit | PULSER-FR1-12   | Single Pulser FR/MR1-12V SO-A 12VDC | Each  | \$295.95 | \$236.76 |
| Pulser Relay Kit | PULSER-T1-BS    | T1-B Single Pulser                  | Each  | \$289.47 | \$231.58 |
| Pulser Relay Kit | PULSER-T1-BD    | T1-B Dual Pulser                    | Each  | \$289.47 | \$231.58 |

# Miscellaneous Parts

| Part          | Part Number     | Description  | Units | MSRP     | Less 20% |
|---------------|-----------------|--|-------|----------|----------|
| Miscellaneous | FLOWMETER-PIUSI | K24 Pulse Meter Gas/Diesel 1" M BSP (limited quantity) | Each  | \$460.53 | \$368.42 |
| Miscellaneous | EN-12X24X6      | NEMA Box w/Back Plate                                  | Each  | \$367.37 | \$293.89 |
| Miscellaneous | KIT-SSR         | RT FCT Solid State Relay Kit (per hose)                | Each  | \$331.65 | \$265.32 |
| Miscellaneous | EN-182X16X10    | NEMA Opaque Composite                                  | Each  | \$314.74 | \$251.79 |
| Miscellaneous | EN-12X12X6      | NEMA 4 Enclosure (12" x 12" x 6") Painted w/Back Plate | Each  | \$271.74 | \$217.39 |
| Miscellaneous | OPTO-ISOLATOR   | Opto Isolator  | Each  | \$236.84 | \$189.47 |
| Miscellaneous | EN-10X8X4       | NEMA 4 Enclosure (10" x 8" x 4")                       | Each  | \$214.00 | \$171.20 |
| Miscellaneous | CHARGE-GUR-TIME | CHARGE GUARD AUTOMATIC TIMER S                         | Each  | \$168.42 | \$134.74 |
| Miscellaneous | RELAY-SOLSTATE  | Solid State Relay RS31D40-21R                          | Each  | \$147.82 | \$118.26 |
| Miscellaneous | RELAY-BRACKETS  | Relay Brackets - Stainless Steel                       | Each  | \$85.84  | \$68.67  |
| Miscellaneous | EN-8X8X4        | VIT-CANceiver weather tight box                        | Each  | \$63.16  | \$50.53  |
| Miscellaneous | RELAY-IC-120VA  | ICE CUBE 120V Relay                                    | Each  | \$52.63  | \$42.10  |
| Miscellaneous | IC-BASE         | ICE CUBE Base  | Each  | \$15.79  | \$12.63  |
| Miscellaneous | HW-TIE-NT-11"   | 11" Black Nylon Tie Wraps                              | Each  | \$2.50   | \$2.00   |
| Miscellaneous | HW-TIE-NT-8UV   | 8" U.V. Tie Wraps PLT2M-MO                             | Each  | \$1.25   | \$1.00   |

# GPS – Passive

| Part        | Part Number     | Description                     | Units | MSRP     | Less 20% |
|-------------|-----------------|---------------------------------|-------|----------|----------|
| GPS Passive | GPS-PASS-ANT-W4 | Ward Passive GPS Antenna for W4 | Each  | \$104.17 | \$83.33  |

‡ Contact factory for pricing.

# GPS – Geotab

| Part   | Part Number      | Description   | Units | MSRP     | Less 20% |
|--------|------------------|---|-------|----------|----------|
| GEOTAB | SVP-G-PROPLUS    | ProPlus plan  | Each  | \$26.39  | \$21.11  |
| GEOTAB | SVP-G-BASE       | Base plan   | Each  | \$9.72   | \$7.78   |
| GEOTAB | SVP-G-HOS        | HOS plan - Regulatory Mode  | Each  | \$13.89  | \$11.11  |
| GEOTAB | SVP-G-PRO        | Pro plan  | Each  | \$22.22  | \$17.78  |
| GEOTAB | SVP-G-SAT        | Satellite plan  | Each  | \$48.61  | \$38.89  |
| GEOTAB | SVP-G-SUSPEND    | Suspend plan  | Each  | \$6.94   | \$5.56   |
| GEOTAB | SVP-G-PGPS       | Third Party Device Plan - PASSIVE GPS   | Each  | \$5.56   | \$4.44   |
| GEOTAB | VTD-G9-LTEATT    | Multi-mode GO9 LTE device w/3G fallback for the AT&T network  | Each  | \$108.89 | \$87.11  |
| GEOTAB | VTD-G9-LTETMO    | Single-mode LTE GO9 device for the T-Mobile network   | Each  | \$108.89 | \$87.11  |
| GEOTAB | VTD-G9-LTEVZW    | Single-mode LTE GO9 device for the Verizon network  | Each  | \$108.89 | \$87.11  |
| GEOTAB | Shipment         | Per Shipment ‡  | Each  |          |          |
| GEOTAB | WH-G-DC14S2      | 14-pin harness for CAT vehicles 2016+   | Each  | \$100.00 | \$80.00  |
| GEOTAB | WH-G-CW03S3      | 3-wire harness for GO7 - PWR, GND, IGN. Replaces HRN-2WCP for GO6 which cannot take advantage of the IGN wire.  | Each  | \$15.56  | \$12.44  |
| GEOTAB | WH-G-RW03S4      | 3-wire harness for the GO RUGGED — PWR, GND, IGN.   | Each  | \$22.22  | \$17.78  |
| GEOTAB | WH-G-DS06T2      | 6-pin heavy duty T-harness for installations where the Deutsch connector needs to remain available for other applications.  | Each  | \$44.44  | \$35.56  |
| GEOTAB | WH-G-DS06S4      | 6-pin straight harness for North American heavy duty Deutsch connector installations. Replaces HRN-D6HD.  | Each  | \$26.67  | \$21.33  |
| GEOTAB | WH-G-CW08A4      | 8-wire adapter for vehicles with connectors that are not supported on any other harness. Requires HRN-CM24Y1.   | Each  | \$15.56  | \$12.44  |
| GEOTAB | WH-G-DR09T2      | 9-pin heavy duty T-harness for installations where the Deutsch connector needs to remain available for other applications and is a THREADED dash mount style. Replaces HRN-CD9TBHD. | Each  | \$33.33  | \$26.67  |
| GEOTAB | WH-G-DS09T2      | 9-pin heavy duty T-harness for installations where the Deutsch connector needs to remain available for other applications. Replaces HRN-CD9THD.                                     | Each  | \$33.33  | \$26.67  |
| GEOTAB | WH-G-DS09S4      | 9-pin straight harness for North American heavy duty Deutsch connector installations. Replaces HRN-C9HD.  | Each  | \$26.67  | \$21.33  |
| GEOTAB | WH-G-BS04A1      | Adapter harness, needed in conjunction with HRN-DS09T2, HRN-DR09T2 or HRN-GS09K2 on 2017 Kenworth and Peterbilt trucks for enhanced engine data support.                            | Each  | \$15.56  | \$12.44  |
| GEOTAB | KEY-G-NFC-FOB20  | Bag of 20 NFC fobs. Includes CSV file of tag IDs downloadable from MyAdmin.   | Each  | \$74.44  | \$59.56  |
| GEOTAB | KEY-G-NFC-STKR20 | Bag of 20 NFC stickers. Includes CSV file of tag IDs downloadable from MyAdmin.   | Each  | \$74.44  | \$59.56  |
| GEOTAB | KEY-G-NFC-DID    | Blue NFC Driver ID Tag. Used with IOX-NFC Driver ID Tag Reader  | Each  | \$5.56   | \$4.44   |
| GEOTAB | ACS-G-BT         | Bluetooth® low energy IOX Add-On, for GO6 and later devices, supporting proximity beacons with a public MAC address. Also supports select sensor-enabled beacons.                   | Each  | \$72.22  | \$57.78  |
| GEOTAB | HW-BRKT-BSF      | Bracket required for 2015 Ford F-150, Ford Fusion and Ford Mondeo vehicles.   | Each  | \$2.22   | \$1.78   |
| GEOTAB | WH-G-RS12S2      | Connects GO RUGGED to vehicle diagnostic port for engine data   | Each  | \$22.22  | \$17.78  |

‡ Contact factory for pricing.



| Part   | Part Number     | Description  | Units | MSRP     | Less 20% |
|--------|-----------------|--|-------|----------|----------|
| GEOTAB | WH-G-CK10A2     | Custom adapter for Mack vehicles in North America. Requires HRN-CM24Y1.  | Each  | \$26.67  | \$21.33  |
| GEOTAB | WH-G-CT06A1     | Custom adapter for Tesla (Model S) vehicles. Requires HRN-CM24Y1.  | Each  | \$15.56  | \$12.44  |
| GEOTAB | WH-G-CE04A4     | Custom proprietary adapter for Volvo vehicles in LatAm and EU. Requires HRN-CM24Y1.  | Each  | \$15.56  | \$12.44  |
| GEOTAB | WH-G-CE10A2     | Custom proprietary adapter for Volvo/Mack FMS vehicles in North America. Requires HRN-CM24Y1.                                    | Each  | \$26.67  | \$21.33  |
| GEOTAB | WH-G-BF11A1     | Custom proprietary harness for enhanced engine data support on select Fiat/Chrysler vehicles in Latin America.                   | Each  | \$6.67   | \$5.33   |
| GEOTAB | WH-G-CH06A2     | Custom Proprietary HINO FMS adapter. Requires HRN-CM24Y1.  | Each  | \$15.56  | \$12.44  |
| GEOTAB | WH-G-EA16S1     | Diagnostic connector designed for EU markets, primarily for the DAF Euro 3 (up to 2006). Replaces HRN-EU16P.                     | Each  | \$100.00 | \$80.00  |
| GEOTAB | ACS-RELAY       | Driver ID Relay kit for GO4v3 and GO6 and GO7. Requires professional installation by a licensed automotive electrician/mechanic. | Each  | \$36.67  | \$29.33  |
| GEOTAB | ACS-G-BUZZER    | External buzzer/beeper for the GO6/GO7 platform  | Each  | \$72.22  | \$57.78  |
| GEOTAB | SVP-G-FAT       | Fixed Asset Tracker - Flex Asset Tracker (HBN) - Third Party Plan with Markup; Flex provides the carrier data ‡                  | Each  |          |          |
| GEOTAB | SVP-G-GARPRO    | Garmin ELD - Pro Mode  | Each  | \$20.83  | \$16.67  |
| GEOTAB | SVP-G-GARSUSP   | Garmin ELD- Suspend  | Each  | \$9.72   | \$7.78   |
| GEOTAB | VTD-G-ELDATT1   | Garmin fleet 790 bundled with Geotab Drive for the AT&T network  | Each  | \$777.78 | \$622.22 |
| GEOTAB | WH-G-CM24Y1     | GO6 and GO7 harness for custom installs. Molex connectors for 2 OBD and one J1939 connection points.                             | Each  | \$22.22  | \$17.78  |
| GEOTAB | VTD-G7-3GROG    | GO7 3G - Vehicle telematics on the Rogers network in Canada. The GO7 device is suitable for Plug-&Play installation.             | Each  | \$108.89 | \$87.11  |
| GEOTAB | VTD-G7-3GTEL    | GO7 3G - Vehicle telematics on the TELUS network in Canada. The GO7 device is suitable for Plug-&Play installation.              | Each  | \$108.89 | \$87.11  |
| GEOTAB | ACS-G-CRS       | IOX Add-On for Cirrus Controls SpreadSmart Rx spreader controller  | Each  | \$200.00 | \$160.00 |
| GEOTAB | ACS-G-GARM-NT   | IOX Add-On for GO6/7 for Garmin PNDs requiring NO traffic services. Supports PNDs globally.                                      | Each  | \$111.11 | \$88.89  |
| GEOTAB | ACS-G-GARM-WTEU | IOX Add-On for GO6/7 for Garmin PNDs that require traffic services. Supports Europe, Australia, New Zealand, and South Africa.   | Each  | \$157.78 | \$126.22 |
| GEOTAB | ACS-G-GARM-WT   | IOX Add-On for GO6/7 for Garmin PNDs that require traffic services. Supports North America.                                      | Each  | \$157.78 | \$126.22 |
| GEOTAB | ACS-G-AUXM      | IOX Add-On for GO6/GO7 for auxiliary support   | Each  | \$53.33  | \$42.67  |
| GEOTAB | ACS-G-CAN       | IOX Add-On for GO6/GO7 for CAN integrations (i.e. Mobileye and Valor)  | Each  | \$72.22  | \$57.78  |
| GEOTAB | ACS-G-OUTPUT    | IOX Add-On for GO6/GO7 for controlling a relay from MyGeotab.  | Each  | \$46.67  | \$37.33  |
| GEOTAB | ACS-G-DJ        | IOX Add-On for GO6/GO7 for DICKEY-john   | Each  | \$133.33 | \$106.67 |
| GEOTAB | ACS-G-HID       | IOX Add-On for GO6/GO7 for HID Interface (school bus)  | Each  | \$133.33 | \$106.67 |
| GEOTAB | ACS-G-SATIRDV2  | IOX Add-On for GO6/GO7 for Iridium satellite support (includes Iridium modem and antenna)  | Each  | \$738.89 | \$591.11 |

‡ Contact factory for pricing.

# GPS – Geotab

| Part   | Part Number     | Description   | Units | MSRP     | Less 20% |
|--------|-----------------|---|-------|----------|----------|
| GEOTAB | ACS-G-COMS      | IOX Add-On for GO6/GO7 for Rexroth Compu-Spread controllers   | Each  | \$200.00 | \$160.00 |
| GEOTAB | ACS-G-RS232-F   | IOX Add-On for GO6/GO7 for RS232 support (female connector)   | Each  | \$64.44  | \$51.56  |
| GEOTAB | ACS-G-RS232-M   | IOX Add-On for GO6/GO7 for RS232 support (male connector)   | Each  | \$64.44  | \$51.56  |
| GEOTAB | ACS-G-USB       | IOX Add-On for GO6/GO7 that allows two-way data transfer and charging of external devices. Uses Female USB Type-A connector.  | Each  | \$64.44  | \$51.56  |
| GEOTAB | ACS-G-ALERT     | IOX Add-On for GO6/GO7 to support an alert message to MyGeotab.   | Each  | \$55.56  | \$44.44  |
| GEOTAB | WH-G-EE14S1     | Mercedes diagnostic connector. Used on older generation medium duty trucks and buses. Replaces HRN-EU14P.   | Each  | \$100.00 | \$80.00  |
| GEOTAB | HW-BRKT-NFC     | Mounting bracket and holder for IOX-NFCREADER. Includes 2 screws and double-sided tape for the bracket for installation purposes.   | Each  | \$5.56   | \$4.44   |
| GEOTAB | HW-BRKT-INSTALL | Mounting bracket and material for GO6/GO7. Includes 2 zip ties, 2 screws, and double-sided tape for the bracket for installation purposes.  | Each  | \$6.67   | \$5.33   |
| GEOTAB | KEY-G-NFC-STKR  | NFC Driver ID Sticker Tag with blue inner label. Used with IOX-NFC Driver ID Tag Reader. 40mm (~1.5") in diameter.  | Each  | \$5.56   | \$4.44   |
| GEOTAB | ACS-G-NFC-READ  | NFC Tag Reader with mounting bracket ONLY - used for Driver ID. NFC Tags sold separately.   | Each  | \$83.33  | \$66.67  |
| GEOTAB | WH-G-BS16S4     | OBDII extension cable pack for GO6 and GO7. Replaces HRN-INSTALLPACKV2.   | Each  | \$7.78   | \$6.22   |
| GEOTAB | WH-G-BS16S5     | OBDII extension harness for GO6 and GO7 - 1.5 meters in length  | Each  | \$8.89   | \$7.11   |
| GEOTAB | WH-G-ES12S1     | OBDII harness for GO6 and GO7. Connects to the FMS connector - primarily for EU heavy duty vehicles.  | Each  | \$26.67  | \$21.33  |
| GEOTAB | WH-G-BU16Y5     | OBDII harness for GO6 and GO7. Special vehicle connector to receive engine data from Mitsubishi Fuso (medium duty) vehicles.  | Each  | \$11.11  | \$8.89   |
| GEOTAB | WH-G-UP21Y2     | PSM module connection for Mercedes Sprinters for global markets. Requires HRN-CM24Y1.   | Each  | \$17.78  | \$14.22  |
| GEOTAB | WH-G-RX06S4     | Required to connect any IOX to the GO RUGGED  | Each  | \$22.22  | \$17.78  |
| GEOTAB | VTD-G7-3GTEFE   | Ruggedized telematics device for harsh conditions or external installation. Designed to IP67 standards. Ideal for heavy equipment, yellow iron, and powered assets and trailers. Region: Europe   | Each  | \$220.00 | \$176.00 |
| GEOTAB | VTD-G7-3GTEFA   | Ruggedized telematics device for harsh conditions or external installation. Designed to IP67 standards. Ideal for heavy equipment, yellow iron, and powered assets and trailers. Version for the Americas only.   | Each  | \$220.00 | \$176.00 |
| GEOTAB | HW-G-TIE-Z100   | Serialized cable tie, also known as a zip tie (pack of 100)   | Each  | \$64.44  | \$51.56  |
| GEOTAB | WH-G-DC09T2     | Special harness for CAT off-road vehicles. Verify vehicle does not use a standard 9-pin connector. GO4 requires an HRN-EZ harness. Replaces HRN-TCATHD.   | Each  | \$44.44  | \$35.56  |
| GEOTAB | ACS-G-TALK      | Text-to-Speech Speaker for Driver Feedback for the GO6/7 platform   | Each  | \$138.89 | \$111.11 |
| GEOTAB | WH-G-GS09K2     | Universal Heavy-Duty T-Harness Kit — Multi-connector kit includes a 9-pin T-harness and 74 different mounting adapters for use in most Heavy-Duty international vehicles. Eliminates the need to know vehicle information in advance. Replaces: ?HRN-DR09T2 and | Each  | \$44.44  | \$35.56  |

# GPS – Geotab

| Part   | Part Number  | Description   | Units | MSRP     | Less 20% |
|--------|--------------|---|-------|----------|----------|
| GEOTAB | WH-G-GS16K2  | Universal OBDII T-Harness Kit – Multi-connector kit includes a T-harness and twelve different mounting adapters for use in most light-duty and medium-duty international vehicles. Eliminates the need to know vehicle information in advance. Replaced: HRN-BE | Each  | \$44.44  | \$35.56  |
| GEOTAB | VTD-G7-3GBEL | Vehicle telematics on the Bell network. The GO7 device is suitable for Plug-&Play installation.   | Each  | \$108.89 | \$87.11  |

# Tank Level Management - Omntec

| Part Number                       | Description  | Units | MSRP       | Less 20%   |
|-----------------------------------|--|-------|------------|------------|
| <b>CONTROLLER PROTEUS SERIES</b>  |  |       |            |            |
| OEL8000IIIB4                      | PROTEUS-B controller with 7" color touch screen and (1) RS-232 port. Accepts up to 4 MTG Series magnetostrictive probes and 16 BX Series leak sensors.   | Each  | \$3,394.74 | \$2,715.79 |
| OEL8000IIIB8                      | PROTEUS-B controller with 7" color touch screen and (1) RS-232 port. Accepts up to 4 MTG Series magnetostrictive probes.   | Each  | \$3,303.16 | \$2,642.53 |
| OEL8000IIIK4                      | PROTEUS-K controller with 7" color touch screen, (1) RS-232 port, and Ethernet. Accepts up to 4 MTG Series magnetostrictive probes and 16 BX Series leak sensors.  | Each  | \$4,672.11 | \$3,737.68 |
| OEL8000IIIK4P                     | PROTEUS-K controller with 7" color touch screen, printer, (1) RS-232 port, and Ethernet. Accepts up to 4 MTG Series magnetostrictive probes and 16 BX Series leak sensors.   | Each  | \$5,818.42 | \$4,654.74 |
| OEL8000IIIK8                      | PROTEUS-K controller with 7" color touch screen, (1) RS-232 port, and Ethernet. Accepts up to 8 MTG Series magnetostrictive probes.  | Each  | \$4,972.11 | \$3,977.68 |
| OEL8000IIIX                       | PROTEUS-X controller with 7" color touch screen, (2) RS-232 ports, and Ethernet. Capable of accepting up to 16 MTG Series magnetostrictive probes and 64 BX Series leak sensors. (Comes standard with (1) XB-416 module accepting up to 4 MTG Series magnetostrictive probes and 16 BX Series leak sensors.)   | Each  | \$7,424.21 | \$5,939.37 |
| OEL8000IIIXP                      | PROTEUS-X controller with 7" color touch screen, printer, (2) RS-232 ports, and Ethernet. Capable of accepting up to 16 MTG Series magnetostrictive probes and 64 BX Series leak sensors. (Comes standard with (1) XB-416 module accepting up to 4 MTG Series magnetostrictive probes and 16 BX Series leak sensors.)                                | Each  | \$8,573.68 | \$6,858.95 |
| <b>PROTEUS-X INTERFACE BOARDS</b> |  |       |            |            |
| XB-416                            | 4 probe and 16 leak sensor module for PROTEUS-X controller.  | Each  | \$1,223.68 | \$978.95   |
| XB-RB8                            | 8 channel relay board for PROTEUS-X controller.  | Each  | \$1,125.79 | \$900.63   |
| XB-4IO                            | 4 channel relay board for PROTEUS-X controller.  | Each  | \$1,125.79 | \$900.63   |
| XB-400                            | 4 tank MTG probe interface board   | Each  | \$928.42   | \$742.74   |
| XB-800                            | 8 tank MTG probe interface board   | Each  | \$1,223.68 | \$978.95   |
| <b>MAGNETO STRICTIVE PROBES</b>   |  |       |            |            |
| *MTG-*                            | Magnetostrictive gauging probe with stainless steel shaft for most hydrocarbons and liquids. *Must specify tank diameter and content. Includes: MTG up to 10' (132" overall length), installation kit, product and water floats, splice kit, 4 inch NPT riser cap, and cable clamp assembly. Available in standard and custom lengths up to 24 feet. | Each  | \$2,693.68 | \$2,154.95 |
| *MTG-V-*                          | Magnetostrictive gauging probe up to 10' for inventory only. Includes same as above. Available in standard and custom lengths.   | Each  | \$2,265.79 | \$1,812.63 |
| *MTG-F-R1-*                       | Single temperature magnetostrictive gauging probe up to 96" overall length with flexible shaft for most hydrocarbons and chemicals. Overall lengths available up to 70'. Material of construction – Kynar®. Does NOT include floats or weight. Flex probes are also available with 5 temperature sensing points.                                     | Each  | \$3,213.16 | \$2,570.53 |
| *MTG-420-*                        | 4-20 milliamp magnetostrictive gauging probe up to 96". Consult factory for lengths above 96". Does not include float.   | Each  | \$3,148.42 | \$2,518.74 |
|                                   | *Signed dimension approval sheet is required to start production on any custom length items. Once signed dimension approval sheet is received by factory, order cannot be canceled on this item. Final pricing will be determined upon receipt of dimension approval sheet.  |       |            |            |

# Tank Level Management - Omntec

| Part Number                       | Description  | Units | MSRP        | Less 20%    |
|-----------------------------------|--|-------|-------------|-------------|
| <b>PROTEUS PK OEL8000III Kits</b> |  |       |             |             |
| PK1                               | "One Tank Kit to include:<br>(1) OEL8000IIIK4* PROTEUS Tank Gauging System<br>(1) PS-103 Printer<br>(1) MTG-V Inventory only 316 grade ss rigid gauging probe up to 132" overall length<br>(1) SSF-2 Stainless Steel Float Kit<br>(1) 2IN-CAP-AST 2" Cap Assembly Kit"   | Each  | \$8,237.37  | \$6,589.89  |
| PK2                               | "Two Tank Kit to include:<br>(1) OEL8000IIIK4* PROTEUS Tank Gauging System<br>(1) PS-103 Printer<br>(2) MTG-V Inventory only 316 grade ss rigid gauging probe up to 132" overall length<br>(2) SSF-2 Stainless Steel Float Kit<br>(2) 2IN-CAP-AST 2" Cap Assembly Kit"   | Each  | \$10,316.84 | \$8,253.47  |
| PK3                               | "Three Tank Kit to include:<br>(1) OEL8000IIIK4* PROTEUS Tank Gauging System<br>(1) PS-103 Printer<br>(3) MTG-V Inventory only 316 grade ss rigid gauging probe up to 132" overall length<br>(3) SSF-2 Stainless Steel Float Kit<br>(3) 2IN-CAP-AST 2" Cap Assembly Kit" | Each  | \$12,396.32 | \$9,917.05  |
| PK4                               | "Four Tank Kit to include:<br>(1) OEL8000IIIK4* PROTEUS Tank Gauging System<br>(1) PS-103 Printer<br>(4) MTG-V Inventory only 316 grade ss rigid gauging probe up to 132" overall length<br>(4) SSF-2 Stainless Steel Float Kit<br>(4) 2IN-CAP-AST 2" Cap Assembly Kit"  | Each  | \$14,477.37 | \$11,581.89 |
| PK1NP                             | "One Tank Kit to include:<br>(1) OEL8000IIIK4* PROTEUS Tank Gauging System<br>(1) MTG-V Inventory only 316 grade ss rigid gauging probe up to 132" overall length<br>(1) SSF-2 Stainless Steel Float Kit<br>(1) 2IN-CAP-AST 2" Cap Assembly Kit"                         | Each  | \$7,196.84  | \$5,757.47  |
| PK2NP                             | "Two Tank Kit to include:<br>(1) OEL8000IIIK4* PROTEUS Tank Gauging System<br>(2) MTG-V Inventory only 316 grade ss rigid gauging probe up to 132" overall length<br>(2) SSF-2 Stainless Steel Float Kit<br>(2) 2IN-CAP-AST 2" Cap Assembly Kit"                         | Each  | \$9,276.32  | \$7,421.05  |
| PK3NP                             | "Three Tank Kit to include:<br>(1) OEL8000IIIK4* PROTEUS Tank Gauging System<br>(3) MTG-V Inventory only 316 grade ss rigid gauging probe up to 132" overall length<br>(3) SSF-2 Stainless Steel Float Kit<br>(3) 2IN-CAP-AST 2" Cap Assembly Kit"                       | Each  | \$12,050.53 | \$9,640.42  |

# Tank Level Management - Omntec

| Part Number  | Description   | Units | MSRP        | Less 20%    |
|--|---|-------|-------------|-------------|
| PK4NP  | "Four Tank Kit to include:<br>(1) OEL8000IIIK4* PROTEUS Tank Gauging System<br>(4) MTG-V Inventory only 316 grade ss rigid gauging probe up to 132" overall length<br>(4) SSF-2 Stainless Steel Float Kit<br>(4) 2IN-CAP-AST 2" Cap Assembly Kit" | Each  | \$14,131.58 | \$11,305.26 |
| PKPF   | PROTEUS PK OEL8000III Kit preprogramming fee<br><br>*Important: PROTEUS PK Tank Gauging Kits do not come pre-programmed.  | Each  | \$348.95    | \$279.16    |
| <b>INTERSTITIAL SPACE, CONTAINMENT SUMP, &amp; DISPENSER PAN SENSORS</b> |   |       |             |             |
| "BX-PDWF-4<br>BX-PDWF-6<br>BX-PDWF-8<br>BX-PDWF-10"                      | Product distinguishing sensor for monitoring the dry interstice of double-wall fiberglass tanks. Please select the appropriate part number based on the tanks diameter in feet and specify tank manufacturer.                                     | Each  | \$671.05    | \$536.84    |
| "BX-LWF-4<br>BX-LWF-6<br>BX-LWF-8<br>BX-LWF-10"                          | Non product distinguishing sensor for monitoring the dry interstice of double-wall fiberglass tanks. Please select the appropriate part number based on the tanks diameter in feet and specify tank manufacturer.                                 | Each  | \$459.47    | \$367.58    |
| BX-PDWS  | Product distinguishing sensor for monitoring the dry interstice of double-wall steel tanks. Comes with 25' of cable.  | Each  | \$574.74    | \$459.79    |
| BX-LWS   | Non product distinguishing sensor for monitoring the dry interstice of double-wall steel tanks. Comes with 25' of cable.  | Each  | \$500.53    | \$400.42    |
| BX-LWS-PVC   | Non product distinguishing sensor constructed of PVC for monitoring the dry interstice of double-wall steel tanks. Comes with 25' of cable.   | Each  | \$707.37    | \$565.89    |
| BX-LWS-SS  | Non product distinguishing sensor constructed of stainless steel for monitoring the dry interstice of double-wall steel tanks. Comes with 25' of cable.   | Each  | \$757.89    | \$606.32    |
| BX-LWS-.895  | Non product distinguishing sensor, 0.895" in diameter, for monitoring the dry interstice of double-wall steel tanks. Comes with 25' of cable  | Each  | \$1,026.32  | \$821.05    |
| BX-RES   | Non product distinguishing sensor for monitoring level changes in the reservoir of brine-filled, double-wall fiberglass tanks.  | Each  | \$671.05    | \$536.84    |
| BX-LS  | Non product distinguishing sensor for monitoring containment sumps, dispenser pans, interstice of steel tanks and other containment areas. Comes with 12' of cable.   | Each  | \$445.26    | \$356.21    |
| BX-LS-PVC  | Non product distinguishing sensor constructed of PVC for monitoring containment sumps, dispenser pans, interstice of steel tanks and other containment areas. Comes with 12' of cable.  | Each  | \$707.37    | \$565.89    |
| BX-LS-SS   | Non product distinguishing sensor constructed of stainless steel for monitoring containment sumps, dispenser pans, interstice of steel tanks and other containment areas. Comes with 12' of cable.  | Each  | \$707.37    | \$565.89    |
| BX-LS-1.25   | Non product distinguishing sensor, 1.25" in diameter, for monitoring containment sumps, dispenser pans, interstice of steel tanks and other containment areas. Comes with 12' of cable.   | Each  | \$780.00    | \$624.00    |
| BX-LS-.895   | Non product distinguishing sensor, 0.895" in diameter, for monitoring containment sumps, dispenser pans, interstice of steel tanks and other containment areas. Comes with 12' of cable.  | Each  | \$811.58    | \$649.26    |
| BX-LS-FL   | Non product distinguishing sensor for floor containment area. Comes with 12' of cable.  | Each  | \$707.37    | \$565.89    |

# Tank Level Management - Omntec

| Part Number                                | Description   | Units | MSRP       | Less 20%   |
|--|---|-------|------------|------------|
| BX-PDS                                     | Product distinguishing sensor for monitoring containment sumps, dispenser pans, interstice of steel tanks and other containment areas. Comes with 12' of cable.   | Each  | \$543.16   | \$434.53   |
| BX-PDS-.895                                | Product distinguishing sensor, 0.895" in diameter, for monitoring containment sumps, dispenser pans, interstice of steel tanks and other containment areas. Comes with 12' of cable.  | Each  | \$972.63   | \$778.11   |
| BX-PDS-FL                                  | Product distinguishing sensor for floor containment area. Comes with 12' of cable.  | Each  | \$757.89   | \$606.32   |
|  | Sensors for nonstandard monitoring ports & chemical applications requiring different materials of construction also available.  |       |            |            |
| <b>SINGLE POINT BX SERIES OPTIC SENSOR</b> |   |       |            |            |
| BX-L12                                     | 12 inch hi level optic sensor   | Each  | \$383.68   | \$306.95   |
| BX-L20                                     | 20 inch hi level optic sensor   | Each  | \$489.47   | \$391.58   |
| *BX-LV                                     | Customer specified length hi level optic sensor up to 96"   | Each  | \$757.89   | \$606.32   |
| <b>SINGLE POINT BX SERIES FLOAT SENSOR</b> |   |       |            |            |
| BX-LF-1-12                                 | 12" hi level float sensor with brass stem and Buna N floats. Includes (1) BX-UT.  | Each  | \$648.95   | \$519.16   |
| *BX-LF-1-D                                 | Customer specified length hi level float sensor, with brass stem and Buna N floats up to 72". Includes (1) BX-UT.   | Each  | \$1,676.84 | \$1,341.47 |
| BX-LF-1-SS-12                              | 12" hi level float sensor with stainless steel stem and floats. Includes (1) BX-UT.   | Each  | \$865.26   | \$692.21   |
| BX-LF-1-SS-20                              | 20" hi level float sensor with stainless steel stem and floats. Includes (1) BX-UT.   | Each  | \$865.26   | \$692.21   |
| *BX-LF-1-SS-D                              | Customer specified length, hi level float sensor, with SS stem and floats up to 72". Includes (1) BX-UT.  | Each  | \$2,071.58 | \$1,657.26 |
| <b>MISCELLANEOUS SENSORS</b>               |   |       |            |            |
| BX-VS                                      | Sensor for monitoring hydrocarbon vapors.   | Each  | \$811.58   | \$649.26   |
| BX-TC1                                     | Temperature Sensor ie: refrigeration, room temperature, compressors   | Each  | \$543.16   | \$434.53   |
| BX-PDWL                                    | Monitoring Well Sensor up to 25'. If well is wet must order additional BX-UT for low water alarm.   | Each  | \$1,713.16 | \$1,370.53 |
|  | *Signed dimension approval sheet is required to start production on any custom length items. Once signed dimension approval sheet is received by factory, order cannot be canceled on this item. Final pricing will be determined upon receipt of dimension approval sheet. |       |            |            |
| <b>OIL WATER SEPARATOR SENSORS</b>         |   |       |            |            |
| *BX-OWI-1                                  | Single point oil/water interface sensor for high oil level used in oil/water separators. Includes (1) BX-UT. Available in standard and custom lengths.  | Each  | \$983.68   | \$786.95   |
| *BX-OWI-2                                  | Two point oil/water interface sensor for high and caution oil level used in oil/water separators. Includes (2) BX-UT. Available in standard and custom lengths.   | Each  | \$1,214.21 | \$971.37   |
|  | Cable-PVC Jacketed, UL-listed, #22AWG with shield and drain   |       |            |            |
| EC-2                                       | 500' spool of 2 conductor cable for use with MTG-probe  | Each  | \$364.74   | \$291.79   |
| EC-4                                       | 1000' spool of 4 conductor cable for use with sensors   | Each  | \$844.74   | \$675.79   |
| EC-6                                       | 1000' spool of 6 conductor cable  | Each  | \$1,294.74 | \$1,035.79 |
|  | *Signed dimension approval sheet is required to start production on any custom length items. Once signed dimension approval sheet is received by factory, order cannot be canceled on this item. Final pricing will be determined upon receipt of dimension approval sheet. |       |            |            |

# Tank Level Management - Omntec

| Part Number   | Description  | Units | MSRP       | Less 20%   |
|---|--|-------|------------|------------|
| <b>OEL8000II COMMUNICATION OPTIONS</b><br>(PROTEUS UPGRADE RECOMMENDED) |  |       |            |            |
| IB-RB-2   | Interface board-relay card with (4) 5amp SPDT relays - 6 card max per system ‡   | Each  |            |            |
| IB-RAS  | Interface board required for the RAS hi level audio/visual remote annunciator. Accepts multiple remotes. ‡   | Each  |            |            |
| IB-12V  | Interface board - 12 VDC Low voltage output board for remote annunciators triggered by all alarms. ‡   | Each  |            |            |
| IB-C420-4   | 4-20mA output board for up to 4 tanks ‡  | Each  |            |            |
| IB-NET-3  | Interface board - Ethernet/network communication ‡   | Each  |            |            |
| MODBUS  | MODBUS RTU upgrade ‡   | Each  |            |            |
| MDR-2   | Fax/Modem - 14,400 baud ‡  | Each  |            |            |
| OMN-PC  | Windows 2000/NT/XP/ME compatible tank monitoring communication software ‡  | Each  |            |            |
| <b>PROTEUS® SERIES COMMUNICATION OPTIONS</b>                            |  |       |            |            |
| MODBUS  | MODBUS RTU upgrade   | Each  | \$1,294.74 | \$1,035.79 |
| X232-420-2  | (2) channel external RS-232 to 4-20 ma converter with (4) SPST 1 amp relay outputs housed in steel enclosure for PROTEUSâ Series controllers   | Each  | \$1,470.00 | \$1,176.00 |
| X232-420-6  | (6) channel external rs-232 to 4-20 ma converter with (4) SPST 1 amp relay outputs housed in steel enclosure for PROTEUSâ Series controllers   | Each  | \$2,144.21 | \$1,715.37 |
| X232-420-10-SRC   | (10) channel external rs-232 to 4-20 ma converter with (4) SPST 1 amp relay outputs housed in steel enclosure for PROTEUSâ Series controllers.   | Each  | \$2,722.11 | \$2,177.68 |
| MDR-3   | Modem - 14,400 baud for OEL8000III controller  | Each  | \$780.00   | \$624.00   |
| C232-BAC  | External RS-232 to BACnet/IP converter   | Each  | \$3,270.00 | \$2,616.00 |
| OMN-PC  | Windows 2000/NT/XP/ME compatible tank monitoring communication software  | Each  | \$1,080.00 | \$864.00   |
| XB-RB8  | 8 channel relay board for PROTEUS-X controller.  | Each  | \$1,125.79 | \$900.63   |
| WCDM-*  | Wireless cellular data modem. -* denotes type of cellular service. Cellular activation and service not included.   | Each  | \$1,751.05 | \$1,400.84 |
| DB-485  | RS-485 board for PROTEUS-K system  | Each  | \$393.16   | \$314.53   |
| XC-R8   | External relay box for use with OEL8000IIIK controllers.   | Each  | \$1,255.26 | \$1,004.21 |
| AD-8-1  | Voice auto dialer for up to (2) alarm conditions and (4) phone numbers per alarm.  | Each  | \$792.63   | \$634.11   |
| <b>REMOTE OVERFILL ANNUNCIATORS</b>                                     |  |       |            |            |
| RAS-1   | Low voltage high level remote audio/visual annunciator with acknowledge switch/test switch (test feature available when used with OEL8000II firmware version 5.55 or greater). For use with OEL8000II, K-OEL8000II Kits, and OEL8000IIIK & X controllers. Part # denotes the number of tanks. Note: IB-RAS is required when using RAS-series remotes.                          | Each  | \$446.84   | \$357.47   |
| RAS-2   |  | Each  | \$502.11   | \$401.68   |
| RAS-3   |  | Each  | \$558.95   | \$447.16   |
| RAS-4   |  | Each  | \$656.84   | \$525.47   |
| RAS-1-NYS   | Low voltage high level remote audio/visual annunciator with acknowledge switch/ test switch (test feature available when used with OEL8000II firmware version 5.55 or greater). For use with OEL8000II, K-OEL8000II Kits, and OEL8000IIIK & X controllers. NYS model has high intensity strobe and high-decibel horn. Note: IB-RAS is required when using RAS- series remotes. | Each  | \$648.95   | \$519.16   |
| OFAS-AL   | 18" x 24" Yellow aluminum fill alarm sign with black 2" print  | Each  | \$491.05   | \$392.84   |
| ‡ Contact factory for pricing.  |  |       |            |            |



# Tank Level Management - Omntec

| Part Number                      | Description  | Units  | MSRP        | Less 20%    |
|----------------------------------|--|--|-------------|-------------|
| DDL-1                            |  | Each   | \$2,081.05  | \$1,664.84  |
| DDL-2                            | Delivery Defender Lite universal remote overflow alarm for up to four tanks with lights for hi level, system normal, delivery in progress, acknowledge/test switch, and audio/visual horn.   | Each   | \$2,169.47  | \$1,735.58  |
| DDL-3                            |  | Each   | \$2,254.74  | \$1,803.79  |
| DDL-4                            |  | Each   | \$2,343.16  | \$1,874.53  |
| <b>REMOTE DISPLAYS</b>           |  |  |             |             |
| RD625-1                          |  | Each   | \$2,049.47  | \$1,639.58  |
| RD625-2                          | Remote LED display for level indication. NEMA 4X enclosure. Number of tanks is denoted in the part number.   | Each   | \$3,767.37  | \$3,013.89  |
| RD625-3                          |  | Each   | \$6,134.21  | \$4,907.37  |
| RD625-4                          |  | Each   | \$8,174.21  | \$6,539.37  |
| RD7CTS                           |  | PROTEUS Mini-Me universal remote ATG monitor with 7" color touch screen display for audio/visual alarms and current inventory. | Each        | \$1,858.42  |
| RD7CTS-P                         | PROTEUS Mini-Me universal remote ATG monitor with printer and 7" color touch screen display for audio/visual alarms and current inventory  | Each   | \$3,596.84  | \$2,877.47  |
| RD7CTS-485                       | PROTEUS Mini-Me RS-485 version remote ATG monitor with 7" color touchscreen display for audio/visual alarms and current inventory for distances up to 3000 feet (for use with PROTEUS-K or PROTEUS-X controllers only)                             | Each   | \$3,074.21  | \$2,459.37  |
| <b>MINI-ME ACCESSORIES</b>       |  |  |             |             |
| RD-PCK                           | Power cord kit for use with PROTEUS remote displays  | Each   | \$164.21    | \$131.37    |
| RD-232C-75                       | 75 feet RS232 cable for use with RD7CTS remote display   | Each   | \$159.47    | \$127.58    |
| C232-422-RD7CTS                  | RS-232-422 Booster Kit to increase distance of RS-232 output 3,000 feet for use with RD7CTS remote display (Includes 2 converters and 2 power transformers)  | Each   | \$1,613.68  | \$1,290.95  |
| WRS-232                          | Wireless RS-232 link includes both tank gauge and remote transceivers  | Each   | \$1,746.32  | \$1,397.05  |
| WRS-232R                         | Wireless RS-232 repeater for extending WRS-232 wireless reach  | Each   | \$1,335.79  | \$1,068.63  |
| ENC-4X-RD7                       | Nema 4X enclosure for RD7CTS (requires HTR-1 heater and TEM-CS thermostat if being mounted outdoors)   | Each   | \$1,108.42  | \$886.74    |
| <b>PORTABLE SUMP TESTER KITS</b> |  |  |             |             |
| CLD3*                            | Sump containment leak detection kit including portable suitcase, OEL8000II with printer, quick connect box, MTG probes with one 2" SS float per probe. *(ending digit on part number denotes number of probes, ie. CLD3 comes with (3) MTG probes) | Each   | \$19,515.79 | \$15,612.63 |
| CLD4*                            |  | Each   | \$21,407.37 | \$17,125.89 |
| CLD6*                            |  | Each   | \$27,407.37 | \$21,925.89 |
| CLD8*                            |  | Each   | \$32,273.68 | \$25,818.95 |
| <b>ACCESSORIES</b>               |  |  |             |             |
| 2IN-CAP                          | 2" Cap for MTG probes and sensors  | Each   | \$85.26     | \$68.21     |
| 4IN-CAP                          | 4" Cap for MTG probes and sensors  | Each   | \$104.21    | \$83.37     |
| BNF-1-4                          | Single Buna N product float, 3.85" diameter  | Each   | \$156.32    | \$125.05    |
| BNF-2-OWS                        | 2" Buna N float set for MTG probes in OWS tanks  | Each   | \$328.42    | \$262.74    |
| BNF-4                            | Dual Buna N product/water floats 3.85" diameter  | Each   | \$303.16    | \$242.53    |
| BNF-4-OWS                        | 4" Buna N float set for MTG probes in OWS tanks  | Each   | \$348.95    | \$279.16    |
| BX-UT                            | Universal translator for dry contact inputs from non-BX sensors  | Each   | \$326.84    | \$261.47    |

# Tank Level Management - Omntec

| Part Number   | Description   | Units | MSRP       | Less 20%   |
|---|---|-------|------------|------------|
| C232-422  | RS-232 booster kit to increase distance of RS-232 output  | Each  | \$1,080.00 | \$864.00   |
| CITLD CODE  | Continuous In Tank Leak Detection software for OEL8000II and K-OEL8000II  | Each  | \$1,869.47 | \$1,495.58 |
| CITLD CODE-P  | Continuous In Tank Leak Detection software for PROTEUS Series   | Each  | \$1,869.47 | \$1,495.58 |
| DPU-6PK   | Six pack of thermal printer paper   | Each  | \$82.11    | \$65.68    |
| DPU-50  | Case of thermal printer paper - 50 rolls  | Each  | \$328.42   | \$262.74   |
| ENC-4X  | NEMA 4X enclosure for OEL8000II, OEL8000IIIK, and OEL8000IIIX (may require HTR-1 heater and TEM-CS thermostat if mounting controller outdoors)  | Each  | \$1,080.00 | \$864.00   |
| FLT-H-2   | 2" Hastelloy float for chemical applications  | Each  | \$2,100.00 | \$1,680.00 |
| HTR-1   | Heater for OEL8000II & OEL8000II NEMA 4X enclosure  | Each  | \$648.95   | \$519.16   |
| MAGSHIELD   | MTG magnetic shield for magnetized riser applications   | Each  | \$434.21   | \$347.37   |
| PS-103  | 32 character thermal printer for PROTEUS-K  | Each  | \$1,152.63 | \$922.11   |
| SFS   | Stainless steel float spacer (for dual float probes with overall length greater than 288")  | Each  | \$71.05    | \$56.84    |
| SK-4  | Silicone splice kit for sensors and MTG probes  | Each  | \$50.53    | \$40.42    |
| SL-34   | Stainless steel swage lock (probe head isolation for chemical and #6 oil applications)  | Each  | \$167.37   | \$133.89   |
| SP-2  | 120 VAC surge protector   | Each  | \$521.05   | \$416.84   |
| SSF-1-2   | Single 316 stainless steel product float, 1.83" diameter  | Each  | \$225.79   | \$180.63   |
| SSF-1-2-VB  | 2" stainless steel product float for low product detection applications   | Each  | \$356.84   | \$285.47   |
| SSF-1-2W-VB   | 2" stainless steel water float for low water detection applications   | Each  | \$356.84   | \$285.47   |
| SSF-1-4   | Single 316 stainless steel product float, 3.85" diameter  | Each  | \$410.53   | \$328.42   |
| SSF-2   | Dual 316 stainless steel product/water float, 1.83" diameter  | Each  | \$446.84   | \$357.47   |
| SSF-4   | Dual 316 stainless steel product float, 3.85" diameter  | Each  | \$738.95   | \$591.16   |
| TEM-CS  | Thermostat for the OEL8000II & OEL8000II NEMA 4X enclosure  | Each  | \$326.84   | \$261.47   |
| VC-1  | 4" vented cap for brine filled reservoirs   | Each  | \$219.47   | \$175.58   |
| <b>LU SERIES CONTROLLERS (NON PRODUCT DISTINGUISHING)</b> |   |       |            |            |
| LU1   | Single channel liquid sensing audio/visual controller capable of accepting up to one single point optic sensor. Low voltage outputs standard for optional RA-Series remote audio/visual annunciator(s). One normally open relay. Test push button and Acknowledge push button switches are standard. Type 4X enclosure is standard.   | Each  | \$1,089.47 | \$871.58   |
| LU2   | Two channel liquid sensing audio/visual controller capable of accepting up to two single point optic sensors. Low voltage outputs standard for optional RA-Series remote audio/visual annunciator(s). Two normally open relays. Test push button and Acknowledge push button switches are standard. Type 4X enclosure standard.       | Each  | \$1,323.16 | \$1,058.53 |
| LU3   | Three channel liquid sensing audio/visual controller capable of accepting up to three single point optic sensors. Low voltage outputs standard for optional RA-Series remote audio/visual annunciator(s). Three normally open relays. Test push button and Acknowledge push button switches are standard. Type 4X enclosure standard. | Each  | \$1,885.26 | \$1,508.21 |

## Tank Level Management - Omntec

| Part Number   | Description  | Units | MSRP       | Less 20%   |
|---|--|-------|------------|------------|
| LU4   | Four channel liquid sensing audio/visual controller capable of accepting up to four single point optic sensors. Low voltage outputs standard for optional RA-Series remote audio/visual annunciator(s). Two normally open relays. Test push button and acknowledge push button switches are standard type. Type 4X enclosure standard.                                     | Each  | \$2,107.89 | \$1,686.32 |
| LU6   | Six channel liquid sensing audio/visual controller capable of accepting up to six single point optic sensors. Low voltage outputs standard for optional RA-Series remote audio/visual annunciator(s). One normally open relay. Test push button and Acknowledge push button switches are standard . Type 4x enclosure standard.  | Each  | \$2,491.58 | \$1,993.26 |
| LU9   | Nine channel liquid sensing audio/visual controller capable of accepting up to nine single point optic sensors. Low voltage outputs standard for optional RA-Series remote audio/visual annunciator(s). Test push button and Acknowledge push button switches are standard. Type 4X enclosure standard.  | Each  | \$2,987.37 | \$2,389.89 |
| <b>NON PRODUCT DISTINGUISHING SENSORS FOR LU SERIES CONTROLLERS</b> |  |       |            |            |
| LS-ASC  | Sensor for monitoring containment sumps, dispenser pans, the interstice of double wall steel tanks, and other containment areas.   | Each  | \$415.26   | \$332.21   |
| LWF-*   | Sensor for monitoring the interstice of double wall fiberglass tanks. *Please select the appropriate part number based on the tanks diameter in feet and specify tank manufacturer.  | Each  | \$446.84   | \$357.47   |
| LWS   | Sensor for monitoring the interstice of double wall steel tanks. Comes with 25' of cable.  | Each  | \$513.16   | \$410.53   |
| <b>LPD SERIES CONTROLLERS (PRODUCT DISTINGUISHING)</b>              |  |       |            |            |
| L1PD2   | Three channel product distinguishing audio/visual controller capable of accepting any combination of up to three L-Series or three PD-Series sensors. Low voltage outputs standard for RA-Series remote audio/visual annunciation. Comes standard with three normally open relays. Test push button and Acknowledge push button switches, type 4X enclosure standard.      | Each  | \$3,320.53 | \$2,656.42 |
| L2PD4   | Six channel product distinguishing audio/visual controller capable of accepting any combination of up to six L-Series or six PD-series sensors. Low voltage outputs standard for RA-Series remote audio/visual annunciation. Comes standard with two normally open relays. Test push button and Acknowledge push button switches, type 4X enclosure standard.              | Each  | \$3,653.68 | \$2,922.95 |
| L3PD6   | Nine channel product distinguishing audio/visual controller capable of accepting any combination of up to nine L-Series sensors or nine PD series sensors. Low voltage outputs standard for RA-Series remote audio/visual annunciation. Comes standard with three normally open relays. Test push button and Acknowledge push button switches, type 4X enclosure standard. | Each  | \$4,040.53 | \$3,232.42 |
| <b>PRODUCT DISTINGUISHING SENSORS FOR LPD SERIES CONTROLLERS</b>    |  |       |            |            |
| PDWF-*  | Product distinguishing sensor for monitoring the interstice of double wall fiberglass tanks. *Please select the appropriate part number based on the tanks diameter in feet and specify tank manufacturer.   | Each  | \$590.53   | \$472.42   |
| PDWS  | Product distinguishing sensor for monitoring the interstice of double wall steel tanks. Comes with 25' of cable.   | Each  | \$590.53   | \$472.42   |
| PDS   | Product distinguishing sensor for monitoring containment sumps, dispenser pans, the interstice of double wall steel tanks, and other containment areas.  | Each  | \$502.11   | \$401.68   |
| L-R-1   | Sensor for brine filled reservoir of double wall fiberglass tank.  | Each  | \$721.58   | \$577.26   |

# Tank Level Management - Omntec

| Part Number  | Description  | Units | MSRP       | Less 20%   |
|--|--|-------|------------|------------|
| <b>LEVEL SENSORS FOR LPD AND LU SERIES CONTROLLERS</b> |  |       |            |            |
|  | Hi level optic sensors. Mounts via 2" NPT at top of tank. Consult factory for custom length sensors greater than 72". Standard sensor examples:  |       |            |            |
| L-1-S  | L-1-S (12 inch sensor)   | Each  | \$393.16   | \$314.53   |
| L-1-L  | L-1-L (20 inch sensor)   | Each  | \$502.11   | \$401.68   |
| **L-1-D  | L-1-D (Variable length sensor, "D" must be specified by user, up to 72")   | Each  | \$778.42   | \$622.74   |
| **L-2-S up to & incl. 36"                              | Two point liquid level sensor. Mounts via 2" NPT at top of tank. For use in High/ Caution level applications when used with LU-series controller. "A" denotes high level dimension and "B" denotes caution level dimension. Also for use in High/ Low level applications when used with LU-SP controllers. Dimensions must be specified by user. | Each  | \$836.84   | \$669.47   |
| **L-2-L above 36" up to 72"                            |  | Each  | \$888.95   | \$711.16   |
| **L-3-L  | L-3-L Three point optic sensor up to 72"   | Each  | \$1,108.42 | \$886.74   |
| **L-4-L  | L-4-L Four point optic level sensor.   | Each  | \$1,507.89 | \$1,206.32 |
| <b>BATTERY BACKUP CONTROLLERS</b>                      |  |       |            |            |
| LU1-SP7  | Single channel controller to accept up to (1) non distinguishing optic sensor.   | Each  | \$1,500.00 | \$1,200.00 |
| LU2-SP7  | Two channel controller to accept up to (2) non distinguishing optic sensors.   | Each  | \$1,830.00 | \$1,464.00 |
| LU3-SP7  | Three channel controller to accept up to (3) non distinguishing optic sensors.   | Each  | \$2,403.16 | \$1,922.53 |
| LU4-SP7  | Four channel controller to accept up to (4) non distinguishing optic sensors.  | Each  | \$2,910.00 | \$2,328.00 |
| BB12.OAH   | Battery back-up enclosure used with SP7 controllers.<br><br>***LU-SP7 series controllers utilize same sensors as standard LU series controllers***   | Each  | \$655.26   | \$524.21   |
| SLR-PS (solar panel)                                   | Solar powered battery backed controllers are also available for applications where supply voltage is not present.  | Each  | \$1,048.42 | \$838.74   |
| SLR-BCC  | Battery charge controller for solar panel to prevent overcharging of battery   | Each  | \$888.95   | \$711.16   |
| <b>LU-OW CONTROLLERS</b>                               |  |       |            |            |
| LU1-OW   | Single channel high oil level audio/visual controller capable of accepting one single point OWI-1 sensor. Low voltage outputs standard for optional RA-Series remote audio/visual annunciator(s). One normally open relay, test push button, acknowledge push button and type 4X enclosure standard.   | Each  | \$1,100.53 | \$880.42   |
| LU2-OW   | Two channel high level audio/visual controller capable of accepting up to two single point OWI-1 sensors or one OWI-2 sensor. Low voltage outputs standard for optional RA-Series remote audio/visual annunciator(s). Two normally open relays, test push button, acknowledge push button and type 4X enclosure standard.                        | Each  | \$1,331.05 | \$1,064.84 |
| LU2-OWP  | Two channel (high oil level with pump out capability) audio/visual controller capable of accepting one OWP-2 sensor. Low voltage outputs standard for optional RA-Series remote audio/visual annunciator(s). Two normally open relays, test push button, acknowledge push button and type 4X enclosure standard.                                 | Each  | \$1,552.11 | \$1,241.68 |
| LU2-OWIR   | Two channel (combination leak sensing/high oil level) audio/visual controller capable of accepting one OWI-1 sensor and one leak sensor. Low voltage outputs standard for RA-Series remote audio/visual annunciator(s). Three normally open relays, test push button, acknowledge push button and type 4X enclosure standard.                    | Each  | \$1,940.53 | \$1,552.42 |

# Tank Level Management - Omntec

| Part Number                          | Description  | Units | MSRP       | Less 20%   |
|--------------------------------------|--|-------|------------|------------|
| LU3-OWIR                             | Three channel (combination leak sensing/high oil level) audio/visual controller capable of accepting one OWI-2 sensor and one leak sensor. Low voltage outputs standard for optional RA-Series remote audio/visual annunciator(s). Three normally open relays, test push button, acknowledge push button and type 4X enclosure standard. | Each  | \$2,161.58 | \$1,729.26 |
| LU3-OWPR                             | Three channel (combination leak sensing/high oil level) audio/visual controller capable of accepting one OWP-2 sensor and one leak sensor. Low voltage outputs standard for optional RA-Series remote audio/visual annunciator(s). Three normally open relays, test push button, acknowledge push button and type 4X enclosure standard. | Each  | \$2,215.26 | \$1,772.21 |
| <b>LU-OW SENSORS</b>                 |  |       |            |            |
| **OWI-1                              | Single point oil/water interface sensor for hi oil level used in oil/water separators. Available in standard and custom lengths.   | Each  | \$656.84   | \$525.47   |
| **OWI-2                              | Two point oil/water interface sensor for hi and caution oil level used in oil/water separators. Available in standard and custom lengths.  | Each  | \$836.84   | \$669.47   |
| **OWP-2                              | Two point sensor with one oil/water interface float and one liquid level float for hi oil and low liquid level used in oil/water separators. Can be used in pump out applications. Available in standard and custom lengths.   | Each  | \$836.84   | \$669.47   |
| <b>REMOTE ANNUNCIATORS</b>           |  |       |            |            |
| RA-1                                 |  | Each  | \$315.79   | \$252.63   |
| RA-2                                 | Low voltage remote high level audio/visual annunciator in NEMA 4X enclosure.   | Each  | \$347.37   | \$277.89   |
| RA-3                                 | Dash number denotes number of tanks. (RA-1 means one tank, one light, etc.)  | Each  | \$382.11   | \$305.68   |
| RA-4                                 |  | Each  | \$415.26   | \$332.21   |
| RA-1-NYS                             | Low voltage remote high level audio/visual annunciator. NYS model has high-intensity strobe and high decibel horn.   | Each  | \$612.63   | \$490.11   |
| OFAS-AL                              | 18" x 24" yellow aluminum fill alarm sign with black 2" print  | Each  | \$491.05   | \$392.84   |
| <b>UNIVERSAL REMOTE ANNUNCIATORS</b> |  |       |            |            |
| RA-LU1                               | Single channel audio visual remote annunciator in NEMA 4X enclosure with one red LED light, acknowledgement switch, test switch, and system detect light. Powered by 120VAC and triggered via normally open dry contact. (can be used with non-OMNTEC controllers)   | Each  | \$1,089.47 | \$871.58   |
| RA-LU2                               | Two channel audio visual remote annunciator in NEMA 4X enclosure with (2) red LED lights, acknowledgement switch, test switch, and system detect light. Powered by 120VAC and triggered via normally open dry contact. (can be used with non-OMNTEC controllers)   | Each  | \$1,323.16 | \$1,058.53 |
| RA-LU3                               | Three channel audio visual remote annunciator in NEMA 4X enclosure with (3) red LED lights, acknowledgement switch, test switch, and system detect light. Powered by 120VAC and triggered via normally open dry contact. (can be used with non-OMNTEC controllers)   | Each  | \$1,885.26 | \$1,508.21 |
| RA-LU4                               | Four channel audio visual remote annunciator in NEMA 4X enclosure with (4) red LED lights, acknowledgement switch, test switch, and system detect light. Powered by 120VAC and triggered via normally open dry contact. (can be used with non-OMNTEC controllers)  | Each  | \$2,107.89 | \$1,686.32 |

# Tank Level Management - Omntec

| Part Number  | Description  | Units | MSRP       | Less 20%   |
|--|--|-------|------------|------------|
| <b>LU-LF CONTROLLERS</b>   |  |       |            |            |
| LU1-LF   | Controller in NEMA 4X enclosure with system detect light, horn and acknowledge switch compatible with LF series normally closed high level float sensors. Number denotes amount of lights (ie. LU1-LF comes with one light, LU2-LF comes with two lights, etc.)  | Each  | \$1,057.89 | \$846.32   |
| LU2-LF   |  | Each  | \$1,278.95 | \$1,023.16 |
| LU3-LF   |  | Each  | \$1,864.74 | \$1,491.79 |
| LU4-LF   |  | Each  | \$2,077.89 | \$1,662.32 |
| <b>61LU1 CONTROLLERS</b>   |  |       |            |            |
| 61LU1  | Single channel audio/visual conductivity controller capable of accepting one conductivity sensor input. Type 4X enclosure standard.  | Each  | \$1,100.53 | \$880.42   |
| 61LU2  | Two channel audio/visual conductivity controller capable of accepting two conductivity sensor inputs. Type 4X enclosure standard.  | Each  | \$1,331.05 | \$1,064.84 |
| 61LU3  | Three channel audio/visual conductivity controller capable of accepting three conductivity sensor inputs. Type 4X enclosure standard.  | Each  | \$1,940.53 | \$1,552.42 |
| 61LU4  | Four channel audio/visual conductivity controller capable of accepting four conductivity sensor inputs. Type 4X enclosure standard.  | Each  | \$2,161.58 | \$1,729.26 |
| <b>61 SERIES CONDUCTIVITY SENSORS (FOR CONDUCTIVE LIQUIDS SUCH AS LEACHATE AND CAUSTIC SODA)</b> |  |       |            |            |
| **61O-SS   | Single point stainless steel conductivity high level sensor. 12" and 20" standard lengths. Custom lengths also available.  | Each  | \$746.84   | \$597.47   |
| **61OL   | Two point stainless steel conductivity high/caution level sensor. Alarm points to be specified by user.  | Each  | \$1,119.47 | \$895.58   |
| 61S-SS   | Stainless steel conductivity sump sensor.  | Each  | \$656.84   | \$525.47   |
| 61WS-SS  | Stainless steel conductivity sensor for the dry interstice of a double wall steel tank. Comes with 25' of cable.   | Each  | \$721.58   | \$577.26   |
| 61WF-SS  | Conductivity sensor for the dry interstice of a double wall fiberglass tank. Tank diameter must be specified.  | Each  | \$836.84   | \$669.47   |
| <b>LU-SP CONTROLLERS</b>   |  |       |            |            |
| LU1-SP1  | Single channel audio/visual controller capable of accepting (1) L-1-D low level optic sensor. Low voltage output for optional RA series remote annunciator, one 1.25 amp normally open dry contact, test push button, acknowledgement switch, and system defect light.   | Each  | \$1,100.53 | \$880.42   |
| LU2-SP1  | Two channel liquid sensing audio/visual controller capable of accepting one L-R-1 or L-2 series sensor for high /low operation. Low voltage outputs standard for optional RA-Series remote audio/visual annunciator(s). Two normally open relays. Test push button and acknowledge push button switches, type 4X enclosure standard.   | Each  | \$1,331.05 | \$1,064.84 |
| LU3-SP1  | Three channel liquid sensing audio/visual controller capable of accepting one L-R-1 or one L-2 -series sensor for high / low operation and one non-distinguishing optic sensor. Low voltage outputs standard for optional RA-series remote audio/visual annunciator(s). Three normally open relays. Test push button switches, type 4x enclosure standard.                           | Each  | \$1,940.53 | \$1,552.42 |
| LU4-SP1  | Four channel liquid sensing audio/visual controller capable of accepting one L-R-1 or one L-2 series sensor for high / low operation and two non distinguishing optic sensors. Low voltage outputs standard for optional RA-Series remote audio/visual annunciator( s). Two normally open relays. Test push button and acknowledge push button switches, type 4x enclosure standard. | Each  | \$2,161.58 | \$1,729.26 |

# Tank Level Management - Omntec

| Part Number                    | Description  | Units | MSRP       | Less 20%   |
|--------------------------------|--|-------|------------|------------|
| LU6-SP1                        | Six channel liquid sensing audio/visual controller capable of accepting one L-R-1 or one L-2 series sensor for high/low operation and four L-series sensors. Low voltage outputs standard for optional RA-series remote audio/visual annunciator(s). One normally open relay. Test push button and acknowledge push button switches, type 4X enclosure standard. | Each  | \$2,658.95 | \$2,127.16 |
|                                | Pump/Valve controls: Available for duplex, alternating and lead lag pumps. Panels may include relay contacts for pump control and remote annunciation, disconnect switches, pump failure and running indicators, tank selector switches, hands off auto switches, motor starters, local alarm horn and lights. ‡   |       |            |            |
| <b>REMOTE RELAYS</b>           |  |       |            |            |
| RLY-RA-1                       |  | Each  | \$337.89   | \$270.32   |
| RLY-RA-2                       | Relay(s)-SPDT dry contact(s), rated at 120vac, 5 amps resistive. Relay(s) housed in a NEMA 4X enclosure. Last number denotes number of relays. Interfaces with LU and LPD low voltage remote outputs.  | Each  | \$391.58   | \$313.26   |
| RLY-RA-3                       |  | Each  | \$558.95   | \$447.16   |
| RLY-RA-4                       |  | Each  | \$667.89   | \$534.32   |
| RLY-RA-6                       |  | Each  | \$888.95   | \$711.16   |
|                                |  |       |            |            |
| <b>ACCESSORIES</b>             |  |       |            |            |
| VC-1                           | Vented 4" riser cap for use with brine filled interstice.  | Each  | \$219.47   | \$175.58   |
| SK-4                           | Silicone splice kit for sensors and MTG probes.  | Each  | \$50.53    | \$40.42    |
| 4IN-CAP                        | 4" Cap for Sensors   | Each  | \$104.21   | \$83.37    |
| 2IN-CAP                        | 2" Cap for Sensors   | Each  | \$85.26    | \$68.21    |
| U-JBK-1                        | Universal junction box kit for probes and sensors  | Each  | \$170.53   | \$136.42   |
| AD-8-1                         | Voice auto dialer for up to (2) alarm conditions and (4) phone numbers per alarm.  | Each  | \$792.63   | \$634.11   |
| EC-4                           | Cable: (Minimum order 1000') Four conductor # 22 AWG with shield and drain. PVC jacketed UL- E11717.   | Each  | \$844.74   | \$675.79   |
| EC-12                          | Twelve conductor # 22 AWG with shield and drain. UL-E11717.PVC jacketed  | Each  | \$1,640.53 | \$1,312.42 |
| <b>OTHER SENSORS</b>           |  |       |            |            |
| BOA                            | Battery operated high level. Includes (1) L-1-S or (1) L-1-L sensor.   | Each  | \$978.95   | \$783.16   |
| L-1-PVC                        | PVC hi level optic sensor. Used in chemical applications.  | Each  | \$721.58   | \$577.26   |
| **LF-1                         | Single point float sensor up to 12" with brass stem, BUNA N float, and 1/2" NPT. Comes standard in 12" lengths. Custom lengths are available, consult factory.   | Each  | \$505.26   | \$404.21   |
| **LF-1-D (up to 72")           | Single point float sensor up to 72" with brass stem, BUNA N float, and 2" NPT.   | Each  | \$1,294.74 | \$1,035.79 |
| LF-1-SS-12                     | 12" hi level float sensor with stainless steel stem and floats.  | Each  | \$704.21   | \$563.37   |
| LF-1-SS-20                     | 20" hi level float sensor with stainless steel stem and floats.  | Each  | \$721.58   | \$577.26   |
| **LF-1-SS-D                    | Customer specified length hi level float sensor with stainless steel stem and floats up to 72".  | Each  | \$1,763.68 | \$1,410.95 |
| LF-DWF                         | Float sensor for double wall fiberglass tanks  | Each  | \$480.00   | \$384.00   |
| LS-ASC-1.25                    | 1.25" non distinguishing leak sensor. Designed to detect liquid in sumps or containment areas, & interstitial space for steel double wall tanks. Additional materials of construction & compounds available.   | Each  | \$667.89   | \$534.32   |
| LS-ASC-.895                    | .895" non distinguishing sensor for leak detection in small areas.   | Each  | \$721.58   | \$577.26   |
| ‡ Contact factory for pricing. |  |       |            |            |



# Tank Level Management - Omntec

| Part Number  | Description   | Units | MSRP       | Less 20%   |
|--|---|-------|------------|------------|
| LS-ASC-PVC   | PVC sensor for leak detection. Used in chemical applications. Designed to detect liquid in sumps or containment areas, and interstitial space for steel double wall tanks. Additional materials of construction and compounds available.                                    | Each  | \$721.58   | \$577.26   |
| LS-ASC-SS  | Stainless steel sensor for leak detection. Used in chemical applications. Designed to detect liquid in sumps or containment areas, and interstitial space for steel double wall tanks. Additional materials of construction and compounds available.                        | Each  | \$721.58   | \$577.26   |
| LS-ASC-FL  | Non distinguishing floor containment sensor   | Each  | \$723.16   | \$578.53   |
| LSF  | Universal sump float sensor. Designed to detect liquids in piping and dispenser sumps. Interfaces with most control panels. Consult factory for compatible controllers.   | Each  | \$612.63   | \$490.11   |
| OWI-BF-1   | Single point ball float sensor with weight for liquid/sediment containment areas and tanks  | Each  | \$303.16   | \$242.53   |
| PDS-1.25   | 1.25" product distinguishing leak sensor. Designed to detect liquid in sumps or containment areas, & interstitial space for steel double wall tanks. Additional materials of construction & compounds available.  | Each  | \$778.42   | \$622.74   |
| PDS-.895   | .895" product distinguishing sensor for leak detection in small areas.  | Each  | \$836.84   | \$669.47   |
| PDS-PVC  | PVC product distinguishing sensor for leak detection Used in chemical applications. Designed to detect liquid in sumps or containment areas, and interstitial space for double wall steel tanks. Additional materials of construction and compounds available.              | Each  | \$778.42   | \$622.74   |
| PDS-SS   | Product distinguishing stainless steel sensor for leak detection. Used in chemical applications. Designed to detect liquid in sumps or containment areas, and interstitial space for steel double wall tanks. Additional materials of construction and compounds available. | Each  | \$780.00   | \$624.00   |
| PDS-FL   | Product distinguishing floor containment sensor   | Each  | \$778.42   | \$622.74   |
| PDWL   | Monitoring well sensor. Consult factory for compatible controllers.   | Each  | \$1,629.47 | \$1,303.58 |
| US-1-PLU   | PVDF, 4-20 mA ultrasonic level probe up to 20' with 2" NPT, manual and hand programmer tool.  | Each  | \$5,073.16 | \$4,058.53 |
| VS-1   | Sensor for monitoring hydrocarbon vapors. Consult factory for compatible controllers.   | Each  | \$721.58   | \$577.26   |
| XBR  | Battery operated brine sensor. Includes (1) L-R-1 sensor ‡  | Each  |            |            |
| XBR-D  | Battery operated dry interstitial sensor. Includes (1) LS-ASC or LWF-* sensor. ‡  | Each  |            |            |
| **Signed dimension approval sheet is required to start production on any custom length items. Once signed dimension approval sheet is received by factory, order cannot be canceled on this item. Final pricing will be determined upon receipt of dimension approval sheet. |   |       |            |            |
| <b>SPARE PARTS</b>   |   |       |            |            |
| <b>LU &amp; LPD SPARE PARTS</b>  |   |       |            |            |
| RD-LED   | Red Light and assembly  | Each  | \$34.74    | \$27.79    |
| AM-LED   | Amber Light and assembly  | Each  | \$34.74    | \$27.79    |
| ACK Switch   | Acknowledgement switch only   | Each  | \$31.58    | \$25.26    |
| ACK boot   | Boot only for acknowledgement switch  | Each  | \$23.68    | \$18.95    |
| Power Supply   | Power Supply (Must Specify for which controller in description when ordering)   | Each  | \$208.42   | \$166.74   |
| Option Board   | Option board (Must Specify for which controller in description when ordering)   | Each  | \$277.89   | \$222.32   |
| ‡ Contact factory for pricing.   |   |       |            |            |



# Tank Level Management - Omntec

| Part Number                       | Description  | Units | MSRP       | Less 20%   |
|-----------------------------------|--|-------|------------|------------|
| HRN-2                             | Horn Board ( Must Specify for which controller in description when ordering)   | Each  | \$315.79   | \$252.63   |
| HRN-95-2PK                        | Two pack of 95 decibel horns   | Each  | \$71.05    | \$56.84    |
| SP-2                              | Surge Protector  | Each  | \$521.05   | \$416.84   |
| LP-1D                             | Surge Protector for LU series sensors in Diesel applications   | Each  | \$888.95   | \$711.16   |
| LP-1G                             | Surge Protector for LU series sensors in Gasoline applications   | Each  | \$1,056.32 | \$845.05   |
| LPD-1D                            | Surge Protector for PD series sensors in Diesel applications   | Each  | \$888.95   | \$711.16   |
| LPD-1G                            | Surge Protector for PD series sensors in Gasoline applications   | Each  | \$1,056.32 | \$845.05   |
| Labels                            | Labels for LU and LPD  | Each  | \$22.11    | \$17.68    |
| CG-75X25                          | .75" X .25" cord grip for sensors  | Each  | \$34.74    | \$27.79    |
| TEST SWITCH                       | Test switch for LU and LPD controllers (includes boot)   | Each  | \$47.37    | \$37.89    |
| BACKPLATE-L1PD2                   | Back plate for L1PD2. All boards and power supply included on panel.   | Each  | \$1,657.89 | \$1,326.32 |
| BACKPLATE-L2PD4                   | Back plate for L2PD4. All boards and power supply included on panel.   | Each  | \$1,964.21 | \$1,571.37 |
| BACKPLATE-L3PD6                   | Back plate for L3PD6. All boards and power supply included on panel.   | Each  | \$2,537.37 | \$2,029.89 |
| BACKPLATE-LU1                     | Back plate for LU1. All boards and power supply included on panel.   | Each  | \$593.68   | \$474.95   |
| BACKPLATE-LU2                     | Back plate for LU2. All boards and power supply included on panel.   | Each  | \$745.26   | \$596.21   |
| BACKPLATE-LU3                     | Back plate for LU3. All boards and power supply included on panel.   | Each  | \$985.26   | \$788.21   |
| BACKPLATE-LU4                     | Back plate for LU4. All boards and power supply included on panel.   | Each  | \$1,188.95 | \$951.16   |
| BACKPLATE-LU6                     | Back plate for LU6. All boards and power supply included on panel.   | Each  | \$1,335.79 | \$1,068.63 |
| BACKPLATE-LU9                     | Back plate for LU9. All boards and power supply included on panel.   | Each  | \$1,697.37 | \$1,357.89 |
| RLY-RA-SPARE                      | Relay module   | Each  | \$170.53   | \$136.42   |
| FUSE                              | Fuse - 3/4A  | Each  | \$17.37    | \$13.89    |
| LU1-LU3 ZENER                     | Zener barrier for LU1, LU2, and LU3 controllers  | Each  | \$214.74   | \$171.79   |
| LU4 ZENER                         | Zener barrier for LU4 controllers  | Each  | \$238.42   | \$190.74   |
| LU6 ZENER                         | Zener barrier for LU6 controllers  | Each  | \$238.42   | \$190.74   |
| PD ZENER                          | Zener barrier for L1PD2, L2PD4, and L3PD6 controllers  | Each  | \$342.63   | \$274.11   |
| HOF-A-L48                         | Quick release latch kit, includes (2) latches  | Each  | \$85.26    | \$68.21    |
| MOUNTING TABS                     | Mounting tabs for LU and LPD controllers, set of (4)   | Each  | \$85.26    | \$68.21    |
| <b>MTG PROBE SPARE PARTS LIST</b> |  |       |            |            |
| YCBL6-MTG                         | 6' Yellow Communication cable for MTG probes   | Each  | \$137.37   | \$109.89   |
| YCBL25-MTG                        | 25' Yellow Communication cable for MTG probes  | Each  | \$478.42   | \$382.74   |
| YCBL690-MTG                       | 90 degree angle 6' yellow cable for MTG probes   | Each  | \$257.37   | \$205.89   |
| CG-75X45                          | .75" X .45" cord grip with .45" inner diameter for MTG probes  | Each  | \$34.74    | \$27.79    |
| White Clips                       | White clip and adaptor for MTG probes  | Each  | \$28.42    | \$22.74    |
| Cathodic boot                     | Cathodic boot for MTG probes   | Each  | \$36.32    | \$29.05    |
| BFK-85                            | Gas float kit for probes. Includes 4" BUNA floats, 6' yellow cable, spacers, 4" cap, SK-4 (sealing kit), white clips, and cathodic boot. | Each  | \$690.00   | \$552.00   |

# Tank Level Management - Omntec

| Part Number                                | Description   | Units | MSRP       | Less 20%   |
|--|---|-------|------------|------------|
| BFK-95                                     | Diesel float kit for probes. Includes 4" BUNA floats, 6' yellow cable, spacers, 4" cap, SK-4 (sealing kit), white clips, and cathodic boot. | Each  | \$690.00   | \$552.00   |
| OELSP18                                    | 4" Spacer kit for MTG probes  | Each  | \$60.00    | \$48.00    |
| MTG-LP-1D                                  | Line surge protector for MTG probes   | Each  | \$1,056.32 | \$845.05   |
|  | BX Series Sensor Spare Parts List   | Each  |            |            |
| CG-75X25                                   | .75" X .25" cord grip for BX series sensors   | Each  | \$34.74    | \$27.79    |
| BX-LP-1D                                   | Surge Protector for BX series sensors in Diesel applications  | Each  | \$888.95   | \$711.16   |
| BX-LP-1G                                   | Surge Protector for BX series sensors in Gasoline applications  | Each  | \$1,056.32 | \$845.05   |
| <b>PROTEUS OEL8000III SPARE PARTS LIST</b> |   |       |            |            |
| AD00001                                    | MCU board PROTEUS-K/X   | Each  | \$892.11   | \$713.68   |
| AD00002                                    | MTG board 4 probes 16 sensors   | Each  | \$1,277.37 | \$1,021.89 |
| AD00008                                    | MTG board 8 probes only   | Each  | \$1,263.16 | \$1,010.53 |
| AD00005                                    | Power supply for PROTEUS-B/K/X  | Each  | \$686.84   | \$549.47   |
| AD00007                                    | 7" display and bezel for PROTEUS-B, PROTEUS-K and PROTEUS-X   | Each  | \$1,078.42 | \$862.74   |
| AD00019                                    | PROTEUS-B enclosure cover with display  | Each  | \$1,097.37 | \$877.89   |
| AD00006P                                   | PROTEUS-K/X enclosure cover with display and printer  | Each  | \$3,906.32 | \$3,125.05 |
| AD0006NP                                   | PROTEUS-K/X enclosure cover with display  | Each  | \$2,606.84 | \$2,085.47 |
| I00338                                     | Printer for PROTEUS-K/X (PS-103)  | Each  | \$1,335.79 | \$1,068.63 |
| DP00035                                    | Printer shield for PS-103. Required if adding printer to existing K/X.  | Each  | \$36.32    | \$29.05    |
| DPU-6PK                                    | Six pack of thermal paper for PS-101, PS-102, or PS-103   | Each  | \$82.11    | \$65.68    |
| DPU-50                                     | Case of thermal paper for PS-101, PS-102, or PS-103 (includes 50 rolls of paper)  | Each  | \$328.42   | \$262.74   |
| I00002                                     | 2 pack batteries for PROTEUS-K/X MCU board (OELSP9)   | Each  | \$34.74    | \$27.79    |
| AD00027                                    | PROTEUS-B RS-232 cable  | Each  | \$53.68    | \$42.95    |
| AD00062                                    | PROTEUS-B 12 volt power cable   | Each  | \$33.16    | \$26.53    |
| AD00012                                    | PROTEUS-K MCU to MTG board cable. PROTEUS-B display to MTG board cable.   | Each  | \$33.16    | \$26.53    |
| AD00009                                    | PROTEUS-K printer to MCU cable.   | Each  | \$53.68    | \$42.95    |
| AD00010                                    | PROTEUS-K printer power cable   | Each  | \$53.68    | \$42.95    |
| AD00011                                    | PROTEUS-K MCU power cable   | Each  | \$33.16    | \$26.53    |
| AD00013                                    | PROTEUS-K MCU to display cable  | Each  | \$33.16    | \$26.53    |
| AD00016                                    | XC-R8 external relay box replacement board  | Each  | \$1,195.26 | \$956.21   |
| I00355                                     | 12 pin J4 and J5 female connector   | Each  | \$22.11    | \$17.68    |
| AD00071                                    | RS-485 board for Mini-Me, Delivery Defender, and Delivery Defender Lite   | Each  | \$424.74   | \$339.79   |
| <b>PROTEUS OEL8000III UPGRADES/REPAIRS</b> |   |       |            |            |
| PMB  | Programming fee for replacement mother board (must supply serial number from existing controller)   | Each  | \$348.95   | \$279.16   |
| PMB-MOD                                    | Programming fee for replacement motherboard with Modbus (must supply serial number from existing controller)                                | Each  | \$478.42   | \$382.74   |

# Tank Level Management - Omntec

| Part Number   | Description   | Units | MSRP        | Less 20%    |
|---|---|-------|-------------|-------------|
| <b>DATACHECK® INTRINSICALLY-SAFE BATTERY-POWERED WIRELESS FOR PROTEUS TANK MONITOR</b>      |   |       |             |             |
| OEL8000IIIX-W   | PROTEUS wireless tank gauging controller with 7" color touch-screen, (1) RS-232 port, and Ethernet. Can be expanded to monitor up to 44 DataStik™ Series inventory probes and up to 64 FillCheck® Series overfill protection sensors. | Each  | \$6,200.53  | \$4,960.42  |
| PS-103  | Thermal printer for OEL8000IIIX-W   | Each  | \$1,149.47  | \$919.58    |
| XB-416DC  | 4 DataStik™ Probe and 16 FillCheck® Sensor module for OEL8000IIIX-W controller  | Each  | \$1,223.68  | \$978.95    |
| XB-800DC  | 8 DataStik™ Probe module for OEL8000IIIX-W controller   | Each  | \$1,223.68  | \$978.95    |
| DC-TX-S3-S5   | Transceiver for Datastik™ and FillCheck® Series, includes mast and two black batteries (included with DataStik™ Probes)   | Each  | \$3,187.89  | \$2,550.32  |
| DC-RX-SR-O-S3   | Serial Receiver, S3 Style, Outdoor in NEMA-4X Enclosure, 5' fiberglass mounting mast and Serial Cable included (50' maximum cable length)   | Each  | \$3,176.84  | \$2,541.47  |
| DC-RP-12-S3   | Repeater, S3 Style, with 12 Hr. Backup Battery, NEMA-4X Non-Metallic Enclosure, 5' fiberglass mounting mast   | Each  | \$3,770.53  | \$3,016.42  |
| <b>FILLCHECK® SERIES CONTINUOUS OVERFILL PROTECTION SENSORS</b>                             |   |       |             |             |
| *FI-NM-MONO-D   | MonoCheck™ Overfill sensor for fixed roof tanks. Single Level 2" Float Switch w/ MagLift™ Checking Mechanism, up to 96" Long, NO, All SS, Delrin J-Box, with mounting bracket.  | Each  | \$2,658.95  | \$2,127.16  |
| *FI-NM-DC-D   | DuoCheck™ Sensor for fixed roof tanks. Dual Level (Hi & Hi-Hi) 2" Float Switch w/ MagLift™ Checking Mechanism, up to 6' Long, All SS, Delrin J-Box with mounting bracket.   | Each  | \$3,276.32  | \$2,621.05  |
| FI-NM-V2-M-160"   | VersaLevel-02-Adjustable™ Overfill sensor for internal floating roof tanks. Dual Level (Hi & Hi-Hi), 2" Float, w/MagLift™ Checking Mechanism, 160" Long, All SS, Metal J-Box, with mounting bracket.                                  | Each  | \$4,206.32  | \$3,365.05  |
| 8160102FP   | VersaLevel-X1™ Overfill sensor for external floating roof tanks. Single Level 3.5" Switch, 70" Long, all SS.  | Each  | \$2,845.26  | \$2,276.21  |
| *FI-TX-PF   | PFCheck™ Portable Overfill Transmitter (with Integrated Dual Level Switch with 6" spacing enclosed in SS Protective Housing with cam-lock fitting)  | Each  | \$5,166.32  | \$4,133.05  |
| <b>FUELCHECK® FIBEROPTIC PROCESS REFRACTOMETER FOR PRODUCT PIPELINE INTERFACE DETECTION</b> |   |       |             |             |
| FU-CT-11  | FuelCheck® Controller, 1 Channel, 24 VDC Power, 4-20 mA Output  | Each  | \$16,004.21 | \$12,803.37 |
| FU-CT-21  | FuelCheck® Controller, 2 Channel, 24 VDC Power, 4-20 mA Output  | Each  | \$22,661.05 | \$18,128.84 |
| FU-CT-31  | FuelCheck® Controller, 3 Channel, 24 VDC Power, 4-20 mA Output  | Each  | \$28,845.79 | \$23,076.63 |
| FU-PR-24  | FuelCheck® Probe, 24", Process Insertion Fitting, Low Pressure Insertion Tool, Junction Box, Connectors (300 PSI or less)   | Each  | \$5,711.05  | \$4,568.84  |
| FU-PR-HP  | FuelCheck® High Pressure Probe Insertion Tool for FU-PR-24 (300PSI - 1200PSI)   | Each  | \$7,743.16  | \$6,194.53  |
| <b>FIBEROPTIC CABLE, CONNECTORS, AND MATING SLEEVES *</b>                                   |   |       |             |             |
| FU-C2-DB  | Fiberoptic Interconnect 2 Fiber Direct Burial Cable-Armored ‡   | Each  |             |             |
| FU-FO-CN  | Fiberoptic Connectors   | Each  | \$36.32     | \$29.05     |
| FU-FO-MS  | Fiberoptic Mating Sleeves   | Each  | \$11.05     | \$8.84      |
| <b>DATASTIK™ SERIES 7255 SS CONTINUOUS, WIRELESS, BATTERY POWERED LEVEL GAUGING</b>         |   |       |             |             |
| DS-1S-108   | "DataStik™ Series 7255, single float, SS construction, 108" Overall length, includes transmitter, mast, batteries, yellow cable, cathodic boot, foot and adaptor and SK-4 splice kit<br>***must order float separately***"            | Each  | \$6,173.68  | \$4,938.95  |

‡ Contact factory for pricing.

# Tank Level Management - Omntec

| Part Number  | Description  | Units | MSRP        | Less 20%    |
|--|--|-------|-------------|-------------|
| DS-1S-132  | "DataStik™ Series 7255, single float, SS construction, 132" Overall length, includes transmitter, mast, batteries, yellow cable, cathodic boot, foot and adaptor and SK-4 splice kit<br>***must order float separately***" | Each  | \$6,227.37  | \$4,981.89  |
| DS-1S-144  | "DataStik™ Series 7255, single float, SS construction, 156" Overall length, includes transmitter, mast, batteries, yellow cable, cathodic boot, foot and adaptor and SK-4 splice kit<br>***must order float separately***" | Each  | \$6,298.42  | \$5,038.74  |
| DS-1S-168  | "DataStik™ Series 7255, single float, SS construction, 168" overall length, includes transmitter, mast, batteries, yellow cable, cathodic boot, foot and adaptor and SK-4 splice kit<br>***must order float separately***" | Each  | \$7,301.05  | \$5,840.84  |
| *DS-1S-XXX   | Other lengths available ‡  | Each  |             |             |
| DS-2S-108  | "DataStik™ Series 7255, dual float, SS construction, 108" Overall length, includes transmitter, mast, batteries, yellow cable, cathodic boot, foot and adaptor and SK-4 splice kit<br>***must order floats separately***"  | Each  | \$6,176.84  | \$4,941.47  |
| DS-2S-132  | "DataStik™ Series 7255, dual float, SS construction, 132" Overall length, includes transmitter, mast, batteries, yellow cable, cathodic boot, foot and adaptor and SK-4 splice kit<br>***must order floats separately***"  | Each  | \$6,230.53  | \$4,984.42  |
| DS-2S-144  | "DataStik™ Series 7255, dual float, SS construction, 156" Overall length, includes transmitter, mast, batteries, yellow cable, cathodic boot, foot and adaptor and SK-4 splice kit<br>***must order floats separately***"  | Each  | \$6,298.42  | \$5,038.74  |
| DS-2S-168  | "DataStik™ Series 7255, dual float, SS construction, 168" overall length, includes transmitter, mast, batteries, yellow cable, cathodic boot, foot and adaptor and SK-4 splice kit<br>***must order floats separately***"  | Each  | \$7,302.63  | \$5,842.11  |
| *DS-2S-XXX   | Other lengths available ‡  | Each  |             |             |
| <b>DATASTIK™ SERIES 7255V CONTINUOUS, WIRELESS, BATTERY POWERED LEVEL GAUGING</b>                      |  |       |             |             |
| DS-1K-192V   | DataStik™ Series 7255V PVDF construction, 192" overall length, includes transmitter, mast, and batteries ***must order floats and weight separately***   | Each  | \$7,057.89  | \$5,646.32  |
| DS-1K-240V   | DataStik™ Series 7255V PVDF construction, 240" overall length, includes transmitter, mast, and batteries ***must order floats and weight separately***   | Each  | \$7,326.32  | \$5,861.05  |
| DS-1K-360V   | DataStik™ Series 7255V PVDF construction, 360" overall length, includes transmitter, mast, and batteries ***must order floats and weight separately***   | Each  | \$8,583.16  | \$6,866.53  |
| DS-1K-480V   | DataStik™ Series 7255V PVDF construction, 480" overall length, includes transmitter, mast, and batteries ***must order floats and weight separately***   | Each  | \$10,730.53 | \$8,584.42  |
| DS-1K-600V   | DataStik™ Series 7255V PVDF construction, 600" overall length, includes transmitter, mast, and batteries ***must order floats and weight separately***   | Each  | \$13,119.47 | \$10,495.58 |
| *DS-1K-XXXV  | Other Lengths Available ‡  | Each  |             |             |
| <b>DataStik™ Series 7255VB Continuous, Wireless, Battery Powered Level Gauging (measure to bottom)</b> |  |       |             |             |
| ‡ Contact factory for pricing.   |  |       |             |             |

# Tank Level Management - Omntec

| Part Number   | Description   | Units | MSRP       | Less 20%   |
|---|---|-------|------------|------------|
| *DS-2K-XXXVB  | DataStik™ Series 7255VB flexible PVDF construction, includes transmitter, mast, and batteries, bottom up probe for low water detection available upon request. ‡<br>***must order floats and weight separately*** | Each  |            |            |
|   | Float Options for DataStik™ Series 7255 (All models)  |       |            |            |
| SSF-1-2   | Single 316 Stainless Steel Product Float, 1.83" diameter  | Each  | \$225.79   | \$180.63   |
| SSF-2   | Dual 316 Stainless Steel product/water float, 1.83" diameter  | Each  | \$446.84   | \$357.47   |
| SSF-1-4   | Single 316 Stainless Steel Product Float, 3.85" diameter  | Each  | \$320.53   | \$256.42   |
| SSF-4   | Dual 316 Stainless Steel Product Float, 3.85" diameter  | Each  | \$636.32   | \$509.05   |
| SSF-1-2-VB  | 2" Stainless Steel Product Float for low product detection applications   | Each  | \$356.84   | \$285.47   |
| SSF-1-2W-VB   | 2" Stainless Steel Water Float for low water detection applications (specify product)   | Each  | \$356.84   | \$285.47   |
| BNF-1-4   | Single Buna N Product Float, 3.85" diameter   | Each  | \$156.32   | \$125.05   |
| BNF-4   | Dual Buna N product/water floats 3.85" diameter   | Each  | \$303.16   | \$242.53   |
| SFS   | Stainless steel float spacer required on probe lengths 288" or greater  | Each  | \$71.05    | \$56.84    |
| <b>WEIGHTS FOR DS-1K AND DS-2K SERIES FLEXIBLE PROBES</b> |   |       |            |            |
| W2-144  | 2" diameter X 5" long stainless steel weight for probes up to 144" overall length   | Each  | \$391.58   | \$313.26   |
| W2-288  | 2" diameter X 7" long stainless steel weight for probes up to 288" overall length   | Each  | \$446.84   | \$357.47   |
| W2-432  | 2" diameter X 11" long stainless steel weight for probes up to 432" overall length  | Each  | \$667.89   | \$534.32   |
| W2-600  | 2" diameter X 14" long stainless steel weight for probes up to 600" overall length  | Each  | \$721.58   | \$577.26   |
| W2-720  | 2" diameter X 16" long stainless steel weight for probes up to 720" overall length  | Each  | \$1,056.32 | \$845.05   |
| W2-840  | 2" diameter X 18" long stainless steel weight for probes up to 840" overall length  | Each  | \$1,383.16 | \$1,106.53 |
| W6-VBH  | 5.75" (dia.) X 7" (H) hollowed out weight for fixed bottom probes for low water detection   | Each  | \$1,927.89 | \$1,542.32 |
| <b>ACCESSORIES</b>  |   |       |            |            |
| RAS-1   | Single channel audio visual remote annunciator for overfill housed in NEMA 4X enclosure with acknowledgement switch   | Each  | \$446.84   | \$357.47   |
| RAS-2   | Two channel audio visual remote annunciator for overfill housed in NEMA 4X enclosure with acknowledgement switch  | Each  | \$502.11   | \$401.68   |
| RAS-3   | Three channel audio visual remote annunciator for overfill housed in NEMA 4X enclosure with acknowledgement switch  | Each  | \$558.95   | \$447.16   |
| RAS-4   | Four channel audio visual remote annunciator for overfill housed in NEMA 4X enclosure with acknowledgement switch   | Each  | \$656.84   | \$525.47   |
| RAS-5   | Five channel audio visual remote annunciator for overfill housed in NEMA 4X enclosure with acknowledgement switch   | Each  | \$836.84   | \$669.47   |
| RAS-6   | Six channel audio visual remote annunciator for overfill housed in NEMA 4X enclosure with acknowledgement switch  | Each  | \$978.95   | \$783.16   |
| RA-LU1  | Single channel audio visual remote annunciator with acknowledgement switch, test switch and system detect light powered by 120V and triggered via dry contacts  | Each  | \$1,089.47 | \$871.58   |
| RA-LU2  | Two channel audio visual remote annunciator with acknowledgement switch, test switch and system detect light powered by 120V and triggered via dry contacts   | Each  | \$1,323.16 | \$1,058.53 |
| ‡ Contact factory for pricing.                            |   |       |            |            |

# Tank Level Management - Omntec

| Part Number   | Description   | Units | MSRP       | Less 20%   |
|---------------|---|-------|------------|------------|
| RA-LU3        | Three channel audio visual remote annunciator with acknowledgement switch, test switch and system detect light powered by 120V and triggered via dry contacts   | Each  | \$1,885.26 | \$1,508.21 |
| RA-LU4        | Four channel audio visual remote annunciator with acknowledgement switch, test switch and system detect light powered by 120V and triggered via dry contacts  | Each  | \$2,107.89 | \$1,686.32 |
| WRRAS-1       | Wireless remote unit for RAS Series remote up to four tanks (node)  | Each  | \$2,205.79 | \$1,764.63 |
| WBRAS-1       | Wireless base unit for RAS Series remote up to four tanks (gateway)   | Each  | \$2,205.79 | \$1,764.63 |
| FI-BA-IS-B1   | FillCheck® battery for DC-TX-D1 transmitter (single red)  | Each  | \$164.21   | \$131.37   |
| FI-BA-IS-B2   | FillCheck® battery for DC-TX-D1 transmitter (single black)  | Each  | \$164.21   | \$131.37   |
| DC-TX-S3-55-M | DataCheck® serial transmitter module (does not include mast or batteries)   | Each  | \$3,033.16 | \$2,426.53 |
| MAST-FC       | Mast housing for FillCheck®   | Each  | \$1,163.68 | \$930.95   |
| MAST-DC       | Mast housing for DataCheck®   | Each  | \$1,163.68 | \$930.95   |
| YCBL6-MTG-420 | 6' yellow lead cable for MTG-420 probe or wireless rigid  | Each  | \$243.16   | \$194.53   |
| DSTP7255      | DataStik™ test probe  | Each  | \$1,001.05 | \$800.84   |
| USB7255       | DataStik™ USB interface module for probe diagnosis  | Each  | \$888.95   | \$711.16   |
| DSTPK         | DataStik™ transmitter programming kit includes CD with software, DB9 female to 10 pin female, and USB to serial converter.  | Each  | \$667.89   | \$534.32   |
| DSPDK         | DataStik™ programming and diagnostic kit. Includes DSTPK, DSTP7255 and USB7255.   | Each  | \$1,984.74 | \$1,587.79 |
| OMN-PC-W      | OMNTEC remote monitoring PC software for wireless systems (up to 8 tanks)   | Each  | \$1,108.42 | \$886.74   |
| U-JBK-1       | Universal junction box kit for probes and sensors   | Each  | \$170.53   | \$136.42   |
|               | *Signed dimension approval sheet is required to start production on any custom length items. Once signed dimension approval sheet is received by factory, order cannot be canceled on this item. Final pricing will be determined upon receipt of dimension approval sheet. |       |            |            |

# TLS Interface

| Part        | Part Number    | Description                             | Units | MSRP       | Less 20%   |
|-------------|----------------|---|-------|------------|------------|
| Veeder Root | VR-331500-308  | Veeder-Root Software Upgrade for TLS 35 | Each  | \$3,625.00 | \$2,900.00 |
| Veeder Root | VR-330020-425  | Veeder-Root TCP/IP Modem TLS/IP         | Each  | \$1,994.74 | \$1,595.79 |
| Veeder Root | KIT-TLS-NET232 | Adapter for TLS Units RS232 to RJ45     | Each  | \$947.37   | \$757.89   |

# EV Chargers

| Part       | Part Number           | Description   | Units | MSRP        | Less 20%    |
|------------|-----------------------|---|-------|-------------|-------------|
| EV Charger | L3-50-CS-208-SLIMLINE | 50kw Dual - Level 3 DC Fast Charger, Slimline Housing, 50kW, Dual Connector (CCS & CHAdeMO) 208v/3ph - PEDESTAL - Integrated Cord Retractors, 15" Outdoor Color Display, Connector Configuration: SAE J1772 CCS1 and CHAdeMO                                    | Each  | \$42,844.00 | \$34,275.20 |
| EV Charger | L3-50-CS-480 SLIMLINE | 50kw Dual - Level 3 DC Fast Charger, Slimline Housing, 50kW, Dual Connector (CCS & CHAdeMO) 480v/3ph - PEDESTAL - Integrated Cord Retractors, 15" Outdoor Color Display, Connector Configuration: SAE J1772 CCS1 and CHAdeMO                                    | Each  | \$41,000.00 | \$32,800.00 |
| EV Charger | L3-50-CS-208-SLIMLINE | 50kw Single - Level 3 DC Fast Charger, Slimline Housing, 50kW, Dual Connector (CCS & CHAdeMO) 208v/3ph - PEDESTAL - Integrated Cord Retractors, 15" Outdoor Color Display, Connector Configuration: SAE J1772 CCS1 and CHAdeMO                                  | Each  | \$39,250.00 | \$31,400.00 |
| EV Charger | L3-50-CS-480 SLIMLINE | 50kw Single - Level 3 DC Fast Charger, Slimline Housing, 50kW, Single Connector (CCS & CHAdeMO) 480v/3ph - PEDESTAL - Integrated Cord Retractors, 15" Outdoor Color Display, Connector Configuration: SAE J1772 CCS1 and CHAdeMO                                | Each  | \$37,406.00 | \$29,924.80 |
| EV Charger | EVDU25C4AUM           | Delta 25kW WallBox, DC Fast Charger, 240v/1phase, RFID reader, Dual Connector (CCS Combo), Wall Mount   | Each  | \$18,500.00 | \$14,800.00 |
| EV Charger | EVDU25C4CUM           | Delta 25kW WallBox, DC Fast Charger, 208v/3phase, RFID reader, Dual Connector (CCS Combo), Wall Mount   | Each  | \$17,500.00 | \$14,000.00 |
| EV Charger | EVDU25C4BUM           | Delta 25kW WallBox, DC Fast Charger, 480v/3phase, RFID reader, Dual Connector (CCS Combo), Wall Mount   | Each  | \$17,500.00 | \$14,000.00 |
| EV Charger | EVDU25U4AUM           | Delta 25kW WallBox, DC Fast Charger, 240v/1phase, RFID reader, Single Connector (CCS Combo), Wall Mount   | Each  | \$14,750.00 | \$11,800.00 |
| EV Charger | EVDU25U4AUM           | Delta 25kW WallBox, DC Fast Charger, 480v/3phase, RFID reader, Single Connector (CCS Combo), Wall Mount   | Each  | \$13,650.00 | \$10,920.00 |
| EV Charger | EVDU25U4CUM           | Delta 25kW WallBox, DC Fast Charger, 208v/3phase, RFID reader, Single Connector (CCS Combo), Wall Mount   | Each  | \$13,650.00 | \$10,920.00 |
| EV Charger | P30DP                 | PRO SERIES, 30 RPH, DUAL, PEDESTAL, 40 amp - Non-Networked  | Each  | \$5,750.00  | \$4,600.00  |
| EV Charger | P30DW                 | PRO SERIES, 30 RPH, DUAL, WALL, 40 amp - Non-Networked  | Each  | \$5,510.42  | \$4,408.33  |
| EV Charger | P30SP                 | PRO SERIES, 30 RPH, SINGLE, PEDESTAL, 40 amp - Non-Networked  | Each  | \$4,839.58  | \$3,871.67  |
| EV Charger | P30SW                 | PRO SERIES, 30 RPH, SINGLE, WALL, 40 amp - Non-Networked  | Each  | \$4,504.17  | \$3,603.33  |
| EV Charger | P10DP                 | PRO SERIES, 10 RPH, DUAL, PEDESTAL, 16 amp - Non-Networked  | Each  | \$4,152.78  | \$3,322.22  |
| EV Charger | P20DP                 | PRO SERIES, 20 RPH, DUAL, PEDESTAL, 30 amp - Non-Networked  | Each  | \$4,152.78  | \$3,322.22  |
| EV Charger | P10DW                 | PRO SERIES, 10 RPH, DUAL, WALL, 16 amp - Non-Networked  | Each  | \$3,886.57  | \$3,109.26  |
| EV Charger | P20DW                 | PRO SERIES, 20 RPH, DUAL, WALL, 30 amp - Non-Networked  | Each  | \$3,886.57  | \$3,109.26  |
| EV Charger | P10SP                 | PRO SERIES, 10 RPH, SINGLE, PEDESTAL, 16 amp - Non-Networked  | Each  | \$3,141.20  | \$2,512.96  |
| EV Charger | P20SP                 | PRO SERIES, 20 RPH, SINGLE, PEDESTAL, 30 amp - Non-Networked  | Each  | \$3,141.20  | \$2,512.96  |
| EV Charger | P20SW                 | PRO SERIES, 20 RPH, SINGLE, WALL, 30 amp - Non-Networked  | Each  | \$2,770.83  | \$2,216.67  |
| EV Charger | P10SW                 | PRO SERIES, 10 RPH, SINGLE, WALL, 16 amp -Non-Networked   | Each  | \$2,770.83  | \$2,216.67  |
| EV Charger | E20SWE                | Wall mount - OCPP, RFID, WiFi, LTE (GSM or CDMA)  | Each  | \$1,998.05  | \$1,598.44  |
| EV Charger | E20SWP-NGW            | Wall Mount - OCPP, RFID, WiFi (Non-Gateway)   | Each  | \$1,656.87  | \$1,325.50  |
| EV Charger | E20SWE                | Energy-Series Level 2 Charging Station, 208/240v, 16/24/32 amp/ adjustable, Single Port, Wall Mount, 25' cable. NEMA 4 rated for outddor use, IK10 impact resistance, adjustable amperage, 25' cable standard, plugin or hardwire installation, 3 year warranty | Each  | \$993.05    | \$794.44    |
| EV Charger | E20SWC                | Residential - Wall Mount - WIFI with App  | Each  | \$990.20    | \$792.16    |



# EV Chargers

| Part                              | Part Number          | Description   | Units | MSRP       | Less 20%   |
|-----------------------------------|----------------------|---|-------|------------|------------|
| EV Charger                        | EV Payment           | OPTION - Payment System configuration & hardware (add) ‡  | Each  |            |            |
| EV Charger Misc. Hardware         | Lightning Housing -P | Commercial Dual-port with cable retraction, Pedestal Galvaneal, Powder Coat, Hinged Wall bracket, 14x23x77  | Each  | \$4,117.65 | \$3,294.12 |
| EV Charger Misc. Hardware         | Lightning Housing -W | Commercial Dual-port with cable retraction, Wall, Galvaneal, Powder Coat, Hinged Wall bracket, 14x23x43   | Each  | \$3,529.41 | \$2,823.53 |
| EV Charger Misc. Hardware         | EVCS-PED-DEL25       | Delta Pedestal for Delta 25kW WallBox   | Each  | \$2,125.00 | \$1,700.00 |
| EV Charger Misc. Hardware         | EVCS-6X6-PED         | Premium Pedestal Aluminum, Powder Coat, Stainless Hardware, 6x6x60"   | Each  | \$999.00   | \$799.20   |
| EV Charger Misc. Hardware         | CHAdEMO              | OPTION - Exchange CCS plug for CHAdEMO (add)  | Each  | \$916.67   | \$733.33   |
| EV Charger Misc. Hardware         | EVCS-4X4-PED         | Premium Pedestal Aluminum, Powder Coat, Stainless Hardware, 4x4x60"   | Each  | \$850.00   | \$680.00   |
| EV Charger Misc. Hardware         | EVCS-UCR-DUAL        | Wall Mounted Universal Cable Retractor, Dual Black powder coat finish - Spring retractor with wall bracket  | Each  | \$731.67   | \$585.34   |
| EV Charger Misc. Hardware         | EVCS-RETRACT-79-Grey | Cable Retractor, 79" Aluminum (Powder Coated) - Weight/pully retractor, Aluminum, Powder Coated   | Each  | \$599.00   | \$479.20   |
| EV Charger Misc. Hardware         | EZPULL-79-BTC        | PowerCharge Pro-Series Cord Retractor, 79", Single, White Powder Coat Finish with mounting hardware   | Each  | \$582.69   | \$466.15   |
| EV Charger Misc. Hardware         | EVCS-RETRACT-79      | Cable Retractor, 79" Aluminum (for 4x4 & 6x6 pedestal) - Weight/pully retractor, Aluminum, unfinished   | Each  | \$490.00   | \$392.00   |
| EV Charger Misc. Hardware         | EVCS-UCR-SGL         | Wall Mounted Universal Cable Retractor, Single Black powder coat finish - Spring retractor with wall bracket  | Each  | \$408.34   | \$326.67   |
| EV Charger Misc. Hardware         |                      | 2 additional years of warranty, 3 years total   | Each  | \$304.88   | \$243.90   |
| EV Charger Misc. Hardware         | RFID-Card / RFID-FOB | RFID Card or Fob (10 pkg)   | Each  | \$117.65   | \$94.12    |
| EV Charger Misc. Hardware         | RFID-DEL-10          | Delta RFID access control cards, 10 pkg.  | Each  | \$113.35   | \$90.68    |
| EV Charger Misc. Hardware         |                      | Cable Hook & Plug Dock - This high-quality bracket mounts next to your charger and safely stores your charge cable and plug. The plug holster holds all J1772 plugs and the hook can hold up to 75 pounds of cable. Powder-coated aluminum will not rust, holds | Each  | \$47.60    | \$38.08    |
| EV Charger Ward Hardware          | EV Interface Board   | EV Charger Wired EV interface with individual metering - One (1) per Charger - Single device can handle dual charger  | Each  | \$882.35   | \$705.88   |
| PowerCharge Series Misc. Hardware | CORD-RETRACT         | EV Charge Solutions Univ. Cord Retractor, 79", Single, Unfinished Aluminum without Hardware   | Each  | \$459.17   | \$367.33   |

# W3 Fuel Control Terminal

| Part Number | Description  |
|-------------|--|
|             | <p>All <b>W3</b> Software, Parts and Products are End of Life (EOL) as of August 1st 2019.<br/>The remaining parts inventory is being sold as non-refundable, non-returnable and while supplies last.<br/>Please contact your Region Sales Manager for more information and to discuss your options.</p> |

XT

| Part Number | Description                             |
|-------------|---|
| XT          | Retired product line - consult factory. |



# CONTACT WARD

Ward's mission is to provide industry leading technical support by ensuring all issues are promptly and wholly resolved. You can speak with a highly skilled Technical Support Specialist between 8am-5pm Central Time, Monday through Friday.

If you contact Ward during non business hours, a Specialist will return your call the following business day.

Contact Ward for questions related to:

- Installation of new hardware or software
- Troubleshooting malfunctions
- Ordering new or replacement hardware

Phone.....210.824.7383  
800.580.WARD (9273)

Email.....[support@ejward.com](mailto:support@ejward.com)  
[orders@ejward.com](mailto:orders@ejward.com)  
[returns@ejward.com](mailto:returns@ejward.com)

Web ..... [www.ejward.com](http://www.ejward.com)