



ADDENDUM #1

2025/2026 PREVENTIVE MAINTENANCE SLURRY PROJECT

BID # 24/25-017 / PWP # WA-2025-362

BIDS DUE NO LATER THAN: 1:45 PM ON MAY 29, 2025

PUBLIC BID OPENING: 2:00 PM ON MAY 29, 2025

This addendum is to notify all potential proposers of clarifications made to the Bid documents as stated below.

- a. **Revised Bid Item Schedule** – Remove original Bid Item Schedule in its entirety and replace with the one titled “CITY OF SPARKS BID ITEM SCHEDULE REVISED - May 22nd, 2025” – 1 Page
- b. **Revised Appendix B, Striping Quantities** – Remove original Appendix B, Striping Quantities in its entirety and replace with the one titled “APPENDIX B, 2025/2026 PREVENTIVE MAINTENANCE SLURRY PROJECT, Striping Quantities, REVISED - May 22nd, 2025” – 4 Pages
- c. **Striping Maps with Legend** – 26 Pages

Please note and adjust your bid according to the revisions, additions, deletions, clarifications, or modifications as presented on this Addendum #1, which are made a part of this bid. NOTE: To avoid disqualification, this Addendum 1 (and any other addenda) must be signed by an authorized representative of the bidding firm in the space provided and must be submitted with your firm’s sealed proposal. Failure to return this addendum, duly signed, may be cause for rejection of the bid. ALL ADDENDA SHOULD BE SIGNED AND PLACED IN SEQUENTIAL ORDER AND ATTACHED TO THE FRONT OF THE BID PACKAGE, COMPLETE WITH ALL REQUIRED DOCUMENTS.

CONTRACTOR BUSINESS NAME

X_____
Authorized Signature

Printed Name of Person Signing

Amber Sosa, P.E.
City Engineer

May 22, 2025

CITY OF SPARKS
BID ITEM SCHEDULE
REVISED - May 22nd, 2025

BID TITLE: 2025/2026 PREVENTIVE MAINTENANCE SLURRY PROJECT

BID #: 24/25-017 PWP#: WA-2025-362

PRICES: must be valid for 90 calendar days after the bid opening.

COMPLETION of this project is expected **PURSUANT TO CONTRACT DOCUMENTS.**

BIDDER acknowledges receipt of _____ Addenda.

Bidder Name

(Signature)

Refer to Special Technical Section for a map depicting the street locations and plan sheets provided

Item No.	Quantity	Unit	Description	Unit Price	Total Price
1	3,528,277	SF	Furnish & Place Type II Rapid Setting Slurry Seal, Complete and in Place	\$ _____ /SF	\$ _____
2	1,173,627	SF	Furnish & Place Type III Modified Rapid Setting Slurry Seal, Complete and in Place	\$ _____ /SF	\$ _____
3	359,116	SF	Furnish & Place Type III Rapid Setting Slurry Seal, Scratch Course, Complete and in Place	\$ _____ /SF	\$ _____
4	306,988	SF	1/2-inch Micro-Mill, Complete and in Place	\$ _____ /SF	\$ _____
5	52,128	SF	3/4-inch Micro-Mill, Complete and in Place	\$ _____ /SF	\$ _____
6	359,116	SF	Furnish & Place Tack Coat, Complete and in Place	\$ _____ /SF	\$ _____
7	359,116	SF	Furnish & Place Crack Seal, Complete and in Place	\$ _____ /SF	\$ _____
8	33,503	LF	Furnish & Install 4" Solid White or Yellow Painted Pavement Markings (Type II waterborne), Complete and in Place	\$ _____ /LF	\$ _____
9	22,060	LF	Furnish & Install 4" Double Solid Yellow Painted Pavement Markings (Type II waterborne), Complete and in Place	\$ _____ /LF	\$ _____
10	4,119	LF	Furnish & Install 4" Broken White or Yellow Painted Pavement Markings (Type II waterborne), Complete and in Place	\$ _____ /LF	\$ _____

11	2,169	LF	Furnish & Install 4" Solid Yellow with Dash Painted Pavement Markings (Type II waterborne), Complete and in Place	\$ _____ /LF	\$ _____
12	47,334	LF	Furnish & Install 6" Solid White Painted Pavement Markings (Type II waterborne), Complete and in Place	\$ _____ /LF	\$ _____
13	4,186	LF	Furnish & Install 6" Broken White Painted Pavement Markings (Type II waterborne), Complete and in Place	\$ _____ /LF	\$ _____
14	14,966	LF	Furnish & Install 24" Solid White International Cross Walk (Thermoplastic) Complete and in Place	\$ _____ /LF	\$ _____
15	4,155	LF	Furnish & Install 24" Stop Bar (Thermoplastic), Complete and in Place	\$ _____ /LF	\$ _____
16	173	EA	Furnish & Install 8-foot STOP/ONLY/YIELD Legend (Thermoplastic), Complete and in Place	\$ _____ /EA	\$ _____
17	4	EA	Furnish & Install 8-foot SCHOOL Legend (Thermoplastic), Complete and in Place	\$ _____ /EA	\$ _____
18	392	EA	Furnish & Install 24" x 36" Yield Triangle Markings (Thermoplastic), Complete and in Place	\$ _____ /EA	\$ _____
19	113	EA	Furnish & Install Left, Right or Thru Arrows, (Thermoplastic), Complete and in Place	\$ _____ /EA	\$ _____
20	84	EA	Furnish & Install Bike Symbol, (Thermoplastic), Complete and in Place	\$ _____ /EA	\$ _____
21	1	LS	Force Account	\$60,000	\$60,000

Total – 2025/2026 PREVENTIVE MAINTENANCE SLURRY PROJECT \$ _____ (written base bid price)	\$ _____
---	------------------------

APPENDIX B
2025/2026 PREVENTIVE MAINTENANCE SLURRY PROJECT
Striping Quantities
REVISED - May 22nd, 2025

[illegible]

APPENDIX B
2025/2026 PREVENTIVE MAINTENANCE SLURRY PROJECT
Striping Quantities
REVISED - May 22nd, 2025

Street Name	Type II Waterborne Paint						Preformed Thermoplastic										
	4" Solid White or Yellow	4" Double Yellow	4" Broken White or Yellow	4" Solid Yellow with Dash	6" Solid White	6" Broken White	24" Stop Bar	24" International Cross Walk Bar	Left Arrow	Right Arrow	Thru Arrow	ONLY	STOP	YIELD	SCHOOL	Bike Symbols	Yield Triangles
W NEHALEM DR																	
WINTER HAWK WAY		100					37										
ZEPHYR WAY		50					21	120					1				
Totals	33,503	22,060	4,119	2,169	47,334	4,186	4,155	14,966	87	19	7	16	147	10	4	84	392

CALLE DE ORO PKWY

PALACIO CT

BRISA CT

MIRADOR CT

VENADO CT

MANGOSTA CT

GENIL CT

FLECHA CT

GERONA CT

LOS LAGOS AVE

PERLA CT

APIO CT

SEGURA CT

JACINTO AVE

TIBURON CT

CAMPELLO DR

STRIPING LEGEND

1. 140 lf (International Crosswalk)
2. 1 ea (Bike Symbol), 600 lf (6" Solid White)
3. 60 lf (6" Solid White), 1 ea (Left Arrow) 1 ea (ONLY)
4. 7 ea (Yield Triangles)
5. 120 lf (International Crosswalk)
6. 1 ea (Bike Symbol), 345 lf (6" Solid White)
7. 4 ea (Yield Triangles)
8. 90 lf (International Crosswalk)
9. 4 ea (Yield Triangles)
10. 12 lf (24-inch Stop Bar), 100 lf (International Crosswalk), 1 ea (STOP)
11. 13 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 1 ea (STOP)
12. 1 ea (Bike Symbol), 1,280 lf (6" Solid White)
13. 1 ea (Bike Symbol)
14. 1 ea (SCHOOL)
15. 1 ea (Bike Symbol)
16. 4 ea (Yield Triangles)
17. 100 lf (International Crosswalk)
18. 4 ea (Yield Triangles)
19. 4 ea (Yield Triangles)
20. 100 lf (International Crosswalk)
21. 4 ea (Yield Triangles)
22. 1 ea (Bike Symbol), 180 lf (6" Solid White)
23. 18 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 1 ea (STOP)
24. 1 ea (Bike Symbol), 120 lf (6" Solid White)
25. 1 ea (Bike Symbol), 310 lf (6" Solid White)
26. 1 ea (Bike Symbol)
27. 65 lf (6" Solid White)
28. 1 ea (Bike Symbol), 70 lf (6" Solid White)
29. 1 ea (Bike Symbol), 750 lf (6" Solid White)
30. 1 ea (Bike Symbol), 785 lf (6" Solid White)
31. 65 lf (6" Solid White), 1 ea (Left Arrow), 8 ea (Yield Triangles)
32. 1 ea (Bike Symbol), 615 lf (6" Solid White)
33. 17 lf (24-inch Stop Bar), 1 ea (STOP)
34. 1,230 lf (4" Solid Yellow-Island)
35. 685 lf (4" Solid Yellow-Island)
36. 505 lf (4" Double Yellow)
37. 760 lf (4" Double Yellow)
38. 65 lf (4" Double Yellow)
39. 85 lf (4" Double Yellow)
40. 260 lf (4" Double Yellow)
41. 140 lf (4" Double Yellow)
42. 21 lf (24-inch Stop Bar), 130 lf (International Crosswalk), 1 ea (STOP), 50 lf (4" Double Yellow)
43. 1 ea (SCHOOL)
44. 20 lf (24-inch Stop Bar), 100 lf (International Crosswalk), 50 lf (4" Double Yellow)
45. 21 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow)
46. 21 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow)
47. 20 lf (24-inch Stop Bar), 130 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
48. 21 lf (24-inch Stop Bar), 130 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
49. 21 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow)
50. 22 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow)
51. 21 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow)

STRIPING LEGEND-Con't

52. 22 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow)
53. 22 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow)
54. 42 lf (24-inch Stop Bar), 500 lf (International Crosswalk), 100 lf (4" Double Yellow), 12 ea (Yield Triangles)
55. 20 lf (24-inch Stop Bar), 100 lf (International Crosswalk), 50 lf (4" Double Yellow)
56. 21 lf (24-inch Stop Bar), 100 lf (International Crosswalk), 50 lf (4" Double Yellow)
57. 21 lf (24-inch Stop Bar), 130 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)

PM26 Project Sections



**2025/2026 Preventive Maintenance Slurry Project
Cimarron Area Striping Map**

STANFORD WAY

PROBASCO WAY

EMST

ELST

EKST

EJST


EHST

STRIPING LEGEND

1. 15 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
2. 16 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
3. 14 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
4. 15 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
5. 16 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
6. 16 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
7. 16 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
8. 16 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
9. 16 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
10. 17 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)

PM26 Project Sections





Striping Legend - See Kiley Ranch Area Striping Legend (next sheet)

PM26 Project Sections



2025/2026 Preventive Maintenance Slurry Project
Kiley Ranch Area Striping Map

STRIPING LEGEND

1. 80 lf (4" Solid White), 50 lf (International Crosswalk), 6 ea (Yield Triangles)
2. 17 lf (24-inch Stop Bar), 150 lf (International Crosswalk), 1 ea (STOP)
3. 62 lf (4" Solid White), 50 lf (International Crosswalk), 6 ea (Yield Triangles)
4. 445 lf (4" Solid Yellow)
5. 145 lf (4" Double Yellow)
6. 75 lf (4" Double Yellow)
7. 100 lf (4" Solid White - Traffic Calming)
8. 100 lf (4" Solid White - Traffic Calming)
9. 945 lf (4" Double Yellow)
10. 70 lf (6" Solid White), 1 ea (Left Arrow)
11. 785 lf (4" Double Yellow)
12. 100 lf (4" Solid White - Traffic Calming)
13. 100 lf (4" Solid White - Traffic Calming)
14. 100 lf (6" Solid White), 2 ea (Left Arrow)
15. 24 lf (24-inch Stop Bar), 100 lf (International Crosswalk), 1 ea (STOP)
16. 16 lf (24-inch Stop Bar), 100 lf (International Crosswalk), 1 ea (STOP)
17. 378 lf (4" Double Yellow), 80 lf (4" Solid Yellow with Dash)
18. 100 lf (4" Solid White - Traffic Calming)
19. 100 lf (4" Solid White - Traffic Calming)
20. 425 lf (4" Solid Yellow with Dash)
21. 100 lf (International Crosswalk), 4 ea (Yield Triangles)
22. 100 lf (International Crosswalk), 8 ea (Yield Triangles)
23. 100 lf (6" Solid White), 2 ea (Left Arrow)
24. 945 lf (4" Double Yellow)
25. 100 lf (4" Solid White - Traffic Calming)
26. 100 lf (4" Solid White - Traffic Calming)
27. 175 lf (4" Solid White)
28. 32 lf (24-inch Stop Bar), 180 lf (International Crosswalk), 2 ea (STOP)
29. 15 lf (24-inch Stop Bar), 80 lf (International Crosswalk), 1 ea (STOP), 50 lf (4" Double Yellow)
30. 23 lf (24-inch Stop Bar), 140 lf (International Crosswalk), 1 ea (STOP), 85 lf (4" Double Yellow)
31. 130 lf (International Crosswalk), 7 ea (Yield Triangles)
32. 17 lf (24-inch Stop Bar), 90 lf (International Crosswalk), 50 lf (4" Double Yellow)
33. 18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
34. 18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
35. 18 lf (24-inch Stop Bar), 100 lf (International Crosswalk), 50 lf (4" Double Yellow)
36. 19 lf (24-inch Stop Bar), 180 lf (International Crosswalk), 150 lf (4" Double Yellow), 8 ea (Yield Triangles)
37. 18 lf (24-inch Stop Bar), 100 lf (International Crosswalk), 50 lf (4" Double Yellow)
38. 19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
39. 17 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
40. 18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
41. 18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
42. 18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
43. 17 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
44. 17 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
45. 18 lf (24-inch Stop Bar), 190 lf (International Crosswalk), 50 lf (4" Double Yellow), 12 ea (Yield Triangles)
46. 19 lf (24-inch Stop Bar), 180 lf (International Crosswalk), 150 lf (4" Double Yellow), 11 ea (Yield Triangles)
47. 19 lf (24-inch Stop Bar), 200 lf (International Crosswalk), 150 lf (4" Double Yellow), 11 ea (Yield Triangles)
48. 18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
49. 17 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
50. 18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
51. 19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
52. 17 lf (24-inch Stop Bar), 100 lf (International Crosswalk), 50 lf (4" Double Yellow)
53. 160 lf (International Crosswalk), 90 lf (4" Double Yellow)
54. 38 lf (24-inch Stop Bar), 100 lf (International Crosswalk), 100 lf (4" Double Yellow), 6 ea (Yield Triangles)
55. 19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)

PM26 Project Sections





STRIPING LEGEND


- 1. 22 lf (24-inch Stop Bar), 140 lf (International Crosswalk), 60 lf (4" Double Yellow)
- 2. 210 lf (4" Broken Yellow)
- 3. 14 lf (24-inch Stop Bar), 1 ea (STOP), 50 lf (4" Double Yellow)

 PM26 Project Sections



STRIPING LEGEND

1. 19 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
2. 19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
3. 19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
4. 19 lf (24-inch Stop Bar), 100 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
5. 19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
6. 19 lf (24-inch Stop Bar), 190 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
7. 19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
8. 19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
9. 20 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
10. 19 lf (24-inch Stop Bar), 120 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
11. 19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
12. 19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
13. 18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
14. 19 lf (24-inch Stop Bar), 90 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
15. 19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
16. 18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
17. 19 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
18. 21 lf (24-inch Stop Bar), 120 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
19. 16 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
20. 20 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
21. 20 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
22. 18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
23. 18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
24. 1 ea (SCHOOL)
25. 19 lf (24-inch Stop Bar), 100 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)




PM26 Project Sections




STRIPING LEGEND

- 1. 234 lf (6" Solid White), 6 ea (Yield Triangles), 40 lf (International Crosswalk)
- 2. 130 lf (International Crosswalk)
- 3. 184 lf (6" Solid White), 6 ea (Yield Triangles), 50 lf (International Crosswalk), 1 ea (Right Arrow)
- 4. 507 lf (6" Solid White), 2 ea (Right Arrow), 6 ea (Left Arrow)
- 5. 5 ea (Yield Triangles), 30 lf (International Crosswalk)
- 6. 30 lf (International Crosswalk)
- 7. 30 lf (International Crosswalk)
- 8. 30 lf (International Crosswalk)
- 9. 5 ea (Yield Triangles)
- 10. 1,880 lf (4" Solid Yellow - Median)
- 11. 1,575 lf (4" Solid Yellow - Median)








STRIPING LEGEND

- 1. 20 lf (24-inch Stop Bar), 130 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
- 2. 1 ea (SCHOOL)
- 3. 21 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
- 4. 130 lf (International Crosswalk), 12 ea (Yield Triangles)
- 5. 19 lf (24-inch Stop Bar), 140 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
- 6. 18 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
- 7. 21 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
- 8. 22 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
- 9. 21 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
- 10. 21 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
- 11. 22 lf (24-inch Stop Bar), 130 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
- 12. 20 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 175 lf (4" Double Yellow), 1 ea (STOP)
- 13. 21 lf (24-inch Stop Bar), 120 lf (International Crosswalk), 1 ea (STOP)
- 14. 27 lf (24-inch Stop Bar), 140 lf (International Crosswalk), 175 lf (4" Double Yellow), 1 ea (STOP)
- 15. 710 lf (4" Solid White)
- 16. 150 lf (4" Solid White)
- 17. 155 lf (4" Solid White)
- 18. 22 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
- 19. 20 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
- 20. 420 lf (4" Solid White)
- 21. 250 lf (4" Broken Yellow)
- 22. 410 lf (4" Solid White)
- 23. 195 lf (4" Solid White)
- 24. 330 lf (4" Double Yellow)
- 25. 27 ea (Yield Triangles), 110 lf (International Crosswalk), 50 lf (4" Double Yellow)
- 26. 21 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
- 27. 20 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
- 28. 19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
- 29. 19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
- 30. 20 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
- 31. 21 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
- 32. 21 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
- 33. 60ea (Yield Triangles), 120 lf (International Crosswalk), 50 lf (4" Double Yellow)
- 34. 60ea (Yield Triangles), 120 lf (International Crosswalk), 50 lf (4" Double Yellow)
- 35. 18 lf (24-inch Stop Bar), 120 lf (International Crosswalk), 175 lf (4" Double Yellow), 1 ea (STOP)

PM26 Project Sections






PM26 Project Sections

Striping Legend - See Stonebrook (Residential) Area Striping Legend (next sheet)






STRIPING LEGEND	
1.	16 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
2.	19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
3.	19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
4.	170 lf (4" Double Yellow)
5.	165 lf (4" Double Yellow)
6.	19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
7.	175 lf (4" Double Yellow)
8.	150 lf (4" Double Yellow)
9.	18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
10.	17 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
11.	18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
12.	18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
13.	18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
14.	25 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
15.	17 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
16.	20 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
17.	20 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
18.	19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
19.	19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
20.	120 lf (4" Double Yellow)
21.	20 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
22.	20 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
23.	19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
24.	16 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
25.	18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
26.	17 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
27.	150 lf (4" Double Yellow)
28.	20 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
29.	16 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
30.	20 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
31.	19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
32.	190 lf (4" Double Yellow)
33.	200 lf (4" Double Yellow)
34.	21 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
35.	20 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
36.	19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
37.	19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
38.	19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
39.	19 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)

 PM26 Project Sections



STRIPING LEGEND

1. 21 lf (24-inch Stop Bar), 120 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
2. 20 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
3. 20 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
4. 20 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
5. 20 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
6. 21 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)
7. 21 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
8. 21 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
9. 225 lf (4" Double Yellow)
10. 800 lf (4" Double Yellow)
11. 540 lf (4" Double Yellow)
12. 24 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
13. 80 lf (4" Double Yellow)
14. 26 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)




PM26 Project Sections



STRIPING LEGEND

- 1. 29 lf (24-inch Stop Bar), 270 lf (International Crosswalk), 20 lf (4" Double Yellow), 1 ea (STOP)
- 2. 23 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
- 3. 29 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
- 4. 24 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
- 5. 23 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)




PM26 Project Sections



STRIPING LEGEND

1. 320 lf (4" Double Yellow)
2. 300 lf (4" Solid Yellow)
3. 426 lf (4" Solid Yellow)
4. 18 lf (24-inch Stop Bar)
5. 50 lf (International Crosswalk), 7 ea (Yield Triangles)
6. 50 lf (International Crosswalk), 7 ea (Yield Triangles)
7. 250 lf (4" Solid Yellow)
8. 17 lf (24-inch Stop Bar), 16 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
9. 19 lf (24-inch Stop Bar), 100 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
10. 21 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
11. 18 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
12. 18 lf (24-inch Stop Bar), 90 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
13. 20 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)
14. 18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow), 1 ea (STOP)
15. 18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)





STRIPING LEGEND
1. 21 lf (24-inch Stop Bar), 120 lf (International Crosswalk), 50 lf (4" Double Yellow), 1 ea (STOP)


1

ZEPHYR WAY

18TH ST

PM26 Project Sections






STRIPING LEGEND	
1.	1 ea (Thru and Right Arrow)
2.	5 ea (Yield Triangles)
3.	5 ea (Yield Triangles), 1ea (YIELD), 1 ea (Right & Thru Arrow)
4.	1 ea (Bike Symbol), 260 lf (6" Solid White)
5.	200 lf x 2 (6" Double Dashed White, 100' ea)
6.	1 ea (Bike Symbol), 600 lf (6" Solid White)
7.	1 ea (Bike Symbol), 415 lf (6" Solid White)
8.	4 ea (Yield Triangles)
9.	150 lf (6" Solid White), 2 ea (Left Arrow)
10.	130 lf (International Crosswalk)
11.	1 ea (Bike Symbol), 580 lf (6" Solid White)
12.	100 lf (International Crosswalk)
13.	1 ea (Right & Thru Arrow)
14.	5 ea (Yield Triangles), 1ea (YIELD)
15.	1 ea (Bike Symbol), 1,150 lf (6" Solid White)
16.	200 lf (6" Solid White), 2 ea (Left Arrow)
17.	6 ea (Yield Triangles)
18.	120 lf (International Crosswalk)
19.	5 ea (Yield Triangles)
20.	1 ea (Bike Symbol), 1,170 lf (6" Solid White)
21.	1 ea (Thru and Right Arrow)
22.	1ea (YIELD)
23.	6 ea (Yield Triangles)
24.	1 ea (Bike Symbol), 570 lf (6" Solid White)
25.	5 ea (Yield Triangles)
26.	1 ea (Bike Symbol), 475 lf (6" Solid White)
27.	150 lf (6" Solid White), 2 ea (Left Arrow)
28.	1 ea (Bike Symbol), 480 lf (6" Solid White)
29.	120 lf (x2) (6" Dashed White)
30.	1 ea (Bike Symbol), 300 lf (6" Solid White)
31.	335 lf (6" Solid White)
32.	800 lf (4" Solid Yellow - Median)
33.	275 lf (4" Solid Yellow - RAB)
34.	2,138 lf (4" Solid Yellow - Median)
35.	845 lf (4" Solid Yellow - Median)
36.	1,310 lf (4" Solid Yellow - Median)
37.	272 lf (4" Solid Yellow - RAB)
38.	2,503 lf (4" Solid Yellow - Median)
39.	150 lf (4" Solid Yellow - Median)
40.	1 ea (Bike Symbol), 440 lf (6" Solid White)
41.	325 lf (6" Solid White), 3 ea (Left Arrow), 3 ea (Right Arrow)

 PM26 Project Sections





STRIPING LEGEND

- 28. 1,544 lf (4" Double Yellow)
- 29. 1 ea (Bike Symbol)
- 30. 1 ea (Bike Symbol)
- 31. 1,520 lf (6" Solid White)
- 32. 1,918 lf (6" Solid White)
- 33. 1 ea (Bike Symbol)
- 34. 19 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 1 ea (STOP)
- 35. 1 ea (Bike Symbol), 307 lf (6" Solid White)
- 36. 306 lf (4" Double Yellow)

 PM26 Project Sections



STRIPING LEGEND

- 1. 1 ea (Bike Symbol), 1,175 lf (6" Solid White)
- 2. 200 lf (4" Double Yellow)
- 3. 1,664 lf (4" Solid Yellow with Dash)
- 4. 250 lf (4" Double Yellow)
- 5. 200 lf (6" Solid White), 4 ea (Left Arrow)
- 6. 50 lf (6" Broken White)
- 7. 130 lf (International Crosswalk), 9 ea (Yield Triangles)
- 8. 130 lf (International Crosswalk), 9 ea (Yield Triangles)
- 9. 1 ea (Bike Symbol), 815 lf (6" Solid White)
- 10. 1 ea (Bike Symbol)
- 11. 1,175 lf (4" Double Yellow)
- 12. 50 lf (6" Broken White)
- 13. 150 lf (6" Solid White), 4 ea (Left Arrow)
- 14. 130 lf (International Crosswalk), 9 ea (Yield Triangles)
- 15. 130 lf (International Crosswalk), 9 ea (Yield Triangles)
- 16. 1 ea (Bike Symbol), 250 lf (6" Solid White)
- 17. 326 lf (4" Double Yellow)
- 18. 266 lf (6" Solid White)
- 19. 195 lf (6" Solid White), 4 ea (Left Arrow)
- 20. 1 ea (Bike Symbol), 780 lf (6" Solid White)
- 21. 195 lf (6" Solid White), 4 ea (Left Arrow)
- 22. 50 lf (6" Broken White)
- 23. 1 ea (Bike Symbol), 1,200 lf (6" Solid White)
- 24. 1 ea (Bike Symbol)
- 25. 50 lf (6" Broken White)
- 26. 150 lf (6" Solid White), 2 ea (Left Arrow), 1 ea (ONLY)
- 27. 31 lf (24-inch Stop Bar), 130 lf (International Crosswalk), 1 ea (STOP)
- 48. 1 ea (Bike Symbol), 100 lf (6" Solid White)
- 49. 50 lf (6" Broken White)
- 50. 1 ea (Bike Symbol), 160 lf (6" Solid White)
- 51. 60 lf (6" Solid White - Median)
- 52. 1 ea (Bike Symbol), 115 lf (6" Solid White)
- 53. 50 lf (6" Broken White)
- 54. 1 ea (Bike Symbol), 94 lf (6" Solid White)
- 55. 50 lf (6" Broken White)
- 56. 150 lf (4" Double Yellow), 2 ea (Left Arrow), 1 ea (ONLY)
- 57. 30 lf (24-inch Stop Bar), 130 lf (International Crosswalk), 2 ea (STOP)

PM26 Project Sections





- STRIPING LEGEND**
- 37. 1 ea (Bike Symbol), 850 lf (6" Solid White)
 - 38. 17 lf (24-inch Stop Bar), 110 lf (International Crosswalk), 50 lf (4" Double Yellow)1 ea (STOP)
 - 39. 1 ea (Bike Symbol)
 - 40. 100 lf (6" Broken White)
 - 41. 1 ea (Bike Symbol)
 - 42. 1 ea (Bike Symbol), 80 lf (6" Solid White)
 - 43. 100 lf (6" Broken White)
 - 44. 18 lf (24-inch Stop Bar), 50 lf (4" Double Yellow)1 ea (STOP)
 - 45. 1 ea (Bike Symbol), 710 lf (6" Solid White)
 - 46. 100 lf (6" Broken White)
 - 47. 1,105 lf (4" Broken Yellow)

 PM26 Project Sections



STRIPING LEGEND

- 57. 1 ea (Bike Symbol), 550 lf (6" Solid White)
- 58. 650 lf (4" Solid Yellow - Median)
- 59. 105 lf (6" Broken White)
- 60. 75 lf (6" Solid White), 2 ea (Left Arrow), 1 ea (ONLY)
- 61. 150 lf (International Crosswalk), 7 ea (Yield Triangles)
- 62. 1 ea (Bike Symbol), 586 lf (6" Solid White)
- 63. 708 lf (4" Solid Yellow - Median)
- 64. 105 lf (6" Broken White)
- 65. 160 lf (6" Solid White), 2 ea (Left Arrow), 1 ea (ONLY)
- 66. 150 lf (International Crosswalk), 7 ea (Yield Triangles)
- 67. 1 ea (Bike Symbol), 540 lf (6" Solid White)
- 68. 550 lf (4" Solid Yellow - Median)
- 69. 40 lf (International Crosswalk), 4 ea (Yield Triangles)
- 70. 400 lf (6" Solid White)
- 71. 495 lf (4" Solid Yellow - Median)
- 72. 100 lf (6" Broken White)
- 73. 150 lf (International Crosswalk), 7 ea (Yield Triangles)
- 74. 180 lf (6" Solid White), 2 ea (Left Arrow), 1 ea (ONLY)
- 75. 1 ea (Bike Symbol), 405 lf (6" Solid White)
- 76. 504 lf (4" Solid Yellow - Median)
- 77. 60 lf (International Crosswalk)
- 78. 4 ea (Yield Triangles), 1 ea (YIELD)
- 79. 100 lf (6" Solid White)
- 80. 40 lf (4" Solid Yellow - Median)
- 81. 50 lf (4" Solid Yellow - Median)
- 82. 40 lf (International Crosswalk)
- 83. 506 lf (4" Solid Yellow - Median)
- 84. 1 ea (Bike Symbol), 314 lf (6" Solid White)
- 85. 184 lf (6" Solid White), 2 ea (Left Arrow), 1 ea (ONLY)

LA POSADA DR

STONEBROOK PKWY

STONEBROOK PKWY

SPRAGUE DR

BLUE EARTH DR

NAVASOTA DR

GALAMUS DR

OPPIO RANCH PKWY

FURNACE CREEK DR

STRIPING LEGEND

- 86. 90 lf (6" Broken White)
- 87. 150 lf (International Crosswalk), 7 ea (Yield Triangles)
- 88. 1 ea (Bike Symbol), 567 lf (6" Solid White)
- 89. 497 lf (4" Solid Yellow - Median)
- 90. 40 lf (International Crosswalk), 4 ea (Yield Triangles)
- 91. 544 lf (4" Solid Yellow - Median)
- 92. 445 lf (6" Solid White)
- 93. 105 lf (6" Broken White)
- 94. 185 lf (6" Solid White), 2 ea (Left Arrow), 1 ea (ONLY)
- 95. 150 lf (International Crosswalk), 7 ea (Yield Triangles)
- 96. 1 ea (Bike Symbol), 595 lf (6" Solid White)
- 97. 706 lf (4" Solid Yellow - Median)
- 98. 106 lf (6" Broken White)
- 99. 160 lf (6" Solid White), 2 ea (Left Arrow), 1 ea (ONLY)
- 100. 150 lf (International Crosswalk), 7 ea (Yield Triangles)
- 101. 1 ea (Bike Symbol), 384 lf (6" Solid White)
- 102. 650 lf (4" Solid Yellow - Median)
- 103. 206 lf (6" Broken White - Double (103' ea))
- 104. 1 ea (Bike Symbol)
- 105. 300 lf (6" Broken White - Double (150' ea))
- 106. 160 lf (6" Solid White), 2 ea (Left Arrow), 1 ea (ONLY)
- 107. 41 lf ((24-inch Stop Bar), 170 lf (International Crosswalk), 3 ea (STOP)

PM26 Project Sections



STRIPING LEGEND

- 37. 1 ea (Bike Symbol), 680 lf (6" Solid White)
- 38. 1,119 lf (4" Solid Yellow - Median)
- 39. 100 lf (6" Broken White)
- 40. 180 lf (6" Solid White), 2 ea (Left Arrow), 1 ea (ONLY)
- 41. 28 lf ((24-inch Stop Bar), 140 lf (International Crosswalk), 2 ea (STOP)
- 42. 140 lf (International Crosswalk)
- 43. 1 ea (Bike Symbol), 600 lf (6" Solid White)
- 44. 610 lf (4" Solid Yellow - Median)
- 45. 610 lf (4" Solid Yellow - Median)
- 46. 505 lf (6" Solid White)
- 47. 110 lf (6" Broken White)
- 48. 190 lf (6" Solid White), 2 ea (Left Arrow), 1 ea (ONLY)
- 49. 28 lf ((24-inch Stop Bar), 2 ea (STOP)
- 50. 1 ea (Bike Symbol), 916 lf (6" Solid White)
- 51. 1,144 lf (4" Solid Yellow - Median)
- 52. 200 lf (6" Broken White - Double (100' ea))
- 53. 1 ea (Bike Symbol)
- 54. 270 lf (6" Solid White)
- 55. 170 lf (6" Solid White), 2 ea (Left Arrow), 1 ea (ONLY)
- 56. 42 lf ((24-inch Stop Bar), 170 lf (International Crosswalk), 3 ea (STOP)

FALLEN GROVE LN

EVANS BRIDGE ST

OPPIO RANCH PKWY

STONEBROOK PKWY

RUSTIC SKY DR

PM26 Project Sections



STRIPING LEGEND

1.

35 lf (6" Broken White)

2.

65 lf (6" Broken White)

3.

110 lf (6" Solid White)

4.

233 lf (6" Solid White with Cross Hatch)

5.

4 ea (Left and Thru Arrow)

6.

32 lf (6" Solid White)

7.

35 lf (6" Broken White)

8.

35 lf (6" Broken White), 5 ea (Yield Triangles), 1 ea (YIELD)

9.

85 lf (6" Broken White)

10.

100 lf (International Crosswalk)

11.

210 lf (6" Solid White with Cross Hatch)

12.

50 lf (6" Broken White)

25.

1 ea (Bike Symbol), 540 lf (6" Solid White)

26.

195 lf (6" Broken White)

27.

700 lf (6" Solid White), 10 ea (Left Arrow)

28.

41 lf ((24-inch Stop Bar), 220 lf (International Crosswalk)

29.

30 lf (6" Broken White)

30.

550 lf (6" Solid White)

31.

1 ea (Bike Symbol)

32.

520 lf (6" Solid White)

33.

11 lf ((24-inch Stop Bar)

34.


2 ea (Bike Symbol)

35.

1,202 lf (4" Solid Yellow - Median, both sides)

36.


54 lf (4" Solid Yellow - Median)



PM26 Project Sections

STRIPING LEGEND

- 13. 30 lf (International Crosswalk)
- 14. 25 lf (4" Solid Yellow - Median)
- 15. 1 ea (Bike Symbol), 1,255 lf (6" Solid White)
- 16. 1,327 lf (4" Solid Yellow - Median)
- 17. 205 lf (6" Solid White), 3 ea (Left Arrow)
- 18. 50 lf (6" Broken White)
- 19. 150 lf (International Crosswalk)
- 20. 1 ea (Bike Symbol), 1,251 lf (6" Solid White)
- 21. 1,291 lf (4" Solid Yellow - Median)
- 22. 30 lf (International Crosswalk), 1 ea (Right and Thru Arrow), 1 ea (YIELD), 5 ea (Yield Triangles)
- 23. 30 lf (6" Broken White)
- 24. 25 lf (4" Solid Yellow - Median)




PM26 Project Sections



STRIPING LEGEND

- 18. 150 lf (International Crosswalk)
- 19. 1 ea (Bike Symbol), 1,165 lf (6" Solid White)
- 20. 150 lf (4" Double Yellow)
- 21. 535 lf (4" Broken Yellow)
- 22. 1 ea (Bike Symbol)
- 23. 865 lf (4" Solid Yellow with Cross Hatch, 15' O.C.)
- 24. 1 ea (Bike Symbol)
- 25. 150 lf (4" Double Yellow), 2 ea (Left Arrow), 1 ea (ONLY), 150 lf (6" Solid White), 10 ea (Yield Triangles), 120 lf (International Crosswalk)
- 26. 700 lf (4" Solid Yellow with Cross Hatch Island, 15' O.C.)
- 27. 1 ea (Bike Symbol), 965 lf (6" Solid White)
- 28. 810 lf (4" Broken Yellow)
- 29. 1 ea (Bike Symbol)
- 30. 1 ea (Bike Symbol)
- 31. 1,430 lf (6" Solid White)
- 32. 60 lf (International Crosswalk), 1 ea (Right and Left/Thru Arrow)
- 33. 36 lf (6" Double Solid White, 18' ea), 9 ea (Yield Triangles)
- 34. 246 lf (4" Solid Yellow - Median)
- 35. 1 ea (Bike Symbol), 210 lf (6" Solid White)
- 36. 340 lf (6" Solid White)
- 37. 1 ea (Bike Symbol)
- 38. 50 lf (6" Broken White)
- 39. 170 lf (6" Solid White)
- 40. 1 ea (Bike Symbol)
- 41. 50 lf (6" Broken White)
- 42. 65 lf (6" Solid White)
- 43. 50 lf (6" Broken White)
- 44. 6 ea (Yield Triangles)
- 45. 1 ea (Bike Symbol), 386 lf (6" Solid White)
- 46. 50 lf (6" Broken White)
- 47. 1 ea (Bike Symbol), 350 lf (6" Solid White)
- 48. 50 lf (6" Broken White)
- 49. 1 ea (Bike Symbol), 145 lf (6" Solid White)
- 50. 30 lf ((24-inch Stop Bar), 150 lf (6" Solid White), 2 ea (STOP), 1 ea (ONLY), 2 ea (Left Arrow)
- 51. 50 lf (6" Broken White)



PM26 Project Sections



STRIPING LEGEND

- 52. 1 ea (Bike Symbol), 135 lf (6" Solid White)
- 53. 50 lf (6" Broken White)
- 54. 1 ea (Bike Symbol), 617 lf (6" Solid White)
- 55. 1 ea (Bike Symbol)
- 56. 50 lf (6" Broken White)
- 57. 20 lf ((24-inch Stop Bar), 100 lf (International Crosswalk), 1 ea (STOP)
- 58. 1 ea (Bike Symbol), 65 lf (6" Solid White)
- 59. 50 lf (6" Broken White)
- 60. 1 ea (Bike Symbol), 425 lf (6" Solid White)
- 61. 50 lf (6" Broken White)
- 62. 1 ea (Bike Symbol), 110 lf (6" Solid White)
- 63. 65 lf (6" Broken White)
- 64. 50 lf (6" Solid White), 1ea (Right Arrow) 1 ea (Thru/Right Arrow)
- 65. 100 lf (6" Double Broken White - 50' ea)
- 66. 2 ea (YIELD), 9 ea (Yield Triangles)

TIERRA DEL SOL PKWY

OPPIO RANCH PKWY

ANDELIN DR

STONEBROOK PKWY

STRIPING LEGEND

- 3. 30 lf (International Crosswalk)
- 4. 238 lf (4" Solid Yellow - Median)
- 5. 1 ea (Bike Symbol), 115 lf (6" Solid White)
- 6. 50 lf (4" Double Yellow)
- 7. 611 lf (4" Double Yellow)
- 8. 1 ea (Bike Symbol), 608 lf (6" Solid White)
- 9. 1 ea (Bike Symbol)
- 10. 140 lf (4" Double Yellow) 19 lf ((24-inch Stop Bar), 100 lf (International Crosswalk)
- 11. 50 lf (6" Broken White)
- 12. 1 ea (Bike Symbol), 895 lf (6" Solid White)
- 13. 150 lf (4" Double Yellow)
- 14. 598 lf (4" Broken Yellow)
- 15. 1 ea (Bike Symbol)
- 16. 150 lf (4" Double Yellow), 2 ea (Left Arrow), 1 ea (ONLY), 150 lf (6" Solid White), 2 ea (STOP), 130 lf (International Crosswalk), 29 lf ((24-inch Stop Bar)
- 17. 50 lf (6" Broken White)

PM26 Project Sections



