



ADDENDUM #1

2017 STREET PATCHING

BID #16/17-015 / PWP # WA-2017-124

BIDS DUE NO LATER THAN: 1:45 PM ON MARCH 7, 2017

PUBLIC BID OPENING: 2:00 PM ON MARCH 7, 2017

This addendum is to notify all potential proposers of clarifications made to the Bid documents as stated below.

Within the Bid Item Clarifications section of the Bid Document (Page 41), Bid Item 2 is changed to read as follows:

BID ITEM 2 ~ 4-inch Plantmix Bituminous Patch UNDER 500 Square Feet

The work shall consist of all labor, equipment, materials, and incidentals necessary, but not limited to, saw cutting, removal of existing asphalt, providing a clean surface, SS1-h tack coat, placement and compaction of four inches (4") of plantmix bituminous pavement. The width and length of the patch will vary and the total square footage shall be less than five hundred (500) square feet.

The plantmix bituminous pavement shall be a Type 3, 50 blow, 3% air void mix using PG64-22 asphalt cement. Recycled Asphalt Pavement (RAP) up to 15% will be allowed.

Locations for this item shall be identified in the field and will be "grouped" as best as possible.

Quantity for payment will be based upon the actual square feet, complete, in place.

Please note and adjust your bid according to the revisions, additions, deletions, clarifications or modifications as presented on this Addendum #1, which are made a part of this bid. NOTE: To avoid disqualification, this Addendum 1 (and any other addenda) must be signed by an authorized representative of the bidding firm in the space provided and must be submitted with your firm's sealed proposal. Failure to return this addendum, duly signed, may be cause for rejection of the bid. ALL ADDENDA SHOULD BE SIGNED AND PLACED IN SEQUENTIAL ORDER AND ATTACHED TO THE FRONT OF THE BID PACKAGE, COMPLETE WITH ALL REQUIRED DOCUMENTS.

CONTRACTOR BUSINESS NAME

X _____
Authorized Signature

Printed Name of Person Signing

Dan Marran, C.P.M., CPPO
Contracts and Risk Manager

February 24, 2017